

HPD UNIQUE IDENTIFIER: 22981

CLASSIFICATION: 09 97 35 Dry Erase Coatings

PRODUCT DESCRIPTION: Wink by Wolf-Gordon is a clear, high-gloss coating that can transform any paintable surface into a write-and-erase canvas. As a clear waterbased finish, Wink can be applied over smooth surfaces of any color, such as painted drywall, wallcovering, sealed wood, and metal, allowing your color, pattern, or material be the focus.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p><b>Inventory Reporting Format</b></p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p><b>Threshold level</b></p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p><b>Residuals/Impurities</b></p> <p>Residuals/Impurities Considered in 2 of 2 Materials</p> <p><b>Explanation(s) provided for Residuals/Impurities?</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p><b>Characterized</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>% weight and role provided for all substances.</i></p> <p><b>Screened</b> <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No <i>One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.</i></p> <p><b>Identified</b> <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No <i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p>
--	--	--	--

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**WINK PART A [ WATERBORNE POLYACRYLATE DISPERSION** Not Screened **1-METHOXY-2-HYDROXYPROPANE** LT-P1 | END  
**POLYETHYLENE GLYCOL DI(3-(3-(2H-BENZOTRIAZOL-2-YL)-5-TERT-BUTYL-4-HYDROXYPHENYL)-1-OXOPROPYL) ETHER** NoGS  
**POLY(OXY-1,2-ETHANEDIYL), ALPHA-(3-(3-(2H-BENZOTRIAZOL-2-YL)-5-(1,1-DIMETHYLETHYL)-4-HYDROXYPHENYL)-1-OXOPROPYL)-OMEGA-HYDROXY-** NoGS **DECANEDIOIC ACID, 1,10-BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL) ESTER** BM-1 | PBT | MUL 1-(1-METHYL-2-PROPOXYETHOXY)PROPAN-2-OL LT-UNK **METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL SEBACATE** LT-P1 | MUL **AMMONIA** LT-P1 | RES | AQU | SKI | MAM | END | MUL ] **WINK PART B [ HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER** LT-P1 **CYCLOHEXANAMINE, N,N-DIMETHYL-, COMPDS. WITH 3-(CYCLOHEXYLAMINO)-1-PROPANESULFONIC ACID-BLOCKED 1,6-DIISOCYANATOHEXANE HOMOPOLYMER** NoGS **STABILIZING AGENTS** Not Screened ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

All substances for which the identity is known are screened, all substances which are unknown or undisclosed are provided with their GHS classification.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 30 Regulatory (g/l): 50  
 Does the product contain exempt VOCs: No  
 Are ultra-low VOC tints available: N/A

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: MAS Certified Green - VOC Emissions  
 VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario  
 VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-11-10

PUBLISHED DATE: 2020-11-19

EXPIRY DATE: 2023-11-10

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### WINK PART A

#: 60.0000 - 70.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Other: Paint

RESIDUALS AND IMPURITIES NOTES: As specified per supplier GHS SDS

OTHER MATERIAL NOTES:

#### WATERBORNE POLYACRYLATE DISPERSION

ID: Not Registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-11-10

#: 80.0000 - 90.0000

GS: Not Screened

RC: None

NANO: No

SUBSTANCE ROLE: Film former

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES: Predispersed unpigmented polyacrylatesolution with stabilizers

#### 1-METHOXY-2-HYDROXYPROPANE

ID: 107-98-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-11-10

#: 3.0000 - 5.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Solvent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES:

#### POLYETHYLENE GLYCOL DI(3-(3-(2H-BENZOTRIAZOL-2-YL)-5-TERT-BUTYL-4-HYDROXYPHENYL)-1-OXOPROPYL) ETHER

ID: 104810-47-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-11-10

#: 2.0000 - 3.0000

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Heat or UV stabilizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

#### POLY(OXY-1,2-ETHANEDIYL), ALPHA-(3-(3-(2H-BENZOTRIAZOL-2-YL)-5-(1,1-DIMETHYLETHYL)-4-HYDROXYPHENYL)-1-OXOPROPYL)-OMEGA-HYDROXY-

ID: 104810-48-2

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-11-10</b>
#: <b>2.0000 - 3.0000</b>	GS: <b>NoGS</b>	RC: <b>None</b> NANO: <b>No</b> SUBSTANCE ROLE: <b>Heat or UV stabilizer</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

**DECANEDIOIC ACID, 1,10-BIS(1,2,2,6,6-PENTAMETHYL-4-PIPERIDINYL) ESTER** ID: **41556-26-7**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-11-10</b>
#: <b>2.0000 - 3.0000</b>	GS: <b>BM-1</b>	RC: <b>None</b> NANO: <b>No</b> SUBSTANCE ROLE: <b>Heat or UV stabilizer</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SUBSTANCE NOTES:		

**1-(1-METHYL-2-PROPOXYETHOXY)PROPAN-2-OL** ID: **29911-27-1**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-11-10</b>
#: <b>1.0000 - 2.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b> NANO: <b>No</b> SUBSTANCE ROLE: <b>Solvent</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

**METHYL 1,2,2,6,6-PENTAMETHYL-4-PIPERIDYL SEBACATE** ID: **82919-37-7**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-11-10</b>
#: <b>0.5000 - 1.0000</b>	GS: <b>LT-P1</b>	RC: <b>None</b> NANO: <b>No</b> SUBSTANCE ROLE: <b>Heat or UV stabilizer</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SUBSTANCE NOTES:		

**AMMONIA** ID: **7664-41-7**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-11-10</b>
#: <b>0.5000 - 1.0000</b>	GS: <b>LT-P1</b>	RC: <b>None</b> NANO: <b>No</b> SUBSTANCE ROLE: <b>Buffer</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rr) - irritant-induced
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances

SUBSTANCE NOTES:

**WINK PART B**

%: 30.0000 - 40.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Other: Hardener

RESIDUALS AND IMPURITIES NOTES: As specified per supplier GHS SDS

OTHER MATERIAL NOTES:

**HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER**

ID: 28182-81-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-10**%: **60.0000 - 70.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Curing agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**CYCLOHEXANAMINE, N,N-DIMETHYL-, COMPDS. WITH 3-(CYCLOHEXYLAMINO)-1-PROPANESULFONIC ACID-BLOCKED 1,6-DIISOCYANATOHEXANE HOMOPOLYMER**

ID: 666723-27-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-10**%: **20.0000 - 30.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Curing agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**STABILIZING AGENTS**ID: **Not Registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-10**%: **10.0000 - 20.0000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
		Hazard Screening not performed

SUBSTANCE NOTES: Mixture of surfactants and other components which aid the active ingredients (isocyanates) in their crosslinking action and ease of application.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	MAS Certified Green - VOC Emissions		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All facilities CERTIFICATE URL: <a href="https://2f3785c4-e873-4fc5-9f51-8909f3528769.filesusr.com/ugd/c3b0ae_55ff9f6660524f9794e66d878a3abe3d.pdf">https://2f3785c4-e873-4fc5-9f51-8909f3528769.filesusr.com/ugd/c3b0ae_55ff9f6660524f9794e66d878a3abe3d.pdf</a>	ISSUE DATE: 2020-08-07	EXPIRY DATE: 2021-08-07	CERTIFIER OR LAB: Material Analytical Services, LLC
CERTIFICATION AND COMPLIANCE NOTES: Certificate No. MAS2000429-4			

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All facilities CERTIFICATE URL: <a href="https://2f3785c4-e873-4fc5-9f51-8909f3528769.filesusr.com/ugd/c3b0ae_55ff9f6660524f9794e66d878a3abe3d.pdf">https://2f3785c4-e873-4fc5-9f51-8909f3528769.filesusr.com/ugd/c3b0ae_55ff9f6660524f9794e66d878a3abe3d.pdf</a>	ISSUE DATE: 2020-08-07	EXPIRY DATE: 2021-08-07	CERTIFIER OR LAB: Material Analytical Services, LLC
CERTIFICATION AND COMPLIANCE NOTES: Certificate No. MAS2000429-4			

VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All facilities CERTIFICATE URL:	ISSUE DATE: 2020-08-07	EXPIRY DATE:	CERTIFIER OR LAB: None
CERTIFICATION AND COMPLIANCE NOTES: Calculated from base materials and verified in-house			

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

APPLICATION INSTRUCTIONS	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Instructions for proper application are included with every order of Wink	
SPECIALTY ROLLER	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This special roller is included in every kit of Wink to ensure consistent, proper application to provide the best possible writing surface.	
WINK SURFACE CONDITIONER	HPD URL: <a href="https://hpdrepository.hpd-collaborative.org/repository/HPDs/559_Wink_Surface_Conditioner.pdf">https://hpdrepository.hpd-collaborative.org/repository/HPDs/559_Wink_Surface_Conditioner.pdf</a>
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Included with every kit of Wink, this product is available for use after the coating has fully cured (5 days) to ensure that the surface is as smooth and writable as possible.	

## Section 5: General Notes

This HPD was prepared by the manufacturer. All of the information disclosed is true and accurate to the best of their knowledge.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** ICP Group  
**ADDRESS:** 150 Dascomb Rd  
 Andover Massachusetts 01810, United States  
**WEBSITE:** <https://www.wolfgordon.com/wink>

**CONTACT NAME:** Nick Brenneman  
**TITLE:** Chemist  
**PHONE:** 978-623-9980 ext. 2262  
**EMAIL:** [nbrenneman@icpgroup.com](mailto:nbrenneman@icpgroup.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*