

HPD UNIQUE IDENTIFIER: 12873851904

CLASSIFICATION: 09 67 23 Resinous Flooring

PRODUCT DESCRIPTION: Flowfresh SR (1/4" - 5/16") is a slurry-broadcast, anti-slip and HACCP International certified antimicrobial treated cementitious urethane flooring system. The system is resistant to temperatures of up to 210°F and suitable for steam cleaning, and provides positively textured profile to minimize slip risks in wet or damp areas.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and screening options (Characterized, Screened, Identified).

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

- Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...
BM-1, LT-P1, LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was generated with basic inventory information

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
FLOWFRESH SR [ QUARTZ BM-1 ] CAN | MAM | GEN PORTLAND CEMENT LT-P1 ] CAN | END | MAM CALCIUM HYDROXIDE LT-P1 ] SKI | MAM | EYE 4,4'-DIPHENYLMETHANE DIISOCYANATE LT-UNK ] CAN | RES | SKI | EYE | MAM DIPHENYLMETHANE DIISOCYANATE (MDI) - NON ISOMER SPECIFIC LT-UNK ] SKI | EYE | CAN | MAM CASTOR OIL NoGS POLYMETHYLENE POLYPHENYL ISOCYANATE LT-UNK ] CAN | RES | EYE | SKI | MAM WATER BM-4 2,4'-DIPHENYLMETHANE DIISOCYANATE LT-UNK ] SKI | EYE | CAN | MAM ALKYL (C12, C14) GLYCIDYL ETHER LT-P1 ] MUL | SKI ETHYLENE GLYCOL LT-1 ] END | DEV | MAM | EYE | SKI FERRIC OXIDE BM-1 ] CAN | MAM TROLAMINE LT-P1 ] END | MAM | EYE | SKI 1,2,4-TRIMETHYLBENZENE BM-2 ] MUL | SKI | EYE | AQU | MAM ]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 7, compliant to low VOC Rule 1113 in all 50 states
Regulatory (g/l): 7, compliant to low VOC Rule 1113 in all 50 states
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario
VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified? (Yes/No), PREPARER: Self-Prepared, VERIFIER: VERIFICATION #: SCREENING DATE: 2024-09-10, PUBLISHED DATE: 2024-10-09, EXPIRY DATE: 2027-09-10

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### FLOWFRESH SR

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: The product is estimated to have no residuals/impurities over 1000 ppm based on raw material supplier information

OTHER PRODUCT NOTES:

### QUARTZ

ID: 14808-60-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-09-10 16:33:06

%: 39.3620 - 59.0430

GreenScreen: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

| HAZARD TYPE | LIST NAME AND SOURCE              | WARNINGS  |
|-------------|-----------------------------------|---|
| CAN         | US CDC - Occupational Carcinogens | Occupational Carcinogen   |
| CAN         | CA EPA - Prop 65                  | Carcinogen - specific to chemical form or exposure route  |
| CAN         | US NIH - Report on Carcinogens    | Known to be Human Carcinogen (respirable size - occupational setting)   |
| CAN         | MAK                               | Carcinogen Group 1 - Substances that cause cancer in man  |
| CAN         | IARC                              | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources   |
| CAN         | IARC                              | Group 1 - Agent is Carcinogenic to humans   |
| CAN         | US NIH - Report on Carcinogens    | Known to be a human Carcinogen  |
| CAN         | GHS - Japan                       | H350 - May cause cancer [Carcinogenicity - Category 1A]   |
| CAN         | GHS - Australia                   | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]  |
| CAN         | GHS - New Zealand                 | Carcinogenicity category 1  |
| MAM         | GHS - Japan                       | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| GEN         | GHS - Japan                       | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]   |
| MAM         | GHS - Australia                   | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM         | GHS - New Zealand                 | Specific target organ toxicity - repeated exposure category 1   |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |
| SUBSTANCE NOTES:    |                      |  |

**PORTLAND CEMENT**

ID: 65997-15-1

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                                       | HAZARD SCREENING DATE: <b>2024-09-10 16:33:06</b>   |                 |                               |
|--|---------------------------------------|---|-----------------|-------------------------------|
| %: <b>19.1490 - 38.2980</b>                                      | GreenScreen: <b>LT-P1</b>             | RC: <b>None</b>   | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Filler</b> |
| HAZARD TYPE  | LIST NAME AND SOURCE                  | WARNINGS  |                 |                               |
| CAN  | MAK                                   | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification  |                 |                               |
| END  | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor   |                 |                               |
| MAM  | GHS - Japan                           | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]   |                 |                               |
| MAM  | GHS - Japan                           | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |                 |                               |
| ADDITIONAL LISTINGS  | LIST NAME AND SOURCE                  | NOTIFICATION  |                 |                               |
| None found   |                                       | No listings found on Additional Hazard Lists  |                 |                               |
| SUBSTANCE NOTES:   |                                       |   |                 |                               |

**CALCIUM HYDROXIDE**

ID: 1305-62-0

| HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b> |                           | HAZARD SCREENING DATE: <b>2024-09-10 16:33:06</b>  |                 |                                    |
|--|---------------------------|--|-----------------|------------------------------------|
| %: <b>7.6600 - 19.1490</b>                                       | GreenScreen: <b>LT-P1</b> | RC: <b>None</b>  | NANO: <b>No</b> | SUBSTANCE ROLE: <b>Accelerator</b> |
| HAZARD TYPE  | LIST NAME AND SOURCE      | WARNINGS   |                 |                                    |
| SKI  | GHS - Australia           | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]   |                 |                                    |
| MAM  | GHS - Japan               | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |                 |                                    |
| SKI  | GHS - New Zealand         | Skin corrosion category 1C   |                 |                                    |
| EYE  | GHS - New Zealand         | Serious eye damage category 1  |                 |                                    |
| EYE  | GHS - Japan               | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]                              |                 |                                    |
| SKI  | GHS - Japan               | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]   |                 |                                    |
| EYE  | GHS - Australia           | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]                                |                 |                                    |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION  |
|---------------------|---|---|
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)                   | GSPI - Six Classes Precautionary List<br><br>Antimicrobials   |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products |

SUBSTANCE NOTES:

#### 4,4'-DIPHENYLMETHANE DIISOCYANATE

ID: 101-68-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-09-10 16:33:07**

%: **5.3190 - 7.4470** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Curing agent**

| HAZARD TYPE | LIST NAME AND SOURCE                      | WARNINGS  |
|-------------|---|---|
| CAN         | MAK                                       | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels  |
| RES         | MAK                                       | Sensitizing Substance Sah - Danger of airway & skin sensitization   |
| SKI         | EU - GHS (H-Statements) Annex 6 Table 3-1 | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]  |
| EYE         | EU - GHS (H-Statements) Annex 6 Table 3-1 | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]  |
| CAN         | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| SKI         | GHS - New Zealand                         | Skin irritation category 2  |
| EYE         | GHS - New Zealand                         | Eye irritation category 2   |
| SKI         | GHS - Australia                           | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]  |
| EYE         | GHS - Australia                           | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]  |
| CAN         | GHS - New Zealand                         | Carcinogenicity category 2  |
| MAM         | GHS - Japan                               | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM         | GHS - Australia                           | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM         | GHS - New Zealand                         | Specific target organ toxicity - repeated exposure category 1   |
| MAM         | GHS - Japan                               | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| CAN         | EU - Annex VI CMRs                        | Carcinogen Category 2 - Suspected human Carcinogen  |

|                     |  |   |
|---------------------|--|---|
| SKI                 | GHS - Japan  | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]  |
| SKI                 | GHS - New Zealand  | Skin sensitisation category 1   |
| MAM                 | GHS - New Zealand  | Acute inhalation toxicity category 2  |
| EYE                 | GHS - Korea  | H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]   |
| SKI                 | GHS - Korea  | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]  |
| MAM                 | Québec CSST - WHMIS 1988                                 | Class D1A - Very toxic material causing immediate and serious toxic effects   |
| MAM                 | GHS - Australia  | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]   |
| MAM                 | GHS - Japan  | H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]  |
| CAN                 | GHS - Australia  | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| MAM                 | GHS - Korea  | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]                           |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                     | NOTIFICATION  |
| RESTRICTED LIST     | Perkins+Will (P+W)                                       | P&W - Precautionary List<br><br>Precautionary list of substances recommended for avoidance  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products          |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Formulated Consumer Products |

SUBSTANCE NOTES:

**DIPHENYLMETHANE DIISOCYANATE (MDI) - NON ISOMER SPECIFIC**

ID: **26447-40-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-09-10 16:33:07**

%: **3.1920 - 5.3190**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Curing agent**

| HAZARD TYPE         | LIST NAME AND SOURCE                                    | WARNINGS  |
|---------------------|---|---|
| SKI                 | EU - GHS (H-Statements) Annex 6 Table 3-1               | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]  |
| EYE                 | EU - GHS (H-Statements) Annex 6 Table 3-1               | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]  |
| CAN                 | EU - GHS (H-Statements) Annex 6 Table 3-1               | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| SKI                 | GHS - New Zealand                                       | Skin irritation category 2  |
| EYE                 | GHS - New Zealand                                       | Eye irritation category 2   |
| SKI                 | GHS - Australia   | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]  |
| EYE                 | GHS - Australia   | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]  |
| CAN                 | GHS - New Zealand                                       | Carcinogenicity category 2  |
| MAM                 | GHS - Australia   | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| MAM                 | GHS - New Zealand                                       | Specific target organ toxicity - repeated exposure category 1   |
| CAN                 | EU - Annex VI CMRs                                      | Carcinogen Category 2 - Suspected human Carcinogen  |
| SKI                 | GHS - Japan   | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]  |
| SKI                 | GHS - New Zealand                                       | Skin sensitisation category 1   |
| MAM                 | GHS - New Zealand                                       | Acute inhalation toxicity category 2  |
| MAM                 | GHS - Australia   | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]   |
| MAM                 | GHS - Japan   | H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]  |
| CAN                 | GHS - Australia   | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION  |
| RESTRICTED LIST     | Perkins+Will (P+W)                                      | P&W - Precautionary List<br><br>Precautionary list of substances recommended for avoidance  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                |

SUBSTANCE NOTES:

%: **3.1920 - 5.3190**GreenScreen: **NoGS**RC: **None**NANO: **No**SUBSTANCE ROLE: **Binder**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

**POLYMETHYLENE POLYPHENYL ISOCYANATE**ID: **9016-87-9**%: **2.1280 - 5.3190**GreenScreen: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Curing agent**

| HAZARD TYPE         | LIST NAME AND SOURCE                                    | WARNINGS  |
|---------------------|---|---|
| CAN                 | MAK   | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels  |
| RES                 | MAK   | Sensitizing Substance Sah - Danger of airway & skin sensitization   |
| EYE                 | GHS - New Zealand                                       | Eye irritation category 2   |
| SKI                 | GHS - Australia   | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]  |
| EYE                 | GHS - Australia   | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]  |
| CAN                 | GHS - Japan   | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| MAM                 | GHS - Japan   | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM                 | GHS - Australia   | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]                   |
| MAM                 | GHS - New Zealand                                       | Specific target organ toxicity - repeated exposure category 1   |
| MAM                 | GHS - Japan   | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| MAM                 | GHS - New Zealand                                       | Acute inhalation toxicity category 2  |
| MAM                 | Québec CSST - WHMIS 1988                                | Class D1A - Very toxic material causing immediate and serious toxic effects   |
| MAM                 | GHS - Australia   | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]   |
| MAM                 | GHS - Japan   | H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]  |
| CAN                 | GHS - Australia   | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION  |
| RESTRICTED LIST     | Perkins+Will (P+W)                                      | P&W - Precautionary List<br><br>Precautionary list of substances recommended for avoidance  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Formulated Consumer Products                         |

SUBSTANCE NOTES:



#: **2.6600 - 3.7230**      GreenScreen: **BM-4**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Solvent**

| HAZARD TYPE         | LIST NAME AND SOURCE                         | WARNINGS  |
|---------------------|--|---|
| None found          |  | No warnings found on HPD Priority Hazard Lists  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                         | NOTIFICATION  |
| EXEMPT              | European Union / European Commission (EU EC) | EU - REACH Exemptions<br><br>Exempted from REACH Annex IV listing due to intrinsic safety |

SUBSTANCE NOTES:

**2,4'-DIPHENYLMETHANE DIISOCYANATE**ID: **5873-54-1**

#: **1.0640 - 2.1280**      GreenScreen: **LT-UNK**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Curing agent**

| HAZARD TYPE | LIST NAME AND SOURCE                      | WARNINGS  |
|-------------|---|---|
| SKI         | EU - GHS (H-Statements) Annex 6 Table 3-1 | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]  |
| EYE         | EU - GHS (H-Statements) Annex 6 Table 3-1 | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]  |
| CAN         | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |
| SKI         | GHS - Australia                           | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]  |
| EYE         | GHS - Australia                           | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]  |
| MAM         | GHS - Australia                           | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| CAN         | EU - Annex VI CMRs                        | Carcinogen Category 2 - Suspected human Carcinogen  |
| MAM         | GHS - Australia                           | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]   |
| CAN         | GHS - Australia                           | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]   |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION  |
|---------------------|---|---|
| RESTRICTED LIST     | Perkins+Will (P+W)                                      | P&W - Precautionary List<br><br>Precautionary list of substances recommended for avoidance  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products          |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Formulated Consumer Products |

SUBSTANCE NOTES:

### ALKYL (C12, C14) GLYCIDYL ETHER

ID: 68609-97-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-09-10 16:33:07**

%: **0.1064 - 0.5319**

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Diluent**

| HAZARD TYPE | LIST NAME AND SOURCE                        | WARNINGS   |
|-------------|---|--|
| MUL         | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters  |
| SKI         | EU - GHS (H-Statements) Annex 6 Table 3-1   | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]   |
| SKI         | GHS - New Zealand                           | Skin irritation category 2   |
| SKI         | GHS - Australia                             | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]   |
| SKI         | GHS - Japan                                 | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| SKI         | GHS - New Zealand                           | Skin sensitisation category 1  |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION   |
|---------------------|---------------------------------------|--|
| RESTRICTED LIST     | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Some Solvents |

SUBSTANCE NOTES:

### ETHYLENE GLYCOL

ID: 107-21-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-09-10 16:33:08**

#: 0.1064 - 0.5319

GreenScreen: **LT-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Diluent**

| HAZARD TYPE         | LIST NAME AND SOURCE                             | WARNINGS   |
|---------------------|--|--|
| END                 | TEDX - Potential Endocrine Disruptors            | Potential Endocrine Disruptor  |
| DEV                 | CA EPA - Prop 65                                 | Developmental toxicity   |
| DEV                 | US NIH - Reproductive & Developmental Monographs | Clear Evidence of Adverse Effects - Developmental Toxicity   |
| MAM                 | GHS - Japan                                      | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]          |
| EYE                 | GHS - New Zealand                                | Eye irritation category 2  |
| MAM                 | GHS - New Zealand                                | Specific target organ toxicity - repeated exposure category 1  |
| MAM                 | GHS - Japan                                      | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| SKI                 | GHS - Japan                                      | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                             | NOTIFICATION   |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)            | GSPI - Six Classes Precautionary List<br><br>Some Solvents   |

SUBSTANCE NOTES:

**FERRIC OXIDE**

ID: **1309-37-1**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-09-10 16:33:08**

#: 0.0213 - 0.1064

GreenScreen: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS  |
|---------------------|----------------------|---|
| CAN                 | MAK                  | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification  |
| MAM                 | GHS - Japan          | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM                 | GHS - Japan          | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION  |
| None found          |                      | No listings found on Additional Hazard Lists  |

SUBSTANCE NOTES:

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2024-09-10 16:33:08**%: **0.0106 - 0.1064**GreenScreen: **LT-P1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Catalyst**

| HAZARD TYPE         | LIST NAME AND SOURCE                  | WARNINGS  |
|---------------------|---------------------------------------|---|
| END                 | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor   |
| MAM                 | GHS - Japan                           | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |
| EYE                 | GHS - New Zealand                     | Eye irritation category 2   |
| SKI                 | GHS - Australia                       | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]                                  |
| EYE                 | GHS - Australia                       | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]                  |
| SKI                 | GHS - Japan                           | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]                                |
| EYE                 | GHS - Japan                           | H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]                |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION  |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Some Solvents  |

SUBSTANCE NOTES:

**1,2,4-TRIMETHYLBENZENE**ID: **95-63-6**HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2024-09-10 16:33:08**%: **0.0106 - 0.1064**GreenScreen: **BM-2**RC: **None**NANO: **No**SUBSTANCE ROLE: **Solvent**

| HAZARD TYPE         | LIST NAME AND SOURCE                        | WARNINGS  |
|---------------------|---|---|
| MUL                 | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters   |
| SKI                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]  |
| EYE                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]  |
| AQU                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]                                      |
| MAM                 | GHS - Japan                                 | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]   |
| EYE                 | GHS - New Zealand                           | Eye irritation category 2   |
| SKI                 | GHS - Australia                             | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]  |
| EYE                 | GHS - Australia                             | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]  |
| MAM                 | GHS - Japan                                 | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| SKI                 | GHS - Japan                                 | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]  |
| AQU                 | GHS - New Zealand                           | Hazardous to the aquatic environment - chronic category 2   |
| AQU                 | GHS - Australia                             | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]                                      |
| AQU                 | GHS - Japan                                 | H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]  |
| AQU                 | GHS - Japan                                 | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]                                      |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                        | NOTIFICATION  |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)       | GSPI - Six Classes Precautionary List<br><br>Some Solvents  |

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

| <b>VOC EMISSIONS</b>   | <b>CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom &amp; Office scenario</b> |                      |
|--|---|----------------------|
| CERTIFYING PARTY: Third Party  | ISSUE DATE: 2018-09-12 00:00:00   | CERTIFIER OR LAB: UL |
| APPLICABLE FACILITIES: ALL   | EXPIRY DATE:  | Environment          |
| CERTIFICATE URL:   |   |                      |
| CERTIFICATION AND COMPLIANCE NOTES: Small Environment Chamber VOC Emissions Test, ASTM D5116 |   |                      |

  

| <b>VOC CONTENT</b>                  | <b>EPA Method 24 - Volatile Matter Content (EPA 24)</b> |                                 |
|-------------------------------------|---|---------------------------------|
| CERTIFYING PARTY: Self-declared     | ISSUE DATE: 2018-09-26 00:00:00                         | CERTIFIER OR LAB: Key Resin Lab |
| APPLICABLE FACILITIES: ALL          | EXPIRY DATE:  |                                 |
| CERTIFICATE URL:                    |   |                                 |
| CERTIFICATION AND COMPLIANCE NOTES: |   |                                 |

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

The product is estimated to have no residuals / impurities over 1000 ppm based on raw material supplier information.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Key Resin Company**  
 ADDRESS: **4050 Clough Woods Drive**  
**Batavia,, OHIO 45103**  
 COUNTRY: **United States**

WEBSITE: **www.keyresin.com**  
 CONTACT NAME: **Travis Barkey**  
 TITLE: **Technical Director**  
 PHONE: **15139434225**  
 EMAIL: **tbarkey@keyresin.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

|                                       |   |  |
|---------------------------------------|---|--|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |  |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |  |

**GreenScreen (GS)**

|   |  |
|---|--|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1) |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)             |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      | <b>LT-UNK</b> List Translator Benchmark Unknown                |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          | <b>NoGS</b> No GreenScreen.                                    |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |  |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

