

HPD UNIQUE IDENTIFIER: 23444

CLASSIFICATION: 22 42 16.16 Commercial Sinks

PRODUCT DESCRIPTION: Reflecting the exceptional character of every GROHE design, the Essence Under/Wall Mount Bathroom Sink is defined by soft curves and timeless luxury. The Essence sink is the perfect complement to today's luxury counter tops and vanities, adding distinction with its gently curved bowl and rich luster.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method <input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material <input checked="" type="radio"/> Product</p>	<p>Threshold level</p> <p><input checked="" type="radio"/> 100 ppm <input type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p>Residuals/Impurities Considered in 6 of 6 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p>
--	---	--	--

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

27' X 18' WALL HUNG 8" CTR SPREAD [CERAMIC MATERIALS AND WARES, CHEMICALS LT-P1 | MUL] 27" X 18" WALL HUNG LAV SINGLE HOLE [CERAMIC MATERIALS AND WARES, CHEMICALS LT-P1 | MUL] 24" X 16" UNDERMOUNT SINK [CERAMIC MATERIALS AND WARES, CHEMICALS LT-P1 | MUL] MOUNTING KIT - WALL HUNG LAVS [STEEL NoGS] MOUNTING KIT - UNDER COUNTER [IRON, ELEMENTAL LT-P1 | END BRASS NoGS] WALL HUNG SHROUD [CERAMIC MATERIALS AND WARES, CHEMICALS LT-P1 | MUL]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This product is inventoried to a 100 ppm disclosure level.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

<p>Third Party Verified?</p> <p><input type="radio"/> Yes <input checked="" type="radio"/> No</p>	<p>PREPARER: Self-Prepared VERIFIER: VERIFICATION #:</p>	<p>SCREENING DATE: 2021-01-19 PUBLISHED DATE: 2021-01-19 EXPIRY DATE: 2024-01-19</p>
---	--	--

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

27' X 18' WALL HUNG 8" CTR SPREAD %: 0.0000 - 71.2600

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Ceramic

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were investigated for this material, however based on supplier documentation it was confirmed that no residuals or impurities are present above 100 ppm of the product.

OTHER MATERIAL NOTES: N/A

CERAMIC MATERIALS AND WARES, CHEMICALS

ID: 66402-68-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 100.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Glass component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: N/A

27" X 18" WALL HUNG LAV SINGLE HOLE %: 0.0000 - 71.2600

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Ceramic

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were investigated for this material, however based on supplier documentation it was confirmed that no residuals or impurities are present above 100 ppm of the product.

OTHER MATERIAL NOTES: N/A

CERAMIC MATERIALS AND WARES, CHEMICALS

ID: 66402-68-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 100.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Glass component

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: N/A

24" X 16" UNDERMOUNT SINK %: 0.0000 - 98.8600

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Ceramic

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were investigated for this material, however based on supplier documentation it was confirmed that no residuals or impurities are present above 100 ppm of the product.

OTHER MATERIAL NOTES: N/A

CERAMIC MATERIALS AND WARES, CHEMICALS

ID: 66402-68-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-01-19**

%: **100.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Glass component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: N/A

MOUNTING KIT - WALL HUNG LAVS

%: 0.0000 - 0.7600

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were investigated for this material, however based on supplier documentation it was confirmed that no residuals or impurities are present above 100 ppm of the product.

OTHER MATERIAL NOTES: N/A

STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-01-19**

%: **84.2000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

MOUNTING KIT - UNDER COUNTER

%: 0.0000 - 1.1400

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were investigated for this material, however based on supplier documentation it was confirmed that no residuals or impurities are present above 100 ppm of the product.

OTHER MATERIAL NOTES: N/A

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-01-19**%: **97.9900** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: N/A

BRASS

ID: 12597-71-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-01-19**%: **2.0100** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

WALL HUNG SHROUD%: **0.0000 - 27.9800**PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Ceramic**

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were investigated for this material, however based on supplier documentation it was confirmed that no residuals or impurities are present above 100 ppm of the product.

OTHER MATERIAL NOTES: N/A

CERAMIC MATERIALS AND WARES, CHEMICALS

ID: 66402-68-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-01-19**%: **100.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Glass component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: N/A

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	VOC Emissions
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2021-01- EXPIRY DATE: CERTIFIER OR LAB: Self-Declared
APPLICABLE FACILITIES: All facilities applicable.	19
CERTIFICATE URL:	
CERTIFICATION AND COMPLIANCE NOTES: N/A	

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This health product declaration was prepared on behalf of LIXIL Americas, Inc. by Sustainable Solutions Corporation in Royersford, Pennsylvania.

MANUFACTURER INFORMATION

MANUFACTURER: Lixil Americas
ADDRESS: 865 Centennial Ave
 Piscataway NJ 08855, USA
WEBSITE: <https://www.lixil.com/>

CONTACT NAME: Mark Ravenscroft
TITLE: Sr. Project Manager, LIXIL Water Technology
PHONE: 732-980-3014
EMAIL: mark.ravenscroft@lixil.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.