

HPD UNIQUE IDENTIFIER: 1216471040

CLASSIFICATION: 09 65 19 Resilient Tile Flooring

PRODUCT TYPE: Flooring Accessories (Resilient)

PRODUCT DESCRIPTION: Sanitary Cove Base WITHOUT aggregate -- Solid Color. Sizes: (1" x 1") or (2" x 2") x (4' or 6' Length) with Inside Radius -- Flexible Polyester Resin

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
☐ Nested Materials Method	☐ 100 ppm	☐ Completed	Characterized ☒ Yes ☐ No
☒ Basic Method	☐ 1,000 ppm	☐ Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	☐ Per GHS SDS	☒ Not Completed	Screened ☒ Yes ☐ No
☐ Material	☒ Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
☒ Product		☒ Yes ☐ No	Identified ☐ Yes ☒ No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*

GREENSCREEN SCORE | HAZARD TYPE

SOLID SANITARY COVE BASE | **MARBLE (MARBLE CHIPS)** **LT-UNK**

POLYESTER (RESIN) **NoGS** **LIMESTONE; CALCIUM CARBONATE** **BM-**

3dg **2-NAPHTHALENECARBOXAMIDE, 4-(2-(4-(AMINOCARBONYL)PHENYL)DIAZENYL)-3- HYDROXY-N-(2-METHOXYPHENYL)-** **LT-UNK** **METHYL ETHYL KETONE PEROXIDE (SOLUTION IN ALIPHATIC ESTER)** **LT-P1** | MAM | GEN | EYE | SKI | AQU | PHY **METHYL ETHYL KETONE** **BM-2** | END | EYE | PHY | MAM | SKI **HYDROGEN PEROXIDE** **LT-UNK** | CAN | MAM | SKI | PHY | EYE | AQU |

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

N/A

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CAL 1350 VOC Emissions testing

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2024-04-16
☐ Yes	VERIFIER:	PUBLISHED DATE: 2024-04-16
☒ No	VERIFICATION #:	EXPIRY DATE: 2027-04-16

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

SOLID SANITARY COVE BASE

PRODUCT THRESHOLD: Other RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: The chemical processes that happen within the product as it cures, eliminate all residual content that could have existed. The only material that remain chemically the same, as when put into the product, is the marble and glass aggregate.

OTHER PRODUCT NOTES: N/A

MARBLE (MARBLE CHIPS)ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2024-04-16 14:18:37

%: 59.9700 - 60.0000GreenScreen: LT-UNKRC: BothNANO: NoSUBSTANCE ROLE: Abrasion resistance

HAZARD TYPELIST NAME AND SOURCEWARNINGS

None foundNo warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGSLIST NAME AND SOURCENOTIFICATION

None foundNo listings found on Additional Hazard Lists

SUBSTANCE NOTES: Recycled Content: PreC 43.87%, PostC 16.1%. Floorazzo receives aggregate of many different sizes and colors from several quarries in the united states. Over time, we have learned that some colors are stronger and more durable than others. We use this knowledge to pick and choose carefully which aggregate is used in our tile.

POLYESTER (RESIN)ID: 113669-95-7

HAZARD DATA SOURCE: Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2024-04-16 14:18:32

%: 20.3200GreenScreen: NoGSRC: NoneNANO: NoSUBSTANCE ROLE: Binder

HAZARD TYPELIST NAME AND SOURCEWARNINGS

None foundNo warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGSLIST NAME AND SOURCENOTIFICATION

None foundNo listings found on Additional Hazard Lists

SUBSTANCE NOTES: The polyester resin allows the tile to be flexible.

Solid Sanitary Cove Base

HPD v2.3 created via HPDC Builder Page 2 of 11

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-04-16 14:11:17	
%: 19.0800	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Calcium Carbonate is used to fill the polyester resin, to achieve the desired degree of flexibility.				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-04-16 14:11:17	
%: 0.4200	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES: The Floorazzo Tile matrix can be pigmented using a standard color, or custom-blended color.				

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-04-16 14:11:17	
%: 0.2100	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
SKI	GHS - New Zealand	Skin corrosion category 1B
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
EYE	GHS - Korea	H318 - Causes serious eye damage [Serious eye damage/irritation - Category 1]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: vapor) - Category 2]
PHY	GHS - Japan	H241 - Heating may cause a fire or explosion [Organic peroxides - Type B]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials

SUBSTANCE NOTES: The catalyst is the curing agent for the polyester resin. After added to the resin, the matrix goes from liquid to solid.

METHYL ETHYL KETONE				ID: 78-93-3
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-04-16 14:11:17		
%: 0.0000 - 0.2100	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Catalyst

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
PHY	GHS - Korea	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - New Zealand	Flammable liquids category 2
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents

SUBSTANCE NOTES: This is part of the catalyst. Percentage used included in the 0.21% MEKP Catalyst substance

%: **0.0000 - 0.2100**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Catalyst**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H271 - May cause fire or explosion; strong oxidiser [Oxidizing liquids; Oxidizing solids - Category 1]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
MAM	GHS - Japan	H331 - Toxic if inhaled [Acute toxicity (inhalation: vapor) - Category 3]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
PHY	GHS - Australia	H271 - May cause fire or explosion; strong oxidiser [Oxidizing liquids; Oxidizing solids - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1A
PHY	GHS - Japan	H271 - May cause fire or explosion; strong oxidizer [Oxidizing liquids - Category 1]
PHY	GHS - Korea	H271 - May cause fire or explosion; strong oxidizer [Oxidizing liquids; Oxidizing solids - Category 1]
PHY	GHS - New Zealand	Oxidising liquids category 1
PHY	GHS - New Zealand	Oxidising liquids category 2

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Oxidants and Stabilizers - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: This is part of the catalyst. Percentage used included in the 0.21% MEKP Catalyst substance.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CAL 1350 VOC Emissions testing	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-02-14 00:00:00	CERTIFIER OR LAB: Professional
APPLICABLE FACILITIES: 1217 Harold Andrews Road, Siler City, NC 27344	EXPIRY DATE:	Testing Laboratory, Inc
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Test Number: 0243770 The submitted product was tested for VOC emissions by test method-ASTM D5116 Modified Organic Emissions Testing. The capture media used were Solid Sorbent Tubes (tenax TA/Carbon) and 2,4 DNPH on SiO2. The day 11 results below show the highest levels detected over the 4 timed readings. RESULTS: All chemicals of concern were found to be under the CAL 1350 required criteria at the 11, 12, 13, and 14 day marks indicating the material as submitted meets the requirements set forth under CAL 01350.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

FUSION
MANUFACTURER (OR GENERIC): Floorazzo Tile LLC
HPD URL: No HPD available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: This product is required during all installations, when a seamless floor is desired. When used in conjunction with Solid Sanitary Cove Base and floor tile/panels, it acts as a seal and, thru chemical reaction, fuses them together to become water-tight. Our fusion can be made in any color, to match or accent the floor pigment of the tile/panel being installed.

Section 5: General Notes

This Terrazzo Sanitary Cove Base HPD covers the following products: 1" x 1" x (4' or 6' L) Sanitary Cove Base and 2" x 2" x (4' or 6' L) Sanitary Cove Base. This product is used along with Floorazzo floor and/or wall tile/panels and fusion, to provide a seamless & water-tight floor. The inside radius on the Terrazzo Sanitary Cove Base, allows the floor to be easily cleaned and removes the joint between the floor and wall, where germs gather.

MANUFACTURER INFORMATION

MANUFACTURER: **Floorazzo Tile LLC**
ADDRESS: **1217 Harold Andrews Road**
Siler City, NC 27344
COUNTRY: **United States**

WEBSITE: **www.floorazzo.com**
CONTACT NAME: **Donna Sich**
TITLE: **Owner**
PHONE: **2674531222**
EMAIL: **randy@floorazzo.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

