

HPD UNIQUE IDENTIFIER: 27072

CLASSIFICATION: 07 81 00 Applied Fire Protection

**PRODUCT DESCRIPTION:** CAFCO® BLAZE-SHIELD® HP is a medium density Dry Mix Spray-Applied Fire Resistive Material (SFRM) designed to provide superior fire protection for structural steel where limited physical abuse or traffic may be anticipated. It is an inorganic, environmentally friendly, Portland-cement-based formulation that provides superior fire resistance for structural steel and concrete in commercial construction environments. This is the product of choice particularly when exposure to severe weather conditions during the construction phase is necessary, or when application efficiency along with excellent thermal and acoustical insulation properties are desired. With all of these added benefits, its wise to follow the advice of many of our worldwide customers, “Don’t just fire proof it. Blazeshield it.” CAFCO BLAZE-SHIELD HP is the only medium density product that is classified as “investigated for exterior use” by Underwriters Laboratories, thus allowing it to remain exposed to extreme weather conditions during the construction process.

**Section 1: Summary**

**Nested Method / Product Threshold**

**CONTENT INVENTORY**

|  |  |   |   |
|--|--|---|---|
| <p><b>Inventory Reporting Format</b></p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p> | <p><b>Threshold Level</b></p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p> | <p><b>Residuals/Impurities</b></p> <p>Considered in 1 of 1 Materials</p> <p><b>Explanation(s) provided for Residuals/Impurities?</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> | <p><i>All Substances Above the Threshold Indicated Are:</i></p> <p><b>Characterized</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p><b>Screened</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p><b>Identified</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p> |
|--|--|---|---|

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**  
**CAFCO BLAZE-SHIELD HP [ SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) LT-UNK | CAN PORTLAND CEMENT LT-P1 | CAN | END PLASTER OF PARIS NoGS QUARTZ BM-1 | CAN ]**

Number of Greenscreen BM-4/BM3 contents ... 0  
 Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1  
 Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**  
 Spray Applied Fire Resistive Material

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0.0      Regulatory (g/l): 50.0  
 Does the product contain exempt VOCs: No  
 Are ultra-low VOC tints available: N/A

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario  
 VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)  
 Other: ilfi Declare - Red List Free

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients Option 1

|  |  |  |
|--|--|--|
| <p>Third Party Verified?</p> <p><input type="radio"/> Yes</p> <p><input checked="" type="radio"/> No</p> | <p>PREPARER: Self-Prepared</p> <p>VERIFIER:</p> <p>VERIFICATION #:</p> | <p>SCREENING DATE: 2022-01-14</p> <p>PUBLISHED DATE: 2022-01-14</p> <p>EXPIRY DATE: 2025-01-14</p> |
|--|--|--|

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### CAFCO BLAZE-SHIELD HP %: 0.0000 - 100.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Other: Spray Applied Fire Resistive Material

RESIDUALS AND IMPURITIES NOTES: Impurities are displayed ingredients within the HPD

OTHER MATERIAL NOTES: Portland-Cement Based, Dry Spray, Mineral Wool, Applied Fireproofing Material

### SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-14 9:22:43

%: 60.0000 - 80.0000 GS: LT-UNK RC: PreC NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

CAN EU - GHS (H-Statements) H351 - Suspected of causing cancer

SUBSTANCE NOTES:

### PORTLAND CEMENT

ID: 65997-15-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-14 9:22:44

%: 15.0000 - 45.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

CAN MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES:

### PLASTER OF PARIS

ID: 26499-65-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-14 9:22:44

%: 1.0000 - 10.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Biological material

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-01-14 9:22:45**%: **Impurity/Residual** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

| HAZARD TYPE | AGENCY AND LIST TITLES            | WARNINGS  |
|-------------|-----------------------------------|---|
| CAN         | US CDC - Occupational Carcinogens | Occupational Carcinogen   |
| CAN         | CA EPA - Prop 65                  | Carcinogen - specific to chemical form or exposure route                      |
| CAN         | US NIH - Report on Carcinogens    | Known to be Human Carcinogen (respirable size - occupational setting)         |
| CAN         | MAK                               | Carcinogen Group 1 - Substances that cause cancer in man                      |
| CAN         | IARC                              | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources |
| CAN         | IARC                              | Group 1 - Agent is Carcinogenic to humans                                     |
| CAN         | GHS - New Zealand                 | 6.7A - Known or presumed human carcinogens                                    |
| CAN         | GHS - Japan                       | H350 - May cause cancer [Carcinogenicity - Category 1A]                       |
| CAN         | GHS - Australia                   | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]  |

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

| VOC EMISSIONS  | CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario |                         |   |
|--|--|-------------------------|---|
| CERTIFYING PARTY: Third Party<br>APPLICABLE FACILITIES: Huntington, IN<br>CERTIFICATE URL:<br>CERTIFICATION AND COMPLIANCE NOTES: Report# 18560-08   | ISSUE DATE: 2018-03-09   | EXPIRY DATE:            | CERTIFIER OR LAB: UL Environmental                      |
| VOC CONTENT  | EPA Method 24 - Volatile Matter Content (EPA 24)                             |                         |   |
| CERTIFYING PARTY: Third Party<br>APPLICABLE FACILITIES: Huntington, Indiana<br>CERTIFICATE URL:<br>CERTIFICATION AND COMPLIANCE NOTES:   | ISSUE DATE: 2005-04-04   | EXPIRY DATE:            | CERTIFIER OR LAB: ITI Anti-Corrosion, Inc.              |
| OTHER  | ilfi Declare - Red List Free   |                         |   |
| CERTIFYING PARTY: Third Party<br>APPLICABLE FACILITIES: Huntington, IN<br>CERTIFICATE URL: <a href="https://living-future.org/declare-products/cafco-blaze-shield/">https://living-future.org/declare-products/cafco-blaze-shield/</a><br>CERTIFICATION AND COMPLIANCE NOTES: ISK-0019 | ISSUE DATE: 2018-09-01   | EXPIRY DATE: 2019-09-01 | CERTIFIER OR LAB: International Living Future Institute |

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Impurities are displayed ingredients within the HPD.

Isolatek International provides passive fireproofing materials under the CAFCO® and FENDOLITE® trademarks throughout the Americas and under the ISOLATEK® trademark throughout the remainder of the world.

**MANUFACTURER INFORMATION**

**MANUFACTURER:** Isolatek International  
**ADDRESS:** 41 Furnace Street  
 Stanhope NJ 07874, USA  
**WEBSITE:** www.isolatek.com

**CONTACT NAME:** Nicholas Federici  
**TITLE:** Applications & Development Engineer  
**PHONE:** 973-347-1200  
**EMAIL:** technical@isolatek.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

|                                       |   |  |
|---------------------------------------|---|--|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |  |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |  |

**GreenScreen (GS)**

|   |  |
|---|--|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)   |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      |  |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          |  |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |  |
| <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)      | <b>NoGS</b> No GreenScreen.  |

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*