

HPD UNIQUE IDENTIFIER: 21238

CLASSIFICATION: 09 65 19.23 Vinyl Tile Flooring

PRODUCT DESCRIPTION: Engage Genesis™ 2000 collections have a robust, 8.5 mm gauge that consists of three primary layers: 2.0 mm LVT top layer that matches the look of natural textures, while providing durability & comfort; 5.0 mm ISOCORE Technology™ - extruded, closed-cell, vinyl structural core that's 100% waterproof, rigid, strong, and dimensionally stable; and a pre-attached 1.5 mm underlayment that minimizes sound, provides warmth & comfort underfoot, and helps conceal minor subfloor imperfections. Genesis 2000 collections feature FX3 Surface Protectant™, an advanced finish that provides the ultimate in abrasion resistance & stain repellency and also inhibits the growth of odor and stain-causing mold & mildew. Genesis 2000 collections come with a lifetime residential / 15-year commercial limited warranty, are phthalate and formaldehyde-free, and are made at a factory that was the first in China (and all of Asia) to receive a JUST™ label from the International Living Future Institute (ILFI).

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?  
 Yes  No

All Substances Above the Threshold Indicated Are:

Characterized

- Yes Ex/SC
- Yes
- No

% weight and role provided for all substances.

Screened

- Yes Ex/SC
- Yes
- No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

- Yes Ex/SC
- Yes
- No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[MATERIAL](#) | [SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)  
[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

ENGAGE GENESIS 2000 (NARROW), 2000MW, 2000T, 2000BW (KING'S ROAD), 2000CV (DELLA MODA) - WPC FLOORING | CALCIUM CARBONATE BM-3 | POLYVINYL CHLORIDE (PVC) LT-P1 | RES BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP) BM-3dg | DAKRIL 4B (METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE) LT-UNK | POLYETHYLENE LT-UNK | RUTILE TITANIUM DIOXIDE LT-1 | CAN CALCIUM STEARATE LT-UNK | ZINC STEARATE LT-P1 | IRON OXIDE LT-UNK | POLYURETHANE FOAMS LT-UNK | PETROLEUM RESINS (HYDROCARBON RESINS) LT-1 | CAN BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE (THERMOPLASTIC RUBBER) LT-UNK | SODIUM BICARBONATE LT-P1 | END CARBON BLACK BM-1 | CAN DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9C) LT-1 | PBT | CAN | MUL 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | EYE | MUL BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE (HIGH-IMPACT POLYSTYRENE) LT-UNK | PENTAERYTHRITOL ROSINATE LT-UNK | LANTHANUM(3+) STEARATE NoGS | TRIMETHYLOLPROPANE TRIACRYLATE (TMPTA) LT-P1 | RES | CAN | SKI | EYE | MUL AQUAFIL (SILICON DIOXIDE POWDER) BM-1 | CAN 1,1,3,3-TETRAMETHYL-1,3-DIVINYLDISILOXANE (DIVINYLTETRAMETHYLDISILOXANE) LT-UNK |

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1  
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-07-31

PUBLISHED DATE: 2020-07-31

EXPIRY DATE: 2023-07-31

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### ENGAGE GENESIS 2000 (NARROW), 2000MW, 2000T, 2000BW (KING'S ROAD), 2000CV (DELLA MODA) - WPC FLOORING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: While Engage Genesis™ 2000 collections do not meet the qualifications for "Residuals & Impurities - Considered" per HPDC's Emerging Best Practices, we have: 1) disclosed all known, intentionally-added ingredients; 2) tested these products to ensure they are free of red list heavy metals, phthalate-free, formaldehyde-free, comply with REACH SVHC, and meet VOC emissions/indoor air quality requirements per FloorScore® / California Section 01350

OTHER PRODUCT NOTES: All known, intentionally-added ingredients of these products are disclosed in this HPD.

#### CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-07-31

#: 48.1100 - 50.2010

GS: BM-3

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

#### POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-07-31

#: 38.6140 - 40.7050

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagen

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

#### BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP)

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-07-31

#: 2.8790 - 3.1800

GS: BM-3dg

RC: None

NANO: No

SUBSTANCE ROLE: Plasticizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

#### DAKRIL 4B (METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE)

ID: 25852-37-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-07-31

#: 2.0430 - 2.2310

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Processing regulator

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

#### POLYETHYLENE

ID: 9002-88-4

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-07-31</b>		
#: <b>1.3620 - 1.3620</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Cushioning</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
<b>None found</b>		<b>No warnings found on HPD Priority Hazard Lists</b>		
SUBSTANCE NOTES:				

**RUTILE TITANIUM DIOXIDE** ID: **1317-80-2**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-07-31</b>		
#: <b>0.8590 - 0.8650</b>	GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Pigment</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
<b>CANCER</b>	<b>US CDC - Occupational Carcinogens</b>	<b>Occupational Carcinogen</b>		
<b>CANCER</b>	<b>CA EPA - Prop 65</b>	<b>Carcinogen - specific to chemical form or exposure route</b>		
<b>CANCER</b>	<b>IARC</b>	<b>Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources</b>		
<b>CANCER</b>	<b>MAK</b>	<b>Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value</b>		
SUBSTANCE NOTES:				

**CALCIUM STEARATE** ID: **1592-23-0**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-07-31</b>		
#: <b>0.8150 - 0.8410</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Stabilizer</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
<b>None found</b>		<b>No warnings found on HPD Priority Hazard Lists</b>		
SUBSTANCE NOTES:				

**ZINC STEARATE** ID: **557-05-1**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-07-31</b>		
#: <b>0.8150 - 0.8410</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Stabilizer</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
<b>None found</b>		<b>No warnings found on HPD Priority Hazard Lists</b>		
SUBSTANCE NOTES:				

**IRON OXIDE** ID: **1332-37-2**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-07-31</b>		
#: <b>0.5530 - 0.5590</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Pigment</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
<b>None found</b>		<b>No warnings found on HPD Priority Hazard Lists</b>		
SUBSTANCE NOTES:				

**POLYURETHANE FOAMS** ID: **9009-54-5**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-07-31</b>		
#: <b>0.5040 - 0.5430</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Coating</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

**PETROLEUM RESINS (HYDROCARBON RESINS)**

ID: 64742-16-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-31		
%: 0.1470 - 0.1890	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CANCER	CA EPA - Prop 65	Carcinogen		
SUBSTANCE NOTES:				

**BENZENE, ETHENYL-, POLYMER WITH 2-METHYL-1,3-BUTADIENE (THERMOPLASTIC RUBBER)**

ID: 25038-32-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-31		
%: 0.0840 - 0.1260	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

**SODIUM BICARBONATE**

ID: 144-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-31		
%: 0.0650 - 0.1060	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Blowing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SUBSTANCE NOTES:				

**CARBON BLACK**

ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-31		
%: 0.0540 - 0.0540	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
SUBSTANCE NOTES:				

**DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI)**

ID: 64742-52-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-31		
%: 0.0420 - 0.0840	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES:

### 1,6-HEXANEDIOL DIACRYLATE

ID: 13048-33-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-31		
%: 0.0260 - 0.0330	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization		

SUBSTANCE NOTES:

### BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE (HIGH-IMPACT POLYSTYRENE)

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-31		
%: 0.0210 - 0.0630	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES:

### PENTAERYTHRITOL ROSINATE

ID: 8050-26-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-31		
%: 0.0210 - 0.0630	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES:

### LANTHANUM(3+) STEARATE

ID: 14741-67-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-07-31		
%: 0.0160 - 0.0160	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**TRIMETHYLOLPROPANE TRIACRYLATE (TMPTA)**

ID: 15625-89-5

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-07-31</b>		
%: <b>0.0130 - 0.0330</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Coating</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagen	Asthmagen (Rs) - sensitizer-induced		
CANCER	IARC	Group 2b - Possibly carcinogenic to humans		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization		

SUBSTANCE NOTES:

**AQUAFIL (SILICON DIOXIDE POWDER)**

ID: 112945-52-5

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-07-31</b>		
%: <b>0.0070 - 0.0200</b>	GS: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Coating</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]		
CANCER	GHS - Australia	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES:

**1,1,3,3-TETRAMETHYL-1,3-DIVINYLDISILOXANE (DIVINYLTETRAMETHYLDISILOXANE)**

ID: 2627-95-4

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-07-31</b>		
%: <b>0.0070 - 0.0130</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Coating</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	RFCI FloorScore		
CERTIFYING PARTY: <b>Third Party</b>	ISSUE DATE: <b>2020-02-01</b>	EXPIRY DATE: <b>2020-11-30</b>	CERTIFIER OR LAB: <b>SCS Global Services</b>
APPLICABLE FACILITIES: <b>All</b>	CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: <b>Certificate registration #SCS-FS-01967</b>			

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Engage Genesis 2000 collections are floating multilayer modular flooring and thus no adhesives are required/recommended for their installation. For more information, please refer to the professional installation manual.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Metroflor Corporation**  
 ADDRESS: **15 Oakwood Avenue**  
**Norwalk CT 06850, USA**  
 WEBSITE: **https://www.metroflorusa.com**

CONTACT NAME: **Arthur Clarke**  
 TITLE: **Director of Sustainability**  
 PHONE: **(203) 561-9722**  
 EMAIL: **ac@hmtx.global**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

<b>Hazard Types</b>		
<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

<b>GreenScreen (GS)</b>	
<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**  
**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**  
**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*