



HPD UNIQUE IDENTIFIER: 1142752256

CLASSIFICATION: 06 17 13 Laminated Veneer Lumber

PRODUCT DESCRIPTION: RedLam™ Laminated Veneer Lumber (RedLam™ LVL) is an engineered wood product manufactured in Stayton, Oregon. RedLam™ LVL is available up to 7" (178mm) in thickness, and 24" (610mm) in depth, and 80' (24.4m) in length. RedLam™ LVL is typically used as main carrying beams, headers, and wall framing and can be manufactured to precision lengths.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold Level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities Evaluation</p> <p><input checked="" type="radio"/> Completed</p> <p><input type="radio"/> Partially Completed</p> <p><input type="radio"/> Not Completed</p> <p>Explanation(s) provided :</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>For all contents above the threshold, the manufacturer has:</i></p> <p>Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided weight and role.</i></p> <p>Screened <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided screening results using HPDC-approved methods.</i></p> <p>Identified <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>Provided name and CAS RN or other identifier.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[PRODUCT](#) | [MATERIAL OR SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)

[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

[REDLAM™ LVL](#) | [CELLULOSE UNDISCLOSED CHEMICAL #1](#) [BM-4](#) [PHENOL,](#)
[POLYMER WITH FORMALDEHYDE, SODIUM SALT](#) [LT-UNK](#) [UNDISCLOSED CHEMICAL](#)
[#2](#) [LT-1](#) | [CAN](#) | [MUL](#) | [DEV](#) [UNDISCLOSED CHEMICAL #3](#) [LT-UNK](#) |

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

Due to the proprietary nature of the information, the name and CAS number for certain chemicals have been redacted from this substance entry.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: No VOC Certification

Formaldehyde emissions: JAS F**** Certificate

EPD: Environmental Product Declaration (EPD) by SCS

Sustainable forestry: SFI Sustainable Forestry Initiative - Certified Chain of Custody (COC)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
- No

PREPARER: ToxServices LLC
VERIFIER: SCS Global Services
VERIFICATION #: qGE-8668

SCREENING DATE: 2023-01-25
PUBLISHED DATE: 2024-07-15
EXPIRY DATE: 2026-01-25

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

REDLAM™ LVL

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: RedBuilt worked with the HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold.

OTHER PRODUCT NOTES: This information is a representative HPD covering standard LVL produced at RedBuilt's Stayton facility and is not applicable to LVL produced with, or that has undergone a secondary treatment process. The average weights and the anticipated components are based upon practical professional judgment and information provided by suppliers.

CELLULOSE

ID: **Biological Material**

HAZARD DATA SOURCE: [HPDC Special Conditions Policy](#)

#: **97.1400 - 97.1400**

GreenScreen: **Not Required**

RC: **None**

NANO: **No**

MATERIAL ROLE: **Structure component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening is not applicable to this Special Condition

BIOLOGICAL MATERIALS CATEGORY: **Tree-based materials**

INGREDIENT DESCRIPTION: **Unaltered Veneer**

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

UNDISCLOSED CHEMICAL #1

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-02-09 21:08:04**

%: **1.5653 - 1.6121** GreenScreen: **BM-4** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: This substance was properly screened by the HPD Approved Preparer. The GreenScreen® Benchmark assessment score of BM-4 was provided through the HPD 2.3Builder Tool. The HPDC Approved Preparer obtained full disclosure down to the 1,000 ppm threshold for the trade name ingredient containing this chemical. Due to the proprietary nature of the information, the name and CAS number for this chemical have been redacted from this substance.

PHENOL, POLYMER WITH FORMALDEHYDE, SODIUM SALT

ID: 40798-65-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-01-25 12:43:25**

%: **1.0000 - 1.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

UNDISCLOSED CHEMICAL #2

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2023-01-25 12:43:26**

%: **0.0965 - 0.0965**

GreenScreen: **LT-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Sealant**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

No VOC Certification

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: N/A
CERTIFICATE URL: <https://www.usgbc.org/leedaddenda/10466>

ISSUE DATE: 2022-09-06 00:00:00
EXPIRY DATE:

CERTIFIER OR LAB: N/A

CERTIFICATION AND COMPLIANCE NOTES: CDPH Standard V1.2 (Section 01350/CHPS)- Not tested

FORMALDEHYDE EMISSIONS

JAS F**** Certificate

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Stayton Facility
CERTIFICATE URL: http://www.pfsteco.com/docs/cert/JAS_324.pdf

ISSUE DATE: 2010-03-17 00:00:00
EXPIRY DATE:

CERTIFIER OR LAB: PFS TECO (ROCB)

CERTIFICATION AND COMPLIANCE NOTES: Japanese Agricultural Standard (JAS) for Laminated Veneer Lumber, MAFF Notification No. 2773. Japanese Law Concerning Standardization and Proper Labeling of Agricultural Forest Products (Law No. 175 of 1950); Date of Enforcement: March 1, 2006.

EPD

Environmental Product Declaration (EPD) by SCS

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Stayton Facility
CERTIFICATE URL: https://cdn.scs-certified.com/products/cert_pdfs/SCS-EPD-07525_RedBuilt_RedLam_122021.pdf

ISSUE DATE: 2021-12-20 00:00:00
EXPIRY DATE: 2026-12-19 00:00:00

CERTIFIER OR LAB: SCS Global Services

CERTIFICATION AND COMPLIANCE NOTES: SCS-EPD-07525: PCR Guidance for Building-Related Products and Services Part A: Life Cycle Assessment Calculation Rules and Report Requirements (V 3.2, UL Environment, Dec 2018) PCR Guidance for Building-Related Products and Services, Part B: Structural and Architectural Wood Products, EPD Requirements UL 10010-9 v.1.1.2020.

SUSTAINABLE FORESTRY

SFI Sustainable Forestry Initiative - Certified Chain of Custody (COC)

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Stayton Facility
CERTIFICATE URL: <https://sfidatabase.org/mod-cert/item/102323-scs-sfi-coc-001848>

ISSUE DATE: 2020-12-14 00:00:00
EXPIRY DATE: 2025-12-13 00:00:00

CERTIFIER OR LAB: SCS Global Services

CERTIFICATION AND COMPLIANCE NOTES: SFI Standard: SFI2015-2021, Section 4 (Chain of Custody). Certificate covers production of Red-I joists and RedLam LVL using the volume credit method.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

RedBuilt worked with an HPDC Approved Preparer to confirm that all residuals and impurities were considered under the preparation of this HPD. This was accomplished by obtaining full formulation disclosure, including residuals and impurities, down to the 1,000 ppm threshold. Due to the proprietary nature of the information, the name and CAS number for certain chemicals have been redacted from this substance entry. "Undisclosed Chemical #n" indicates chemicals RedBuilt suppliers protect with NDAs.

MANUFACTURER INFORMATION

MANUFACTURER: **RedBuilt LLC**
 ADDRESS: **200 E. Mallard Drive**
Boise, Idaho 83706
 COUNTRY: **USA**

WEBSITE: **www.redbuilt.com**
 CONTACT NAME: **Christine Richey**
 TITLE: **Professional Engineer**
 PHONE: **503-640-7151**
 EMAIL: **crichey@redbuilt.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.