Fir Cloud - SKU 15421412412 by Pioneer Millworks

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 32598
CLASSIFICATION: 07 46 23 Wood Siding
PRODUCT DESCRIPTION: Pioneer Millworks Vertical Grain Shiplap is an FSC® chain-of-custody certified, and a Pacific Northwest harvested option for wood in vertical applications. The rot resistance of Douglas fir and small tight knots, make it a favorite material choice for exterior applications. Our Douglas fir's signature vertical grain has been brushed once allowing our standard color finishes to shine. Also available pre-primed for easy application of paint colors or unfinished to be stained on site. Disclosed here in Cloud; a light, airy off-white.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format
- ○ Nested Materials Method
- ◉ Basic Method

Threshold Disclosed Per
- ○ Material
- ◉ Product

Threshold Level
- ◉ 100 ppm
- ○ 1,000 ppm
- ○ Per GHS SDS
- ○ Other

Residuals/Impurities Evaluation
- ◉ Completed
- ○ Partially Completed
- ○ Not Completed

Explanation(s) provided :
- ◉ Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized ◉ Yes ○ No
Provided weight and role.

Screened ◉ Yes ○ No
Provided screening results using HPDC-approved methods.

Identified ○ Yes ◉ No
Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

FIR CLOUD - SKU 15421412412 [DOUGLAS FIR NoGS WATER BM-4 PROPRIETARY CO-POLYMER NoGS TITANIUM DIOXIDE LT-1 | CAN | END | MAM PROPRIETARY POLYMERS NoGS ALCOHOLS, C16-18 AND C18-UNSATD., ETHOXYLATED LT-UNK | SKI | EYE AMORPHOUS SILICA BM-1 | CAN | MAM PROPYLENE GLYCOL BM-2 | END]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1. This is a voluntary, self-reported declaration produced using information from our suppliers, including CAS numbers and SDS data. Every effort has been made to report the substances in this product by the manufacturer to the listed threshold. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: VOC Tranparency
Sustainable forestry: FSC

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?
- ○ Yes
- ◉ No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2023-05-04
PUBLISHED DATE: 2023-05-04
EXPIRY DATE: 2026-05-04

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

FIR CLOUD - SKU 15421412412

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Product composition is disclosed by Pioneer Millworks for all ingredients by name and CAS registry number if available. Substances present in the products, as well as known residuals and impurities, have been disclosed at 100 ppm. This product is primarily composed of wood - a biological material that contains no registered chemicals. Reporting of Biological materials was done according to HPDC Guidelines. All known ingredients present in the applied finish are disclosed.

OTHER PRODUCT NOTES: The applied water base finish used in this exterior siding emits at extremely low levels and complies with the VOC laws in all 50 US states and Canada.

DOUGLAS FIR

ID: Not registered

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-05-04 14:13:32**

%: **98.6720 - 99.0125** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biological material**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-05-04 14:13:32**

%: **0.1100 - 0.5050** GreenScreen: **BM-4** RC: **None** NANO: **No** SUBSTANCE ROLE: **Diluent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES:

PROPRIETARY CO-POLYMER

ID: **Not Registered**

HAZARD DATA SOURCE: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2023-05-01 11:55:09**

%: **0.2990 - 0.4650** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Water resistance**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Substance is a proprietary formulation. According to the SDS of the supplier, residuals and impurities are below the reported threshold.

TITANIUM DIOXIDE

ID: **13463-67-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-05-04 14:13:33**

%: **0.1380 - 0.4010** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: Titanium Dioxide is flagged on the CA Prop 65 list if it is airborne, unbound particles of respirable size. We use this ingredient as a pigment that is bound within the applied UV cured penetrating finish on this product.

PROPRIETARY POLYMERS

ID: **Not Registered**

HAZARD DATA SOURCE: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2023-05-01 11:55:11**

%: **0.3100 - 0.3360** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Water resistance**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Substance is a proprietary formulation. According to the SDS of the supplier, residuals and impurities are below the reported threshold.

ALCOHOLS, C16-18 AND C18-UNSATD., ETHOXYLATED

ID: **68920-66-1**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-05-04 14:13:32**

%: **0.0130 - 0.0270** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Residual**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

AMORPHOUS SILICA

ID: 7631-86-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-05-04 14:13:33**

%: **0.0060 - 0.0160** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Water resistance**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Antimicrobials

SUBSTANCE NOTES:

PROPYLENE GLYCOL

ID: 57-55-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2023-05-04 14:13:34**

%: **0.0000 - 0.0150** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Anti-freeze**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Some Solvents
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Enzymes and Stabilizers - Green Circle (Verified Low Concern)

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS | **VOC Tranparency**

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: All Facilities
CERTIFICATE URL:

ISSUE DATE: 2023-04-24
EXPIRY DATE: 2028-04-23

CERTIFIER OR LAB: No Lab

CERTIFICATION AND COMPLIANCE NOTES: The applied water base finish used in this exterior siding emits at extremely low levels and complies with the VOC laws in all 50 US states and Canada.

SUSTAINABLE FORESTRY | **FSC**

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: ALL
CERTIFICATE URL: https://pioneermillworks.com/sites/default/files/inline-files/Pioneer%20Millworks%20FSC%20Certificate%202021-2026.pdf

ISSUE DATE: 2021-12-27
EXPIRY DATE: 2026-12-26

CERTIFIER OR LAB: SCS Global Services

CERTIFICATION AND COMPLIANCE NOTES: Certified as FSC Mix Certificate Code: SCS-COC-003998-D

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

WE DO WELL WHEN WE DO GOOD

We believe in the balance of people, planet, and profit working together towards a better future for all. For over 30 years we have been reclaiming and sourcing wood in responsible ways, from responsible companies, responsible places, and responsible people. Sustainability is part of our culture, a shared commitment to doing right for our customers and the environment.

We strive to keep our carbon footprint small; our roofs house 100kW solar arrays, and our wood scraps keep us warm. We encourage our coworkers to drive electric and charge up at work. We are an employee-owned company, putting company stock in the hands of employees and helping preserve local jobs. One percent of our reclaimed teak sales are donated to conservation causes on the island of Borneo. Our American Prairie sales support domestic barn and history preservation. We believe in promoting a sustainable wage for all who work here.

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **Pioneer Millworks**
ADDRESS: **1180 Commercial Drive**
Farmington New York 14425, United States
WEBSITE: **https://pioneermillworks.com/**

CONTACT NAME: **Michele Caryl**
TITLE: **Acquisitions Manager**
PHONE: **5859249970**
EMAIL: **michele@pioneermillworks.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming
LAN Land toxicity
MAM Mammalian/systemic/organ toxicity
MUL Multiple
NEU Neurotoxicity
NF Not found on Priority Hazard Lists
OZO Ozone depletion
PBT Persistent, bioaccumulative, and toxic
PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)
LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown
NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.