

HPD UNIQUE IDENTIFIER: 23204

CLASSIFICATION: 09 68 00 Carpeting

PRODUCT DESCRIPTION: This HPD represents all carpet tile styles with EcoLogix® backing and Nylon face fiber ranging from 10-50 oz/sy, including EcoSolution®, Solution Q®, and Solution Q Extreme® with or without ES adhesive strip.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p><input type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input checked="" type="radio"/> Not Considered</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

ECOLOGIX® TILE WITH NYLON FIBER [CALCIUM CARBONATE LT-UNK POLYETHYLENE TEREPHTHALATE (PET) LT-UNK ETHENE-1-OCTENE COPOLYMER LT-UNK ALUMINUM TRIHYDRATE (ATH) BM-2 VINYL ACETATE/ETHYLENE COPOLYMER LT-UNK HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED LT-UNK FIBERGLASS LT-UNK NYLON 6 POLYMER LT-UNK NYLON 6,6 POLYMER LT-UNK ETHYLENE/HEXANE-1 COPOLYMER LT-UNK MAGNESIUM CARBONATE LT-UNK MODIFIED ACRYLIC BINDER LT-UNK POLY VINYL ALCOHOL LT-UNK QUARTZ (FROM CALCIUM CARBONATE) LT-UNK] | CAN RESIN ACIDS AND ROSIN ACIDS, ESTERS WITH TRIETHYLENE GLYCOL LT-UNK TRIDECYL ALCOHOL ETHOXYLATE LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT - 1 | CAN | MUL]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Ingredients have been screened against HPD authoritative lists, but not all CAS #'s have been disclosed to protect proprietary formulations.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Green Label Plus

Multi-attribute: NSF-140 (Platinum)

Multi-attribute: Cradle to Cradle™ Certified V3.1 Bronze

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-12-17

PUBLISHED DATE: 2020-12-17

EXPIRY DATE: 2023-12-17

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ECOLOGIX® TILE WITH NYLON FIBER

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: All ingredients at or above 1000 ppm are included in this HPD. Any residuals and impurities below 1000 ppm are below the reporting threshold and are not considered. This is based on information provided to us by our raw material suppliers.

OTHER PRODUCT NOTES:

CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-17

#: 17.0000 - 35.0000 GS: LT-UNK RC: None NANO: Unknown SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Limestone

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-17

#: 11.0000 - 35.0000 GS: LT-UNK RC: None NANO: Unknown SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Polyester (PET)

ETHENE-1-OCTENE COPOLYMER

ID: 26221-73-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-17

#: 3.0000 - 10.0000 GS: LT-UNK RC: None NANO: Unknown SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ALUMINUM TRIHYDRATE (ATH)

ID: 21645-51-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-12-17

#: 3.0000 - 7.0000 GS: BM-2 RC: None NANO: Unknown SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Mineral-based Flame Retardant		

VINYL ACETATE/ETHYLENE COPOLYMER

ID: 24937-78-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-17		
%: 3.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED

ID: 69430-35-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-17		
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Tackifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

FIBERGLASS

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-17		
%: 1.0000 - 3.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Glass component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

NYLON 6 POLYMER

ID: 25038-54-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-17		
%: 0.0000 - 50.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Nylon 6 - EcoSolutionQ contains 25% Pre-consumer recycled content, all other fibers - none				

NYLON 6,6 POLYMER

ID: 32131-17-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-17		
%: 0.0000 - 50.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Nylon 6,6		

ETHYLENE/HEXANE-1 COPOLYMER

ID: 25213-02-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-17	
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: Unknown SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:			

MAGNESIUM CARBONATE

ID: 546-93-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-17	
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: Unknown SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Limestone			

MODIFIED ACRYLIC BINDER

ID: 61467-52-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-17	
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: Unknown SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:			

POLY VINYL ALCOHOL

ID: 9002-89-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-17	
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: Unknown SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:			

QUARTZ (FROM CALCIUM CARBONATE)

ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-17	
%: 0.0000 - 1.0000	GS: LT-1	RC: None	NANO: Unknown SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Residual content from Natural Limestone; No anticipated route of exposure in finished product

RESIN ACIDS AND ROSIN ACIDS, ESTERS WITH TRIETHYLENE GLYCOL

ID: 8050-25-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-17		
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Tackifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES:

TRIDECYL ALCOHOL ETHOXYLATE

ID: 78330-21-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-17		
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES:

UNDISCLOSED

ID: 8050-31-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-12-17		
%: 0.0000 - 1.0000	GS: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Tackifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Adhesive tackifier

UNDISCLOSED

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2020-12-17**

%: **0.0000 - 1.0000** GS: **LT - 1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	Australia - GHS	Carcinogenicity – category 1B
CANCER	Australia - GHS	Acute toxicity – category 4
CANCER	Australia - GHS	H350
CANCER	Australia - GHS	Skin irritation – category 2
CANCER	Australia - GHS	Reproductive toxicity – category 2
CANCER	EU - Annex VI CMRs	Carc. 1B
CANCER	EU - GHS (H-Statements)	H350
CANCER	EU - REACH Annex XVII CMRs	Entry 28 – Carcinogens: category 1B (Table 3.1)/category 2 (Table 3.2)
MULTIPLE	ChemSec - SIN List	Classified CMR according to Annex VI of Regulation 1272/2008. (Might not apply when contaminants are below legal thresholds and/or full refining history is known)
MULTIPLE	German FEA - Substances Hazardous to Waters	3

SUBSTANCE NOTES: Paraffinic Hydrocarbons; No anticipated route of exposure in finished product

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Green Label Plus		
CERTIFYING PARTY: Carpet and Rug Institute APPLICABLE FACILITIES: Cartersville, GA; Adairsville, GA CERTIFICATE URL: https://services.carpet-rug.org/api/GLPCertificate/9968	ISSUE DATE: 2004-06-15	EXPIRY DATE: 2021-09-30	CERTIFIER OR LAB: UL
CERTIFICATION AND COMPLIANCE NOTES: GLP9968: 14X Pre-dyed Nylon with Amorphous Resin Backing https://services.carpet-rug.org/api/GLPCertificate/9968			
MULTI-ATTRIBUTE	NSF-140 (Platinum)		
CERTIFYING PARTY: SCS Global Services APPLICABLE FACILITIES: Cartersville, GA; Adairsville, GA CERTIFICATE URL: https://www.scsglobalservices.com/certified-green-products-guide?category=126	ISSUE DATE: 2018-09-01	EXPIRY DATE: 2021-08-31	CERTIFIER OR LAB: Scientific Certification Systems (SCS)
CERTIFICATION AND COMPLIANCE NOTES: NSF/ANSI 140 Carpet - Achieved Platinum Level Certification https://www.scsglobalservices.com/certified-green-products-guide?category=126			
MULTI-ATTRIBUTE	Cradle to Cradle™ Certified V3.1 Bronze		
CERTIFYING PARTY: McDonough Braungart Design Chemistry (MBDC) APPLICABLE FACILITIES: Cartersville, GA; Adairsville, GA CERTIFICATE URL: https://qmsview.shawinc.com/viewer/doc/9173	ISSUE DATE: 2019-10-18	EXPIRY DATE: 2021-10-17	CERTIFIER OR LAB: Cradle to Cradle™ Products Innovation Institute
CERTIFICATION AND COMPLIANCE NOTES: Achieved V3.1 Bronze Certification			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SHAW 5100 CARPET TILE ADHESIVE	HPD URL: n/a
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Shaw 5100 Carpet Tile Adhesive is approved for use with EcoLogix® Tile installations. Spec: https://qmsview.shawinc.com/viewer/doc/1494 Installation: http://www.phillyqueencommercial.com/Html/PerformanceInstallation Cradle to Cradle™ Certified V3.1 Silver https://qmsview.shawinc.com/viewer/doc/4484 Green Label Plus Certified: GLP15400 https://services.carpet-rug.org/api/GLPCertificate/15400	

Section 5: General Notes

<http://www.phillyqueencommercial.com/Html/EnvironmentalLanding>

MANUFACTURER INFORMATION

MANUFACTURER: Philadelphia Commercial
ADDRESS: PO Box 2128
 Dalton Georgia 30722, United States
WEBSITE: <http://www.phillyqueencommercial.com/>

CONTACT NAME: Candi Hampton
TITLE: Product Sustainability Manager
PHONE: 706-532-2127
EMAIL: candi.hampton@shawinc.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.