

HPD UNIQUE IDENTIFIER: 24200

CLASSIFICATION: 09 65 33 Conductive Resilient Flooring

PRODUCT DESCRIPTION: Colorex SD / EC is a homogeneous product sliced from a pressed vinyl block to assure a highly flexible tile of dense construction. Colorex SD / EC is dimensionally stable, extremely hard wearing and has a completely non-directional pattern. When Colorex is installed in conjunction with our conductive adhesive and grounding strap, it has the below electrical resistance: SD:  $1 \times 10^6 - 10^8$  ohms surface to ground EC:  $5 \times 10^4 - 1 \times 10^6$  ohms surface to ground Size: 24.2" x 24.2" (61.5 cm x 61.5 cm) Gauge: .080" (2.0mm) Packaging: 14 tiles (56.81 ft<sup>2</sup>, 5.295 meters<sup>2</sup>)

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i>
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input type="radio"/> Considered	Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input type="radio"/> Partially Considered	<i>% weight and role provided for all substances.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Not Considered	Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	<b>Explanation(s) provided for Residuals/Impurities?</b>	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

COLOREX SD / EC [ POLYVINYL CHLORIDE LT-P1 | RES LIMESTONE LT-UNK BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg TITANIUM DIOXIDE LT-1 | CAN | END PARAFFIN LT-UNK FATTY ACIDS, C16-18, ZINC SALTS LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Percentage (%) ranges for ingredients are used as a means of keeping the exact formulations proprietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

LCA: Environmental Product Declaration (EPD) by UL - Industry Generic

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2021-03-25
<input type="radio"/> Yes	VERIFIER:	PUBLISHED DATE: 2021-03-25
<input checked="" type="radio"/> No	VERIFICATION #:	EXPIRY DATE: 2024-03-25

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### COLOREX SD / EC

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.

OTHER PRODUCT NOTES: N/A

#### POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-25 7:52:17

%: 45.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

#### LIMESTONE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-25 7:52:17

%: 37.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

#### BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-25 7:52:18

%: 13.0000 GS: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

#### TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-03-25 7:52:18

#: 3.0000

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The titanium dioxide (TiO2) is bound within the product, requiring no further labeling. Identified on the US EPA Safer Chemical Ingredient List. Form-specific hazards: airborne particles of respirable size – occupational setting. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials (“Special Conditions”), including those with Form-Specific Hazards such as Titanium Dioxide. This HPD will be updated as appropriate when these guidelines become available. The Material Health Harmonization Task Group convened by the USGBC states that pigmentary titanium dioxide was “determined to be Benchmark 2 using the full GS (GreenScreen) method” [hpdrepository.hpd-collaborative.org](http://ow.ly/Z5ken) HPD v2.1 created via HPDC Builder Page 2 of 12 (<http://ow.ly/Z5ken>).

**PARAFFIN**

ID: 8002-74-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-03-25 7:52:19

#: 0.1000 - 2.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Processing regulator

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**FATTY ACIDS, C16-18, ZINC SALTS**

ID: 91051-01-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-03-25 7:52:19

#: 0.1000 - 2.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Processing regulator

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2020-07-31	EXPIRY DATE:	CERTIFIER OR LAB: Berkeley Analytical
CERTIFICATION AND COMPLIANCE NOTES:			
LCA	Environmental Product Declaration (EPD) by UL - Industry Generic		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: <a href="https://www.forbo.com/flooring/en-us/environment/pmwz1i">https://www.forbo.com/flooring/en-us/environment/pmwz1i</a>	ISSUE DATE: 2013-10-11	EXPIRY DATE: 2023-10-11	CERTIFIER OR LAB: UL Environment, Inc.
CERTIFICATION AND COMPLIANCE NOTES:			

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

<b>FORBO C930 ADHESIVE (VOC 0.00 G/L)</b>	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo C930 Adhesive is the adhesive that is used with ColoRex SD / EC if the customer needs a conductive installation.	
<b>COPPER GROUNDING STRAP (VOC 0.00 G/L)</b>	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: A copper grounding strap is required in conjunction with the Forbo C930 Adhesive if the customer needs a conductive floor.	
<b>FORBO T 940 ADHESIVE (VOC 0.00 G/L)</b>	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Alternative recommended adhesive for non-ESD applications.	
<b>FORBO 660 ADHESIVE (VOC 12.00 G/L)</b>	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Alternative adhesive for non-ESD applications.	
<b>FORBO WALL BASE</b>	HPD URL: <a href="http://www.forboflooringna.com">http://www.forboflooringna.com</a>
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Can be used with ColoRex SD / EC installation using the recommended adhesive.	
<b>COLOREX INNER CORNER PROFILE</b>	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Can be used with a ColoRex SD / EC installation with recommended adhesive.	

---

**CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:**

Can be used with a ColoRex SD / EC installation with recommended adhesive.

---

**COLOREX SKIRTING STRIP**

HPD URL: No HPD available

---

**CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:**

Can be used with a ColoRex SD / EC installation with recommended adhesive. Skirting Strip is not conductive.

---

**COVE FORMER PROFILE**

HPD URL: No HPD available

---

**CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:**

Can be used with a ColoRex SD / EC installation with recommended adhesive. Cove former profile is not conductive.

---

**FORBO NEUTRAL PH CLEANER**

HPD URL: No HPD available

---

**CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:**

Forbo Neutral pH Cleaner is the recommended cleaner for standard routine cleaning per the published Floor Care Guidelines.

---

**FORBO READY TO USE NEUTRAL PH CLEANER**

HPD URL: No HPD Available

---

**CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:**

Forbo Ready To Use Neutral pH Cleaner can be used for for standard routine cleaning per the published Floor Care Guidelines.

---

**FORBO HEAVY DUTY CLEANER**

HPD URL: No HPD available

---

**CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:**

Forbo Heavy Duty Cleaner can be used for interim maintenance per the published Floor Care Guidelines.

---

**FORBO ADHESIVE REMOVER**

HPD URL: No HPD available

---

**CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:**

Forbo Adhesive Remover can be used for adhesive residue removal post installation per the published Floor Care Guidelines.

---

## Section 5: General Notes

ColoRex SD / EC tiles contain no Isocyanates.

MANUFACTURER INFORMATION

MANUFACTURER: Forbo Flooring Systems
ADDRESS: 8 Maplewood Drive
Hazle Township PA 18202, USA
WEBSITE: www.forboflooringna.com

CONTACT NAME: Shannon Wolski
TITLE: Product Support and Education Services Administrator
PHONE: 570-450-0319
EMAIL: shannon.wolski@forbo.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

- AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming
LAN Land toxicity
MAM Mammalian/systemic/organ toxicity
MUL Multiple
NEU Neurotoxicity
NF Not found on Priority Hazard Lists
OZO Ozone depletion
PBT Persistent, bioaccumulative, and toxic
PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

GreenScreen (GS)

- BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)
LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
NoGS No GreenScreen.

Recycled Types

- PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

- Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.