

HPD UNIQUE IDENTIFIER: 164410456064
HPD UNIQUE PRODUCT ID: Extensive list provided, see Section 5 General Notes for complete list.
CLASSIFICATION: 09 65 33 Conductive Resilient Flooring
PRODUCT TYPE: Plastic Flooring, Solid Vinyl Tile, Static Control
PRODUCT DESCRIPTION: Colorex Plus EC is a heavy duty loose lay tile with permanent electrostatic conductive properties. The conductivity is ensured via the connection between the tiles through the dovetail system and connected to earth with a copper grounding strap. Colorex plus EC performs regardless the humidity level of the area. The tiles ensure all the benefits associated with Colorex along with an unique dovetail system that remains hidden under the surface. Whether an ESD facility, cleanroom, pharmaceutical laboratory or production site needs to be renovated, Colorex Plus EC can offer the right solution. It is suitable when downtime, damp floors or poor subfloors are an issue. Range of Resistance - 2.5×10^4 to 1×10^6 ; Gauge - 10.5 mm (0.413"); Tile Size - 60.8 cm x 60.8 cm (23.94" x 23.94"); Square Feet (per carton) - 19.89; Quantity (per carton) - 5.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format → Basic Method	Residuals/Impurities Evaluation → Not Completed	<i>For all contents above the threshold, the manufacturer has:</i> Characterized Yes <i>Provided weight and role.</i> Screened Yes <i>Provided screening results using HPDC-approved methods.</i> Identified Yes <i>Provided name and CAS RN or other identifier.</i>
Threshold Disclosed Per → Product	Explanation(s) provided : Yes	
Threshold Level → 100 ppm		

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
COLOREX EC PLUS [RECYCLED FORBO COLOREX SCRAP LT-P1
CAN | MAM PVC (POLYVINYL CHLORIDE) LT-P1 | CAN | MAM BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP) BM-3dg LIMESTONE (CALCIUM CARBONATE) BM-3dg CARBON BLACK BM-1 * | CAN | EYE | MAM | PHY CARBON BLACK BM-1 * | CAN | EYE | MAM | PHY PIGMENT RED 101 BM-1 * | CAN | MAM PIGMENT RED 144 LT-UNK PIGMENT YELLOW 83 LT-P1 | CAN | EYE | AQU PIGMENT BLUE 15 BM-3 PIGMENT GREEN 7 LT-UNK PIGMENT YELLOW 93 LT-P1 |

Number of Greenscreen BM-4/BM3 contents ... 3
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1
Nanomaterial ... Yes
INVENTORY AND SCREENING NOTES:

Percentage (%) ranges for ingredients are used as a means of keeping the exact formulations proprietary.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

PFAS DETAILS:
This product does not contain intentionally added PFAS, but it is unknown if PFAS is contained in materials or substances from suppliers.
Attestation:

J.S. Miller
2026-03-18

VOLATILE ORGANIC COMPOUND (VOC) CONTENT
VOC Content data is not applicable for this product category.

COMPLIANCE See Section 3 for additional listings.
VOC emissions: ClearChem Standard BkA-CC-01.3
VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -

Classroom & Office scenario

LCA: Environmental Product Declaration (EPD) by UL

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4.1 Option 1.

Pre-checked for LEED v5 Human Health 1.

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No
RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.	
OTHER PRODUCT NOTES:	

ID: 9002-86-2

HAZARD SCREENING DATE: 2026-04-01 7:49:48

SUBSTANCE ROLE: **Binder**

WARNINGS

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]

H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

NOTIFICATION

P&W - Precautionary List

Precautionary list of substances recommended for avoidance

Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025

Red List substances to avoid in Living Building Challenge V4.0 projects

C2C Certified v4.1 Product Standard Restricted
Substances - Effective July 1, 2025

Avoidance of Organohalogenes and Functionally Related Chemical Classes of Concern

SUBSTANCE NOTES: Recycled Forbo Colorex Scrap is used as a binder in the manufacture of Colorex EC Plus.

ID: 9002-86-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-01 7:49:49	
%: 10.0000 - 15.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List		
		Precautionary list of substances recommended for avoidance		
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective February 1, 2025		
		Red List substances to avoid in Living Building Challenge V4.0 projects		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
		Avoidance of Organohalogens and Functionally Related Chemical Classes of Concern		
SUBSTANCE NOTES:				

BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP)

ID: 6422-86-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-04-01 7:49:49		
%: 1.0000 - 10.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Some Solvents	
SUBSTANCE NOTES:				

LIMESTONE (CALCIUM CARBONATE)

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-01 7:49:50	
--	--	--	--	--

%: 5.0000 - 10.0000		GreenScreen: BM-3dg	RC: PreC	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Post industrial recycled Calcium Carbonate is used as a filler in the manufacture of Colorex EC Plus.					

CARBON BLACK				ID: 1333-86-4	
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-01 7:49:51		
%: 3.0000 - 10.0000	GreenScreen: BM-1	RC: None	NANO: Yes	SUBSTANCE ROLE: Conductor	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen**		
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**		
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route**		
CAN	IARC		Group 2b - Possibly carcinogenic to humans**		
EYE	GHS - New Zealand		Eye irritation category 2**		
CAN	GHS - New Zealand		Carcinogenicity category 2**		
CAN	GHS - Japan		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**		
PHY	GHS - Japan		H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]**		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.					

CARBON BLACK					ID: 1333-86-4
HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-01 7:49:48		
%: 0.0000 - 1.0000	GreenScreen: BM-1	RC: None	NANO: Yes	SUBSTANCE ROLE: Pigment	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2b - Possibly carcinogenic to humans**
EYE	GHS - New Zealand	Eye irritation category 2**
CAN	GHS - New Zealand	Carcinogenicity category 2**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
PHY	GHS - Japan	H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

PIGMENT RED 101

ID: 1309-37-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-01 7:49:49	
%: 0.0000 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**		
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]**		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

PIGMENT RED 144

ID: 5280-78-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-04-01 7:49:50

%: 0.0000 - 0.5000

GreenScreen: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

PIGMENT YELLOW 83

ID: 5567-15-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-04-01 7:49:50

%: 0.0000 - 0.5000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
EYE	GHS - New Zealand	Eye irritation category 2
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

PIGMENT BLUE 15

ID: 147-14-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2026-04-01 7:49:51

%: 0.0000 - 0.5000

GreenScreen: BM-3

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)
		Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
		Cosmetics and Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026
		Cosmetics & Personal Care Products
SUBSTANCE NOTES:		

PIGMENT GREEN 7

ID: 1328-53-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-04-01 7:49:50		
%: 0.0000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)		
		Colorants - Green Circle (Verified Low Concern)		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025		
		Cosmetics and Personal Care Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v5.0 Product Standard Restricted Substances - Effective March 16, 2026		
		Cosmetics & Personal Care Products		
SUBSTANCE NOTES:				

PIGMENT YELLOW 93

ID: 5580-57-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2026-04-01 7:49:50	
%: 0.0000 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS		ClearChem Standard BkA-CC-01.3	
COMPLIANCE TYPE: Self-declared		ISSUE DATE: 2023-06-09	EXPIRY DATE: 2026-06-09
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Berkeley Analytical			
COMPLIANCE DETAILS:			
COMPLIANCE SCOPE: Product			
APPLICABLE FACILITIES: Classroom and Office			
COMPLIANCE URL:			
https://clearchem.berkeleyanalytical.com/clearchem-declared/forbo-flooring-systems			
COMPLIANCE NOTES:			
VOC EMISSIONS		CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
COMPLIANCE TYPE: Third Party		ISSUE DATE: 2023-06-09	EXPIRY DATE: 2026-06-09
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: Berkeley Analytical			
COMPLIANCE DETAILS:			
COMPLIANCE SCOPE: Product			
APPLICABLE FACILITIES: Classroom and Office			
COMPLIANCE URL:			
https://clearchem.berkeleyanalytical.com/clearchem-declared/forbo-flooring-systems			
COMPLIANCE NOTES:			
LCA		Environmental Product Declaration (EPD) by UL	
COMPLIANCE TYPE: Third Party		ISSUE DATE: 2023-06-01	EXPIRY DATE: 2028-06-01
CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL Environment			
COMPLIANCE DETAILS:			
COMPLIANCE SCOPE: Product			
APPLICABLE FACILITIES: All			
COMPLIANCE URL: https://www.forbo.com/flooring/en-us/sustainability/pm wz1i			
COMPLIANCE NOTES:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

COPPER GROUNDING STRAP	
MANUFACTURER (OR GENERIC): Forbo Flooring Systems	
HPD URL: No HPD Available	
ACCESSORY TYPE: Installation Accessory	
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: A copper grounding strap is a required installation accessory for use with Colorex EC Plus if the customer needs a conductive floor.	

FORBO WALL BASE
MANUFACTURER (OR GENERIC): **Forbo Flooring Systems**

HPD URL: No HPD Available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Wall Base is an optional accessory for use with Colorex EC plus. Forbo Wall Base is produced in roll form and constructed from high grade resins, thermoplastic binders, fillers, and pigments.

FORBO NEUTRAL PH CLEANER
MANUFACTURER (OR GENERIC): **Forbo Flooring Systems**

HPD URL: No HPD Available
ACCESSORY TYPE: Cleaning Product
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Neutral pH Cleaner is a recommended cleaning product for use with Colorex EC Plus.

FORBO HEAVY DUTY CLEANER
MANUFACTURER (OR GENERIC): **Forbo Flooring Systems**

HPD URL: No HPD Available
ACCESSORY TYPE: Cleaning Product
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Forbo Heavy Duty Cleaner is a recommended cleaning product for use with Colorex EC Plus.

COLOREX INNER CORNER PROFILE
MANUFACTURER (OR GENERIC): **Forbo Flooring Systems**

HPD URL: No HPD Available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The Colorex Inner Corner Profile is an optional accessory for use with Forbo Colorex EC Plus.

COLOREX OUTER CORNER PROFILE
MANUFACTURER (OR GENERIC): **Forbo Flooring Systems**

HPD URL: No HPD Available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The Colorex Outer Corner Profile is an optional accessory for use with Forbo Colorex EC Plus.

COLOREX SKIRTING STRIP
MANUFACTURER (OR GENERIC): **Forbo Flooring Systems**

HPD URL: No HPD Available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The Colorex Skirting Strip is an optional accessory for use with Forbo Colorex EC Plus.

COLOREX COVE FORMER PROFILE
MANUFACTURER (OR GENERIC): **Forbo Flooring Systems**

HPD URL: No HPD Available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The Colorex Cove Former Profile is an optional accessory for use with with Forbo Colorex EC Plus.

COLOREX ACCESS RAMP
MANUFACTURER (OR GENERIC): **Forbo Flooring Systems**

HPD URL: No HPD Available
ACCESSORY TYPE: Installation Accessory
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The Forbo Colorex Access Ramp is an optional accessory for use with Colorex EC Plus. The Access Ramp is not conductive.

 Section 5: General Notes

Colorex EC Plus contains no Isocyanates, is phthalate free, and is manufactured with 100% renewable energy.

HPD UNIQUE PRODUCT ID: US-74-US000258, US-74-AA000258, US-74-49483, US-74-52997, US-74-57209, US-74-53000, US-74-49213, US-74-49212, US-74-49211, US-74-49207, US-74-59323, US-74-52996

MANUFACTURER INFORMATION

MANUFACTURER: **Forbo Flooring Systems**
ADDRESS: **8 Maplewood Drive**
Hazleton, PA 18202
COUNTRY: **United States**

WEBSITE: **www.forboflooringNA.com**
CONTACT NAME: **Jeff Miller**
TITLE: **Sustainability & Documentation Administrator**
PHONE: **570-450-0319**
EMAIL: **jeff.miller@forbo.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.