# MasterAir VR 10 by Master Builders Solutions

# **Health Product Declaration v2.2**

created via: HPDC Online Builder

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition

HPD UNIQUE IDENTIFIER: 21833
CLASSIFICATION: 03 00 00 Concrete

PRODUCT DESCRIPTION: MasterAir VR 10 neutralized vinsol resin admixture is used for entraining air in concrete. It meets the requirements of ASTM C 260, AASHTO M 154, and CRD-C 13. Recommended uses: •Concrete exposed to cyclic freezing and thawing •Production of high-quality normal or lightweight concrete (heavyweight concrete normally does not contain entrained air) For additional information, please visit our website at: https://www.master-builders-solutions.com/enus/architects-and-designers

-	_	
_	_	

# **Section 1: Summary**

**CONTENT INVENTORY** 

## **Basic Method / Product Threshold**

	<del>-</del>	B : 1 / / :::	All Cubatanasa Abas	ve the Threehold Indicated Ave.	
Inventory Reporting Format	Threshold level	Residuals/Impurities	All Substances Above the Threshold Indicated Are:		
C Nested Materials Method	<b>○</b> 100 ppm	Considered	Characterized	○ Yes Ex/SC   Yes   No	
Basic Method	C 1,000 ppm	Partially Considered			
	Per GHS SDS	Not Considered	% weight and role provided for all substances.		
Threshold Disclosed Per	C Other		Screened	○ Yes Ex/SC ⊙ Yes ○ No	
C Material		Explanation(s) provided	Screened	O res Ex/SC @ res O No	
© Product		for Residuals/Impurities?	All substances screened using Priority Hazard Lists with results disclosed.		
		Yes No			

## CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

MASTERAIR VR 10 [ UNDISCLOSED BM-4 ROSIN (PRIMARY CASRN IS

8050-09-7) LT-P1 | SKI **SODIUM HYDROXIDE** LT-P1 | SKI | PHY ]

Number of Greenscreen BM-4/BM3 contents ... 1

did not follow guidance.

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-P1

Identified

Nanomaterial ... No

### **INVENTORY AND SCREENING NOTES:**

All residuals and impurities within the threshold are included.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Exempt

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

C Yes

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-01-29 PUBLISHED DATE: 2020-09-25 EXPIRY DATE: 2023-01-29



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

## **MASTERAIR VR 10**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities within the threshold are included.

OTHER PRODUCT NOTES: Concrete admixtures are introduced into a concrete mixture and are not considered a finished, installed product but a material input to a concrete mixture.

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-01-29		
%: 90.0000	GS: <b>BM-4</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Carrier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found	None found No warnings found on HPD Priority Hazard Li			found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: All residuals and impurities within the threshold are included.

# **ROSIN (PRIMARY CASRN IS 8050-09-7)**

ID: 1481684-92-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-29			
%: 4.0000	GS: <b>LT-P1</b>	RC: None NANO: No SUBSTANCE ROLE: Surfactant			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction			
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization			
SUBSTANCE NOTES: All resid	luals and impurities within the threshold are i	ncluded.			

SODIUM HYDROXIDE	ID: <b>1310-73-2</b>
------------------	----------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-01-29		
%: <b>0.1000</b>	GS: LT-P1	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Buffer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		
PHYSICAL HAZARD (REACTIVE)	GHS - Korea	H290 - May be corrosive to metals		

SUBSTANCE NOTES: All residuals and impurities within the threshold are included.



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

## **VOC EMISSIONS**

## **Exempt**

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Internal

APPLICABLE FACILITIES: Master Builders Solutions

01-01

facilities

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Per LEED Indoor Environmental Quality, Low-Emitting Materials: Concrete is an inherently non-emitting source. Products that are inherently non-emitting sources of VOC's (Concrete, Stone, ceramic, powder-coated metals, plated or anodized metal, glass, clay brick, and unfinished/untreated solid wood flooring) are considered fully compliant without any VOC emissions testing if they do not include integral organic based surface coatings, binders, or sealants.



# **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



# Section 5: General Notes

For additional information, please visit our website at: https://www.master-builders-solutions.com/enus/architects-and-designers

#### MANUFACTURER INFORMATION

MANUFACTURER: Master Builders Solutions

ADDRESS: 23700 Chagrin Blvd Beachwood Ohio 44122, USA

WEBSITE: https://www.master-builders-

solutions.com/en-us/architects-and-designers

CONTACT NAME: David Green

TITLE: Sustainability PHONE: 216-839-7803

EMAIL: david.green@mbcc-group.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

# KEY

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

## GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknow

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear

mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

## **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

## Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this