3D Wall Tiles & 3D Ceiling Tiles by Autex Industries Ltd

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21777 CLASSIFICATION: 09 83 00 Acoustic Finishes PRODUCT DESCRIPTION: Autex 3D Wall Tiles & 3D Ceiling Tiles are made from PET material.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level • 100 ppm C 1,000 ppm C Per GHS SDS C Other

Residuals/Impurities

Considered C Partially Considered C Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes • No

All Substances Above the Threshold Indicated Are:

Characterized % weight and role provided for all substances.

○ Yes Ex/SC ⊙ Yes ○ No Screened All substances screened using Priority Hazard Lists with results disclosed.

Identified ○ Yes Ex/SC ⊙ Yes ○ No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY **GREENSCREEN SCORE** | HAZARD TYPE

3D WALL TILES & 3D CEILING TILES [POLYETHYLENE TEREPHTHALATE (PET) LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END CARBON BLACK BM-1 CAN PIGMENT YELLOW 147 LT-UNK PIGMENT BLUE 15 BM-3 PHTHALOCYANINE GREEN LT-UNK C.I. PIGMENT RED 149 LT-P1]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Benchmark or List translator Score ... BM-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES:

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Classroom & Office scenario Multi-attribute: GreenTag 3.1 - Gold - GreenRate Level A Multi-attribute: ILFI Declare - Red List Free

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2020-09-15 PUBLISHED DATE: 2020-09-21 EXPIRY DATE: 2023-09-15

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

3D WALL TILES & 3D CEILING TILES

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities declared on suppliers' safety data sheets

OTHER PRODUCT NOTES:

| POLYETHYLENE TEREPHTHALATE (PET) ID: 25038-59-9 | | | | | |
|---|-----------------------------------|-----------|-----------------|---|--|
| HAZARD SCREENING METHOD: Pharo | HAZARD SCREENING DATE: 2020-09-15 | | | | |
| %: 99.0000 - 100.0000 | GS: LT-UNK | RC: PostC | NANO: NO | SUBSTANCE ROLE: Textile component | |
| HAZARD TYPE | AGENCY AND LIST TITLES | W | ARNINGS | | |
| None found | | | Nov | varnings found on HPD Priority Hazard Lists | |

SUBSTANCE NOTES: 3D Wall Tiles & 3D Ceiling Tiles contain a minimum of 55% post-consumer recycled PET (from PET bottle-flake).

| AZARD SCREENING METHOD: Pha | aros Chemical and Materials Library | HAZARD SCREENING DATE: 2020-09-15 | | | |
|-----------------------------|---------------------------------------|--|---------------------------------------|-----------------------------------|--|
| 6: 0.0000 - 1.0000 | GS: LT-1 | RC: None | NANO: NO | SUBSTANCE ROLE: Pigment | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WAR | NINGS | | |
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen | | | |
| CANCER | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route | | | |
| CANCER | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources | | | |
| ENDOCRINE | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor | | sruptor | |
| CANCER | МАК | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value | | | |
| CANCER | МАК | | cinogen Group 4 - under MAK/BAT le | Non-genotoxic carcinogen with low | |

SUBSTANCE NOTES: Hazard warnings do not apply as the substance is bound within the fibre.

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCRE | HAZARD SCREENING DATE: 2020-09-15 | | | |
|--|---|--|--|--------------------------------------|--|--|
| %: 0.0000 - 1.0000 | GS: BM-1 | RC: None | NANO: NO | SUBSTANCE ROLE: Pigment | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNII | NGS | | | |
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen | | | | |
| CANCER | CA EPA - Prop 65 | Carci | Carcinogen - specific to chemical form or exposure route | | | |
| CANCER | IARC | | o 2B - Possibly c pational sources | arcinogenic to humans - inhaled from | | |
| CANCER | МАК | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification | | | | |
| SUBSTANCE NOTES: Hazard W | varnings do not apply as the substance is bou | und within the f | ibre. | | | |
| | | | | | | |
| PIGMENT YELLOW 147 | | | | ID: 4118-16-5 | | |
| HAZARD SCREENING METHOD: P | naros Chemical and Materials Library | HAZARD SCR | EENING DATE: 202 | 0-09-15 | | |

| %: 0.0000 - 1.0000 | GS: LT-UNK | RC: None | NANO: NO | SUBSTANCE ROLE: Pigment |
|--------------------|------------------------|----------|-----------------|--------------------------------------|
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | | No warning | s found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: Hazard warnings do not apply as the substance is bound within the fibre.

| PIGMENT BLUE 15 | | | | ID: 147-14-8 | |
|--|---|--|------------------|---------------------------------------|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-09-15 | | | |
| %: 0.0000 - 1.0000 | GS: BM-3 | RC: None | NANO: NO | SUBSTANCE ROLE: Pigment | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | | No warning | gs found on HPD Priority Hazard Lists | |
| SUBSTANCE NOTES: Hazard V | varnings do not apply as the substance is b | ound within the fi | bre. | | |
| I | | | | | |
| PHTHALOCYANINE GREE | N | | | ID: 1328-53-6 | |
| HAZARD SCREENING METHOD: PI | haros Chemical and Materials Library | HAZARD SCRE | ENING DATE: 2020 | 0-09-15 | |
| %: 0.0000 - 1.0000 | GS: LT-UNK | RC: None | NANO: NO | SUBSTANCE ROLE: Pigment | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNIN | GS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | | |
| | | | | | |

SUBSTANCE NOTES: Hazard warnings do not apply as the substance is bound within the fibre.

| C.I. PIGMENT RED 149 | | | | id: 4948-15-6 |
|----------------------------|-----------------------------------|----------|-----------------|--------------------------------------|
| HAZARD SCREENING METHOD: P | HAZARD SCREENING DATE: 2020-09-15 | | | |
| %: 0.0000 - 1.0000 | GS: LT-P1 | RC: None | NANO: NO | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNIN | GS | |
| None found | | | No warning | s found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: Hazard warnings do not apply as the substance is bound within the fibre.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario | | | |
|--|--|-----------------------------|--|--|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Auckland, New Zealand CERTIFICATE URL: | ISSUE DATE: 2019- 12-20 | EXPIRY DATE: | CERTIFIER OR LAB: Eurofins Product Testing A/S | |
| CERTIFICATION AND COMPLIANCE NOTES: | | | | |
| MULTI-ATTRIBUTE | GreenTag 3 | .1 - Gold - GreenRate | e Level A | |
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Auckland, New Zealand and Melbourne, Australia CERTIFICATE URL: https://www.globalgreentag.com/products/quiets panel-and-interior-acoustic-tiles/ CERTIFICATION AND COMPLIANCE NOTES: Product certification | | 2021-02-27 | CERTIFIER OR LAB: Global GreenTag | |
| MULTI-ATTRIBUTE | ILFI Declare - Red | List Free | | |
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Auckland, New Zealand and Melbourne, Australia CERTIFICATE URL: https://declare.living- future.org/products/workstation-3d-wall-tiles- 3d-ceiling-tiles CERTIFICATION AND COMPLIANCE NOTES: | ISSUE DATE: 2019- 07-01 | EXPIRY DATE: 2021- 09-01 | CERTIFIER OR LAB: International Living Future Institute | |

🛨 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Materials ingredients information is based upon the details provided by our suppliers.

MANUFACTURER INFORMATION

MANUFACTURER: Autex Industries Ltd Address: 702-718 Rosebank Road Avondale Auckland 1026, New Zealand WEBSITE: https://www.autexglobal.com/ CONTACT NAME: Aidan Hill TITLE: Group Technical & Sustainability Manager PHONE: +64 9 828 9179 EMAIL: ahill@autex.co.nz

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

- AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming
- LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.