

HPD UNIQUE IDENTIFIER: 30749

CLASSIFICATION: 09 97 35 Dry Erase Coatings

PRODUCT DESCRIPTION: Two-component aliphatic polyurethane that creates a dry erase environment for interior or exterior surfaces. It allows almost any surface to be converted into a high performance erasable canvas. It is a GREEN/universally compliant coating that is USDA approved and has no hazardous air pollutants.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold Level</p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities Evaluation</p> <p><input checked="" type="radio"/> Completed</p> <p><input type="radio"/> Partially Completed</p> <p><input type="radio"/> Not Completed</p> <p>Explanation(s) provided :</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>For all contents above the threshold, the manufacturer has:</i></p> <p>Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided weight and role.</i></p> <p>Screened <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided screening results using HPDC-approved methods.</i></p> <p>Identified <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided name and CAS RN or other identifier.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
DRY ERASE [POLYACRYLATE-17 NoGS HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER LT-P1 | SKI WATER (PRIMARY CASRN IS 7732-18-5) BM-4 TITANIUM DIOXIDE LT-1 | CAN | END | MAM CYCLOHEXANAMINE, N,N-DIMETHYL-, COMPDS. WITH 3-(CYCLOHEXYLAMINO)-1-PROPANESULFONIC ACID-BLOCKED 1,6-DIISOCYANATOHEXANE HOMOPOLYMER NoGS TRIETHANOLAMINE LT-P1 | END | EYE | SKI TALC BM-1 | CAN | MAM POLYOXYETHYLATED STEARYL ALCOHOL LT-P1 | MUL | SKI BUTOXYPROPANOL LT-UNK | SKI | EYE ETHYLENE GLYCOL MONOBUTYL ETHER (EGBE) BM-2 | END | SKI | EYE | MAM | REP TRIETHYLENE GLYCOL MONOBUTYL ETHER LT-UNK | EYE POLY(OXY-1,2-ETHANEDIYL), ALPHA-2-PROPENYL-OMEGA-HYDROXY LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1
 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1, BM-1
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Full Inventory Listed

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 5 Regulatory (g/l): 3
 Does the product contain exempt VOCs: No
 Are colorants available that do not increase the VOC content of the base paint when tinted: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CA SECTION 01350 COMPLIANT
 VOC content: ASTM D6886-14e1

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
 Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes
 No

PREPARER: Self-Prepared
 VERIFIER:
 VERIFICATION #:

SCREENING DATE: 2022-12-08
 PUBLISHED DATE: 2022-12-08
 EXPIRY DATE: 2025-12-08

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

DRY ERASE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: Data provided is complete and precise. No residuals or impurities.

OTHER PRODUCT NOTES: N/A

POLYACRYLATE-17

ID: 67892-79-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-12-08 17:31:40

%: 31.0000 - 35.0000 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Anionic Polyacrylate Dispersion

This resin is considered "Special Condition" and will get updated once the Special Condition materials guidelines are published.

HEXANE, 1,6-DIISOCYANATO-, HOMOPOLYMER

ID: 28182-81-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-12-08 17:31:41

%: 17.0000 - 29.0000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Activator

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - New Zealand	Skin sensitisation category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Iso

WATER (PRIMARY CASRN IS 7732-18-5)

ID: 652133-48-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-12-08 17:31:41

%: 20.0000 - 24.0000 GreenScreen: BM-4 RC: PreC NANO: No SUBSTANCE ROLE: Dispersant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety
SUBSTANCE NOTES: Monopole uses recycled distilled water in this formula.		

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-12-08 17:31:42		
#: 0.0100 - 11.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products		
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)		
SUBSTANCE NOTES:				

CYCLOHEXANAMINE, N,N-DIMETHYL-, COMPS. WITH 3-(CYCLOHEXYLAMINO)-1-PROPANESULFONIC ACID-BLOCKED 1,6-DIISOCYANATOHEXANE HOMOPOLYMER

ID: 666723-27-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-12-08 17:31:43**

%: **4.0000 - 7.3000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Activator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Iso Component

TRIETHANOLAMINE

ID: 102-71-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-12-08 17:31:42**

%: **0.5000 - 2.5000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Buffer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Some Solvents

SUBSTANCE NOTES: Anionic polyacrylate dispersion

TALC

ID: 14807-96-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-12-08 17:31:43**

%: **0.5000 - 1.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2b - Possibly carcinogenic to humans
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: high purity, ultra-fine talc

POLYOXYETHYLATED STEARYL ALCOHOL

ID: 9005-00-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-12-08 17:31:44**

%, **0.1800 - 0.2500** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Defoamer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: emulsion defoamer based on polyether

BUTOXYPROPANOL

ID: 5131-66-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-12-08 17:31:44**

%, **0.0500 - 0.0900** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surface modifier**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Some Solvents

SUBSTANCE NOTES: polyether modified polymethylalkylsiloxane. Acts as a silicone based leveling agent.

ETHYLENE GLYCOL MONOBUTYL ETHER (EGBE)

ID: 111-76-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-12-08 17:31:45			
%: 0.0300 - 0.0400	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Surface modifier

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: vapor) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES: polyether modified polymethylalkylsiloxane.

TRIETHYLENE GLYCOL MONOBUTYL ETHER

ID: 143-22-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-12-08 17:31:43**

%: **0.0010 - 0.0030**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals Some Solvents

SUBSTANCE NOTES: non-ionic rheology additive, low shear

POLY(OXY-1,2-ETHANEDIYL), ALPHA-2-PROPENYL-OMEGA-HYDROXY

ID: 27274-31-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-12-08 17:31:44		
%: 0.0004 - 0.0013	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: silicone surfactant, substrate wetting

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CA SECTION 01350 COMPLIANT	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: UL Environment - Marietta, 2211 Newmarket Parkway, Marietta, GA 30067-9399 CERTIFICATE URL: https://monopoleinc.com/wp-content/uploads/2017/11/Permashield-200-Premium-Dry-Erase-CDPH-01350-Complaint-1.pdf	ISSUE DATE: 2020-04-10 EXPIRY DATE: 2025-04-10	CERTIFIER OR LAB: UL Environment - Marietta, 2211 Newmarket Parkway, Marietta, GA 30067-9399
CERTIFICATION AND COMPLIANCE NOTES: CA SECTION 01350 COMPLIANT Low-emitting materials		
VOC CONTENT	ASTM D6886-14e1	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Monopole, Inc. CERTIFICATE URL:	ISSUE DATE: 2020-04-10 EXPIRY DATE: 2025-04-10	CERTIFIER OR LAB: Monopole, Inc.
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

COLORANT
MANUFACTURER (OR GENERIC): Proprietary
HPD URL: No HPD Available ACCESSORY TYPE: Colorant System CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Monopole Dry Erase can be tinted to a variety of colors at the point of sale and accepts low-voc universal pigments

Section 5: General Notes

MONOCHEM DRY ERASE is a two-component aliphatic polyurethane that creates a dry erase environment for interior or exterior surfaces. It allows almost any surface to be converted into a high performance erasable canvas. It is a GREEN/universally compliant coating that is USDA approved and has no hazardous air pollutants.

BASIC USES:

MONOCHEM DRY ERASE is ideal for most drywall, masonite, wood, concrete, cement and prepared metal surfaces. It is highly recommended for a variety of settings like schools (old chalkboards, whiteboards, or walls), offices, warehouse, cafeterias, gymnasiums, homes, etc.

FEATURES:

- Universally Compliant, Environmentally Friendly, Low VOC
- HAPS Free (Hazardous Air Pollutants), No Fumes
- Suitable for USDA Inspected Facilities
- Top Tier Chemical, Solvent, Water, and Oil Resistance
- Outstanding Hardness, Durability and Abrasion Resistance
- Top Tier Cleanability and Stain Resistance
- Can be Pigmented to Any Color

MANUFACTURER INFORMATION

MANUFACTURER: Monopole, Inc.
ADDRESS: 4661 Alger Street
 Los Angeles CA 90039, USA
WEBSITE: www.monopoleinc.com

CONTACT NAME: Angela Wooddell
TITLE: Director of Operations
PHONE: 818-500-8585
EMAIL: angela@monopoleinc.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.