

HPD UNIQUE IDENTIFIER: 21634

CLASSIFICATION: 06 46 00 Wood Trim

PRODUCT DESCRIPTION: Trim Board are factory painted engineered wood made of 100% pre-consumer recycled wood. They can be used to enhance the architectural accent of windows and doors. This HPD covers Trim Boards available in a wide variety of colors, widths and thicknesses.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities

Residuals/Impurities Considered in 7 of 8 Materials

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

SC: BIO:WOOD [SC:WOOD FIBER Not Screened] MELAMINE UREA FORMALDEHYDE RESIN [UNDISCLOSED LT-UNK UNDISCLOSED BM-4 UNDISCLOSED BM-1 | RES | CAN | MAM | SKI | GEN | MUL | END] WATER [WATER BM-4] WAX [SLACK WAX (PETROLEUM) LT-1 | CAN | MUL] SCAVENGER [UREA LT-UNK NITROGEN NoGS] EXTERIOR LATEX PAINT [UNDISCLOSED BM-4 UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | SKI | EYE] PRIMER [UNDISCLOSED BM-4 UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK] CATALYST [AMMONIUM SULFATE LT-P1 | END]

Number of Greenscreen BM-4/BM3 contents ... 4

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

HPD prepared using a Nested Materials Inventory with a product threshold at 1,000 ppm. The content inventory includes Trim Boards. This product contain materials with Special Conditions (biological material and reaction products) as per the HPDC. Reporting of Biological materials was done according to HPDC Guidelines. Substances present in the products, as well as known residuals and impurities, have been disclosed at 1,000 ppm. More details about how residuals and impurities were considered available in the appropriate sections.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - N/A Sustainable forestry: FSC Certification - Chain of Custody (COC) Formaldehyde emissions: EPA TSCA Title VI (40 CFR 770), CAN/CSA-0160-16, ANSI A208.1 and California Air Resources Board (CARB) Airborne Toxic Control Measures (ATCM) 93120 Multi-attribute: CPA 4-19 Eco-Certified Composite (ECC) - Value Added Certification

CONSISTENCY WITH OTHER PROGRAMS

Third Party Verified?

- Yes
- No

PREPARER: **Vertima**

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-09-08

PUBLISHED DATE: 2020-09-08

EXPIRY DATE: 2023-09-08



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

SC: BIO: WOOD

%: 70.0000 - 80.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities suspected to be present in wood fiber.

OTHER MATERIAL NOTES: SpecialConditionApplied: BiologicalMaterial --- Range of weight percentage are used to protect proprietary data.

SC: WOOD FIBER

ID: SC: Bio

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-08

%: 100.0000

GS: Not Screened

RC: PreC

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23
Category: Tree-based materials
Identifier: 9004-34-6

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

Pre-Consumer Recycled content includes fiber, such as scrap, trimmings and cuttings, generated as a by-product from manufacturing and converting processes of primary wood products. Examples of this category include planer shavings, plytrim, sawdust, fines, chips and bagasse.

MELAMINE UREA FORMALDEHYDE RESIN

%: 13.0000 - 14.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Supplier declared residuals listed in substance list, and, backed by technical/scientific knowledge, no impurities present in their product.

OTHER MATERIAL NOTES: Range of weight percentage are used to protect proprietary data. Furthermore, the composition of this material is confidential.

UNDISCLOSED

#: **64.0000 - 66.0000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **This substance is confidential; hence, it is not disclosed.**

UNDISCLOSED

#: **34.0000 - 36.0000**

GS: **BM-4**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Diluent**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **This substance is confidential; hence, it is not disclosed.**

UNDISCLOSED

#: **Impurity/Residual**

GS: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CANCER	US EPA - IRIS Carcinogens	(1986) Group B1 - Probable human Carcinogen
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
GENE MUTATION	EU - GHS (H-Statements)	H341 - Suspected of causing genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
CANCER	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: This substance is confidential; hence, it is not disclosed.

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Other: Water

RESIDUALS AND IMPURITIES NOTES: No data collected regarding this material.

OTHER MATERIAL NOTES: Range of weight percentage are used to protect proprietary data. Standard water is used (municipal).

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-08

#: 100.0000

GS: BM-4

RC: None

NANO: No

SUBSTANCE ROLE: Solvent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: See material notes for details.

WAX

#: 3.0000 - 4.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Other: Hydrocarbon

RESIDUALS AND IMPURITIES NOTES: Suppliers declared, backed by technical/scientific knowledge, that no residuals or impurities were present in their product ; however, no such tests are performed on their product. According to Pharos, known or potential residuals for slack wax (64742-61-6) is paraffin (8002-74-2) and paraffin oil (8012-95-1).

OTHER MATERIAL NOTES: Slack wax is used as water repellent. Data Source for TSCA Definition 2018: A complex combination of hydrocarbons obtained from a petroleum fraction by solvent crystallization (solvent dewaxing) or as a distillation fraction from a very waxy crude. It consists predominantly of saturated straight and branched chain hydrocarbons having carbon numbers predominantly greater than C20.

Range of weight percentage are used to protect proprietary data.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-08**

%: **100.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Water resistance**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: **See material notes for details.**

SCAVENGER

%: **1.0000 - 2.0000**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

MATERIAL TYPE: **Other: Organic Compound**

RESIDUALS AND IMPURITIES NOTES: **The supplier reported residuals listed in substances, while they declared, backed by internal/external testing, that no impurities are present in their product .**

OTHER MATERIAL NOTES: **Range of weight percentage are used to protect proprietary data. This product is on the US FDA's GRAS (GENERALLY REGARDED AS SAFE) list.**

UREA

ID: 57-13-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-08**%: **95.0000 - 100.0000**GS: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Scavenger**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: See material notes for details.

NITROGEN

ID: 7727-37-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-08**%: **Impurity/Residual**GS: **NoGS**RC: **None**NANO: **No**SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: See material notes for details.

EXTERIOR LATEX PAINT%: **0.5000 - 1.0000**PRODUCT THRESHOLD: **1000 ppm**RESIDUALS AND IMPURITIES CONSIDERED: **Yes**MATERIAL TYPE: **Polymeric Material**RESIDUALS AND IMPURITIES NOTES: **No known residuals or impurities are present in this material at or above the declaration threshold; hence, none reported.**OTHER MATERIAL NOTES: **Range of weight percentage are used to protect proprietary data and account for the coverage of multiple suppliers as well as multiple paint colors by the HPD. The composition of this material is confidential.****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-08**%: **15.4000 - 52.1000**GS: **BM-4**RC: **None**NANO: **No**SUBSTANCE ROLE: **Diluent**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **This substance is confidential; hence, it is not disclosed.
Range of weight percentage covers multiple suppliers and multiple paint colors.****UNDISCLOSED**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-08**%: **0.0000 - 30.0000**GS: **LT-1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: This substance is confidential; hence, it is not disclosed.
Range of weight percentage covers multiple suppliers and multiple paint colors.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-08		
#: 0.0000 - 23.3000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: This substance is confidential; hence, it is not disclosed.
Range of weight percentage covers multiple suppliers and multiple paint colors.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-08		
#: 0.0000 - 22.1000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: This substance is confidential; hence, it is not disclosed.
Range of weight percentage covers multiple suppliers and multiple paint colors.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-08		
#: 0.0000 - 7.1000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: This substance is confidential; hence, it is not disclosed.
Range of weight percentage covers multiple suppliers and multiple paint colors.

SUBSTANCE NOTES: This substance is confidential; hence, it is not disclosed.
Range of weight percentage covers multiple suppliers and multiple paint colors.

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-08**

?: **0.0000 - 6.6000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Monomer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: This substance is confidential; hence, it is not disclosed.
Range of weight percentage covers multiple suppliers and multiple paint colors.

PRIMER

?: **0.3000 - 0.5000**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: **No known residuals or impurities are present in this material at or above the declaration threshold; hence, none reported.**

OTHER MATERIAL NOTES: **Range of weight percentage are used to protect proprietary data and account for the coverage of multiple suppliers by the HPD. The composition of this material is confidential.**

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-08**

?: **10.0000 - 46.8000**

GS: **BM-4**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is confidential; hence, it is not disclosed.
Range of weight percentage covers multiple suppliers.

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-08**

?: **9.8000 - 30.0000**

GS: **LT-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: This substance is confidential; hence, it is not disclosed.
Range of weight percentage covers multiple suppliers.

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-08**

#: **0.0000 - 17.3000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is confidential; hence, it is not disclosed.
Range of weight percentage covers multiple suppliers.

UNDISCLOSED

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-08**

#: **0.0000 - 16.5000**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is confidential; hence, it is not disclosed.
Range of weight percentage covers multiple suppliers.

CATALYST

#: **0.1000 - 0.3000**

PRODUCT THRESHOLD: **1000 ppm**

RESIDUALS AND IMPURITIES CONSIDERED: **Yes**

MATERIAL TYPE: **Other: Inorganic Salt**

RESIDUALS AND IMPURITIES NOTES: The supplier declared, backed by technical/scientific knowledge, that no impurities or residuals were present in their product.

OTHER MATERIAL NOTES: Some substances fall below the reportable threshold, and are not reported in the content inventory. Range of weight percentage are used to protect proprietary data.

AMMONIUM SULFATE

ID: 7783-20-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-08**

%: **98.0000 - 100.0000**

GS: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Catalyst**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: **See material notes for details.**

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - N/A

CERTIFYING PARTY: **Self-declared** ISSUE DATE: **2020-08-18** EXPIRY DATE: CERTIFIER OR LAB: **n/a**
APPLICABLE FACILITIES: **n/a**
CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **This is product for outside.**

SUSTAINABLE FORESTRY

FSC Certification - Chain of Custody (COC)

CERTIFYING PARTY: **Third Party** ISSUE DATE: **2017-11-06** EXPIRY DATE: **2022-11-05** CERTIFIER OR LAB: **NEPCon**
APPLICABLE FACILITIES: **Uniboard Canada Inc. - Multi-Site**
CERTIFICATE URL: **<https://info.fsc.org/>**

CERTIFICATION AND COMPLIANCE NOTES: **Certificate Code: NC-COC-002726 Controlled Wood Code: NC-CW-002726**

FORMALDEHYDE EMISSIONS

EPA TSCA Title VI (40 CFR 770), CAN/CSA-0160-16, ANSI A208.1 and California Air Resources Board (CARB) Airborne Toxic Control Measures (ATCM) 93120

CERTIFYING PARTY: **Third Party** ISSUE DATE: **2019-03-21** EXPIRY DATE: CERTIFIER OR LAB: **Composite Panel Association**
APPLICABLE FACILITIES: **Sayabec, Quebec, Canada, G0J 3K0**
CERTIFICATE URL: **<https://www.compositepanel.org/testingcertification/certification-programs/>**

CERTIFICATION AND COMPLIANCE NOTES: **The unpainted wood panel fulfills The Requirements Of: EPA TSCA Title VI (40 CFR 770), CAN/CSA-0160-16, ANSI A208.1 and California Air Resources Board (CARB) Airborne Toxic Control Measures (ATCM) 93120.**

MULTI-ATTRIBUTE

CPA 4-19 Eco-Certified Composite (ECC) - Value Added Certification

CERTIFYING PARTY: **Second Party** ISSUE DATE: **2019-03-05** EXPIRY DATE: CERTIFIER OR LAB: **Composite Panel Association**
APPLICABLE FACILITIES: **Sayabec, Quebec, Canada, G0J 3K0**
CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **The unpainted wood panel fulfills the requirements of the ECC certification and thus complies with the following Eco-Attributes: Carbon Footprint; Locally Sourced Fiber; Recycled, Recovered or Post-Consumer Fiber Content; Sustainable Use of Wood Fiber; Responsible Wood Sourcing.**

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their

CORROSION RESITANT FASTENERS (NAILS OR SCREWS)

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Required for installation. A complete installation guide is available on the KWP website (<https://www.kwpproducts.com/>)



Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: **KWP**

ADDRESS: **1367 National Street**

Terrebonne Quebec J6W 6H8, Canada

WEBSITE: **https://www.kwpproducts.com/**

CONTACT NAME: **François Meynard**

TITLE: **Plant Manager**

PHONE: **450-964-5786**

EMAIL: **francoism@kwpproducts.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material

Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.