JointMaster Expansion Joint J426-A01-050 by Inpro

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21448

CLASSIFICATION: 07 95 13 Expansion Joint Cover Assemblies

PRODUCT DESCRIPTION: Surface-mounted frames allow for use in new, existing and renovation conditions System does not require expensive block out conditions. I Center bar support allows for wide spans while providing a sight line of less width than a typical cover plate I This architectural joint system can be used on all floor finishes including carpet, VCT and tile I Fully seismic center bar system I Low profile (LP) option available for floor to wall conditions

Section 1: Summary

Nested Method / Product Threshold

	NTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	All Substances Abo	ve the Threshold Indicated Are:
Nested Materials Method Basic Method	 100 ppm 1,000 ppm Per GHS SDS	Residuals/Impurities Considered in 2 of 2 Materials	Characterized % weight and role p	○ Yes Ex/SC ⊙ Yes ○ No provided for all substances.
Threshold Disclosed Per Material Product	O Per GHS SDS Other	Explanation(s) provided for Residuals/Impurities? • Yes • No	Screened All substances scre results disclosed.	○ Yes Ex/SC ⊙ Yes ○ No sened using Priority Hazard Lists with
			Identified All substances disc. Identifier.	C Yes Ex/SC © Yes C No losed by Name (Specific or Generic) ar

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

STAINLESS STEEL [NICKEL LT-1 | RES | CAN | SKI | MAM | MUL IRON LT-P1 | END CHROMIUM LT-P1 | RES | END | SKI SILICON LT-UNK MANGANESE LT-P1 | END | MUL | REP COPPER LT-P1 | MUL MOLYBDENUM LT-UNK TITANIUM LT-UNK COPPER LT-P1 | MUL] ALUMINUM [ALUMINUM NoGS ZINC LT-P1 | AQU | PHY | END | MUL MAGNESIUM LT-UNK | PHY SILICON LT-UNK MANGANESE LT-P1 | END | MUL | REP COPPER LT-P1 | MUL IRON LT-P1 | END CHROMIUM LT-P1 | RES | END | SKI]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non- emitting source per LEED®

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O No

C Yes

PREPARER: Self-Prepared VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-08-18 PUBLISHED DATE: 2020-08-18 EXPIRY DATE: 2023-08-18



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

STAINLESS STEEL

%: 50.1700

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered in this material

OTHER MATERIAL NOTES:

NICKEL		ID: 7440-	
IAZARD SCREENING METHOD: Pr	naros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-18	
%: 37.0000	GS: LT-1	RC: Both NANO: No SUBSTANCE ROLE: Monomer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced	
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans	
CANCER	IARC	Group 2b - Possibly carcinogenic to humans	
CANCER	CA EPA - Prop 65	Carcinogen	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen	
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen	
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen	
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction	
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer	
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters	
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man	
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization	

SUBSTANCE NOTES:

IRON ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18		
%: 28.0000	GS: LT-P1	RC: Both	nano: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS.	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potent	ial Endocrine Di	sruptor
SUBSTANCE NOTES:				

CHROMIUM ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREE	ENING DATE: 202	0-08-18
%: 26.0000	GS: LT-P1	RC: Both	nano: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	9S	
RESPIRATORY	AOEC - Asthmagens	Asthma	agen (Rs) - sens	itizer-induced
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potenti	ial Endocrine Di	sruptor
SKIN SENSITIZE	MAK	Sensiti	zing Substance	Sh - Danger of skin sensitization

SUBSTANCE NOTES:

SILICON ID: 7440-21-3

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2020-08-18			
%: 2.0000	GS: LT-UNK	RC: Both	nano: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

MANGANESE ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREI	ENING DATE: 202	0-08-18
%: 2.0000	GS: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Monomer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]

COPPER				ю: 7440-5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE: 202	20-08-18
%: 1.9000	GS: LT-P1	RC: Both	nano: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2	- Hazard to Wa	aters

MOLYBDENUM				ID: 7439-98-7
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SC		HAZARD SCRE	HAZARD SCREENING DATE: 2020-08-18	
%: 1.0000	GS: LT-UNK	RC: Both	nano: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

TITANIUM				ID: 7440-32-
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SC			ENING DATE: 20	20-08-18
%: 0.7000	GS: LT-UNK	RC: Both	nano: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists

COPPER ID: 7440-50-8

SUBSTANCE NOTES:

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE: 202	20-08-18
%: 0.6000	gs: LT-P1	RC: Both	nano: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	S	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2	- Hazard to Wa	ıters

ALUMINUM

%: 49.8300 - 49.8300

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES:

SUBSTANCE NOTES:

ALUMINUM ID: 91728-14-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18		
%: 89.0000	GS: NoGS	RC: Both NANO: No SUBSTANC		SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
None found			No warn	ings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ZINC

D: 7440-66-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18			
gs: LT-P1	RC: Both	nano: No	SUBSTANCE ROLE: Alloy element		
AGENCY AND LIST TITLES	WA	RNINGS			
EU - GHS (H-Statements)	H ²	00 - Very toxic to	aquatic life		
EU - GHS (H-Statements)	H ²	10 - Very toxic to	aquatic life with long lasting effects		
EU - GHS (H-Statements)	H2	250 - Catches fire	spontaneously if exposed to air		
EU - GHS (H-Statements)			ith water releases flammable gases contaneously		
TEDX - Potential Endocrine Disruptors	Po	tential Endocrine	Disruptor		
German FEA - Substances Hazardous to Waters	CI	ass 2 - Hazard to	Waters		
	GS: LT-P1 AGENCY AND LIST TITLES EU - GHS (H-Statements) EU - GHS (H-Statements) EU - GHS (H-Statements) EU - GHS (H-Statements) TEDX - Potential Endocrine Disruptors German FEA - Substances Hazardous to	GS: LT-P1 AGENCY AND LIST TITLES EU - GHS (H-Statements) EU - GHS (H-Statements) H4 EU - GHS (H-Statements) H2 EU - GHS (H-Statements) H2 EU - GHS (H-Statements) FU - GHS (H-Statements) CU - GHS (H-Statements)	GS: LT-P1 RC: Both NANO: No AGENCY AND LIST TITLES WARNINGS EU - GHS (H-Statements) H400 - Very toxic to EU - GHS (H-Statements) H410 - Very toxic to EU - GHS (H-Statements) H250 - Catches fire EU - GHS (H-Statements) H260 - In contact w which may ignite sp TEDX - Potential Endocrine Disruptors Potential Endocrine German FEA - Substances Hazardous to Class 2 - Hazard to		

MAGNESIUM ID: 7439-95-4

%: 2.1000 GS: LT-UNK RC: Both NANO: No SUBSTANCE ROLE: Alloy element HAZARD TYPE AGENCY AND LIST TITLES WARNINGS PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H250 - Catches fire spontaneously if exposed to air PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H260 - In contact with water releases flammable gases	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18		
PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H250 - Catches fire spontaneously if exposed to air	%: 2.1000	GS: LT-UNK	RC: Both NANO: No SUBSTANCE ROLE: Alloy element		
	HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H260 - In contact with water releases flammable gases	PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air		
which may ignite spontaneously	PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	•		

SUBSTANCE NOTES:

SILICON ID: 7440-21-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	HAZARD SCREENING DATE: 2020-08-18		
%: 1.8000	GS: LT-UNK	RC: Both	nano: No	SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	gs.		
None found			No warnii	ngs found on HPD Priority Hazard Lists	

SUBSTANCE NOTES:

MANGANESE ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18			
%: 1.5000	GS: LT-P1	RC: Both NANO: No SUBSTANCE ROLE: Alloy elem			SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters			Waters
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]			on - Category 1B [H360]

SUBSTANCE NOTES:

COPPER ID: 7440-50-8

HAZARD SCREENING METHOL	D: Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE: 20	20-08-18
%: 1.3000	GS: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

IRON ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18		
%: 1.1000	GS: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		Disruptor

SUBSTANCE NOTES:

CHROMIUM ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18		
%: 0.5000	GS: LT-P1	RC: Both	SUBSTANCE ROLE: Alloy element	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization		

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

ISSUE DATE: 2019-

VOC EMISSIONS

Inherently non- emitting source per LEED®

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All CERTIFICATE URL:

08-05

EXPIRY DATE:

CERTIFIER OR LAB: NA

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

See inprocorp.com for installation instructions and technical data.

MANUFACTURER INFORMATION

MANUFACTURER: Inpro

ADDRESS: S80W18766 Apollo Drive Muskego Wisconsin 53150, USA

WEBSITE: www.inprocorp.com

CONTACT NAME: Laura Loucks
TITLE: Sustainability Specialist

PHONE: 262-679-9010

EMAIL: laloucks@inprocorp.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.