JointMaster Expansion Joint J428-A01-050 by Inpro

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21450

CLASSIFICATION: 07 95 13 Expansion Joint Cover Assemblies

PRODUCT DESCRIPTION:

Surface-mounted frames allow for use in new, existing and renovation conditions

System does not require expensive block out conditions.

Center bar support allows for wide spans while providing a sight line of less width than a typical cover plate

This architectural joint system can be used on all floor finishes including carpet, VCT and tile

Fully seismic center bar system

Low profile (LP) option available for floor to wall conditions

_
_
_
_

Section 1: Summary

Nested Method / Product Threshold

\sim	10	IT	ЛΠ	- 1	NI	\/	JT	0	D	V
U	יוט	N I	ИI		IN	V	ИI	v	п	T

Inventory Reporting Format	Threshold level	Residuals/Impurities	All Substances Abo	ve the
Nested Materials Method Basic Method	 100 ppm 1,000 ppm Per GHS SDS	Residuals/Impurities Considered in 2 of 2 Materials	Characterized % weight and role p	C
Threshold Disclosed Per	C Other	Explanation(s) provided for Residuals/Impurities?	Screened	C
MaterialProduct		⊙ Yes ○ No	All substances scree results disclosed.	ened l

Characterized C Yes Ex/SC • Yes C No % weight and role provided for all substances.

Threshold Indicated Are:

Screened © Yes Ex/SC © Yes © No
All substances screened using Priority Hazard Lists with
results disclosed.

Identified © Yes Ex/SC © Yes © No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

STAINLESS STEEL [NICKEL LT-1 | RES | CAN | SKI | MAM | MUL IRON LT-P1 | END CHROMIUM LT-P1 | RES | END | SKI SILICON LT-UNK

MANGANESE LT-P1 | END | MUL | REP COPPER LT-P1 | MUL

MOLYBDENUM LT-UNK TITANIUM LT-UNK COPPER LT-P1 | MUL]

ALUMINUM [ALUMINUM Nogs ZINC LT-P1 | AQU | PHY | END | MUL

MAGNESIUM LT-UNK | PHY SILICON LT-UNK MANGANESE LT-P1 | END |

MUL | REP COPPER LT-P1 | MUL IRON LT-P1 | END CHROMIUM LT-P1 |

RES | END | SKI]

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

INVENTORY AND SCREENING NOTES:

None

Nanomaterial ... No

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Inherently non- emitting source per LEED®

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?	PREPARER: Self-Prepared
C Yes	VERIFIER:
⊙ No	VERIFICATION #:

SCREENING DATE: 2020-08-18
PUBLISHED DATE: 2020-08-18
EXPIRY DATE: 2023-08-18



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

STAINLESS STEEL %: 69.2600

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

ID. 7440_02_0

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered in this material

OTHER MATERIAL NOTES:

NICKEL

HAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-18			
%: 37.0000	GS: LT-1	RC: Both NANO: No SUBSTANCE ROLE: Monomer			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced			
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans			
CANCER	IARC	Group 2b - Possibly carcinogenic to humans			
CANCER	CA EPA - Prop 65	Carcinogen			
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen			
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen			
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen			
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction			
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer			
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure			
MULTIPLE	German FEA - Substances Hazardous to Waters	to Class 2 - Hazard to Waters			
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man			
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization			

SUBSTANCE NOTES:

IRON ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18				
%: 28.0000	gs: LT-P1	RC: Both NANO: No SUBSTANCE ROLE: Monomer				
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor				
SUBSTANCE NOTES:						

CHROMIUM ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18				
%: 26.0000	GS: LT-P1	RC: Both	nano: No	SUBSTANCE ROLE: Monomer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	as .			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced				
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potenti	ial Endocrine Di	sruptor		
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization				

SUBSTANCE NOTES:

SILICON ID: 7440-21-3

HAZARD SCREENING METHOD:	HAZARD SCREE	HAZARD SCREENING DATE: 2020-08-18				
%: 2.0000	GS: LT-UNK	RC: Both	nano: No	SUBSTANCE ROLE: Monomer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found			No warnings	found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:						

MANGANESE ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCF	HAZARD SCREENING DATE: 2020-08-18				
%: 2.0000	GS: LT-P1	RC: Both	nano: No	SUBSTANCE ROLE: Monomer			

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]

COPPER				ю: 7440-5				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2020-08-18					
%: 1.9000	GS: LT-P1	RC: Both	nano: No	SUBSTANCE ROLE: Monomer				
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S					
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2	- Hazard to Wa	aters				

MOLYBDENUM				ID: 7439-98-7
HAZARD SCREENING METHOD	ENING DATE: 20	20-08-18		
%: 1.0000	gs: LT-UNK	RC: Both	nano: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

TITANIUM				ID: 7440-32-
HAZARD SCREENING METHOD	HAZARD SCREENING DATE: 2020-08-18			
%: 0.7000	gs: LT-UNK	RC: Both	nano: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

COPPER ID: 7440-50-8

SUBSTANCE NOTES:

HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE: 202	20-08-18
%: 0.6000	GS: LT-P1	RC: Both	nano: No	SUBSTANCE ROLE: Monomer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2	aters	

ALUMINUM %: 30.7300

RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered in this material

OTHER MATERIAL NOTES:

SUBSTANCE NOTES:

PRODUCT THRESHOLD: 100 ppm

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-08-18

Magency and list titles

None found

HAZARD TYPE

AGENCY AND LIST TITLES

No warnings found on HPD Priority Hazard Lists

ZINC 1D: 7440-66-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18			
%: 2.5000	GS: LT-P1	RC: Both NANO: No SUBSTANCE ROLE: Alloy eleme			
HAZARD TYPE	AGENCY AND LIST TITLES		WARNI	NGS	
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life			aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects			
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H250	- Catches fire	spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously			
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Poter	itial Endocrine	Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters		Class	2 - Hazard to	Waters

MAGNESIUM ID: **7439-95-4**

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-18		
%: 2.1000	GS: LT-UNK	RC: Both NANO: No SUBSTANCE ROLE: Alloy element		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously		

SUBSTANCE NOTES:

SILICON ID: **7440-21-3**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18		
%: 1.8000	GS: LT-UNK	RC: Both	nano: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS	
None found			No warnii	ngs found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

MANGANESE	ID: 7439-96-5
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-18
4 F000	- Dath Na Allan alamant

%: **1.5000** GS: LT-P1 RC: Both nano: **No** SUBSTANCE ROLE: Alloy element HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor **MULTIPLE** German FEA - Substances Hazardous to Class 2 - Hazard to Waters Waters

REPRODUCTIVE GHS - Japan Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES:

ENDOCRINE

COPPER ID: 7440-50-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	HAZARD SCREENING DATE: 2020-08-18		
%: 1.3000	GS: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

IRON ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18		
%: 1.1000	GS: LT-P1	RC: Both	nano: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

SUBSTANCE NOTES:

CHROMIUM ID: 7440-47-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-18		
%: 0.5000	gs: LT-P1	RC: Both	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization		

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Inherently non- emitting source per LEED®

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All

CERTIFICATE URL:

ISSUE DATE: 2019-08-05

EXPIRY DATE:

CERTIFIER OR LAB: NA

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

See inprocorp.com for installation instructions and technical data.

MANUFACTURER INFORMATION

MANUFACTURER: Inpro

ADDRESS: S80W18766 Apollo Drive Muskego Wisconsin 53150, USA

WEBSITE: www.inprocorp.com

CONTACT NAME: Laura Loucks
TITLE: Sustainability Specialist

PHONE: 262-679-9010

EMAIL: laloucks@inprocorp.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.