

HPD UNIQUE IDENTIFIER: 22822

CLASSIFICATION: 08 81 13 Decorative Glass Glazing

PRODUCT DESCRIPTION: This document covers Goldray Glass's back-painted product using LCBA paint. Goldray Glass's back-painted glass is composed of float or heat-treated glass coated with a fully reacted coating. This product ranges between 3mm (1/8") to 10mm (3/4") in total thickness. Goldray Glass's back-painted glass with LCBA is only suitable for Interior applications in both commercial and residential projects. Back-painted glass panels are commonly used as markerboards, backsplashes and wall cladding. It is available in many standard colors, and custom color matching is an option. The panel sizes vary between 12"x12" and 72" x 144", subject to the glass makeup.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p>Residuals/Impurities Considered in 5 of 5 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

SODALIME GLASS [GLASS, OXIDE, CHEMICALS LT-UNK] BASE OPTION 1 [TITANIUM DIOXIDE LT-1 | CAN | END XYLENE BM-1 | SKI | END | MUL | REP] BASE OPTION 2 [XYLENE BM-1 | SKI | END | MUL | REP] THINNER OPTION 1 [XYLENE BM-1 | SKI | END | MUL | REP] 2-PROPANOL, 1-METHOXY-, ACETATE LT-UNK BUTYL ACETATE LT-UNK METHYL ETHYL KETONE LT-P1 | PHY | EYE | END] THINNER OPTION 2 [CYCLOHEXANONE LT-P1 | END | CAN AROMATIC 100 (AROMATIC NAPHTHA, TYPE 1) LT-1 | MAM | GEN | CAN | MUL | END]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This report discloses hazards associated with the substances present at a minimum amount of 1000 ppm in the product. Backpainted glass is composed of float or heat-treated glass with a fully reacted coating.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-11-03

PUBLISHED DATE: 2020-11-05

EXPIRY DATE: 2023-11-03

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

SODALIME GLASS

#: 95.0000 - 100.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities are considered and noted when the concentration is above 1000ppm

OTHER MATERIAL NOTES:

GLASS, OXIDE, CHEMICALS

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-11-03

#: 60.0000 - 100.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Glass component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

BASE OPTION 1

#: 0.0000 - 1.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities are considered and noted when the concentration is above 1000ppm

OTHER MATERIAL NOTES:

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-11-03

#: 0.0000 - 45.0000

GS: LT-1

RC: None

NANO: Unknown

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer

SUBSTANCE NOTES:

XYLENE

ID: 1330-20-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-03**

#: **0.0000 - 20.0000** GS: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES:

BASE OPTION 2

#: **0.0000 - 1.0000**

PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities are considered and noted when the concentration is above 1000ppm

OTHER MATERIAL NOTES:

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-03**

#: **0.0000 - 25.0000** GS: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES:

THINNER OPTION 1

#: **0.0000 - 1.0000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Polymeric Material**

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities are considered and noted when the concentration is above 1000ppm

OTHER MATERIAL NOTES:

XYLENE

ID: 1330-20-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-03**%: **0.0000 - 20.0000** GS: **BM-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES:

2-PROPANOL, 1-METHOXY-, ACETATE

ID: 108-65-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-03**%: **0.0000 - 15.0000** GS: **LT-UNK** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Diluent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

BUTYL ACETATE

ID: 123-86-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-03**%: **0.0000 - 15.0000** GS: **LT-UNK** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Diluent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

METHYL ETHYL KETONE

ID: 78-93-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-03**%: **0.0000 - 15.0000** GS: **LT-P1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES:

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Other: Not Set

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities are considered and noted when the concentration is above 1000ppm

OTHER MATERIAL NOTES:

CYCLOHEXANONE

ID: 108-94-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2020-11-03

%: 0.0000 - 30.0000

GS: LT-P1

RC: None

NANO: Unknown

SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES:

AROMATIC 100 (AROMATIC NAPHTHA, TYPE 1)

ID: 64742-95-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2020-11-03

%: 0.0000 - 20.0000

GS: LT-1

RC: None

NANO: Unknown

SUBSTANCE ROLE: Diluent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	GHS - Australia	H340 - May cause genetic defects
CANCER	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-09-

EXPIRY DATE: 2023-

CERTIFIER OR LAB: N/A

APPLICABLE FACILITIES: All Facilities

11

09-11

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: N/A

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

VARIOUS MATERIALS

HPD URL: no hpd available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Goldray Glass's products are installed using different accessories and/or framing systems which are chosen by designers, architects, engineers and installers. These accessories and frames are manufactured using different materials. The materials will vary depending on the type of installation and final application. For information regarding these accessories, refer to the Health Product Declaration which is provided by the accessory or framing manufacturer.

Section 5: General Notes

Goldray Glass has several suppliers for Soda-lime glass. The suppliers have all confirmed that there are no residuals and/or impurities left on the surfaces of the glass. All glass brought in from one of our suppliers have achieved a material health rating of Gold, their glass products have been tested and the results show no exposure from carcinogens, mutagens, or reproductive toxicants. The glass product is fully optimized, does not contain any grey or x-assessed chemicals. Another supplier regularly analyzes all glasses with an elemental detection limit of 10 ppm maximum. Lead, Chromium, Arsenic, Antimony, Vanadium and Cadmium may rarely be present in float glass as trace level contaminants and are not present at a level greater than 20 ppm. Therefore they are not included in the Health Product Declaration. Cobalt, Selenium and Nickel may be added to impart color to some tinted glasses. Cobalt is never present at a level greater than 300 ppm, Selenium is never present at a level higher than 50 ppm, Nickel is typically not present at a level higher than 200 ppm but can reach 800 ppm in some specific dark grey glass products. The other suppliers did not provide any statement regarding impurities present.

MANUFACTURER INFORMATION

MANUFACTURER: Goldray Glass
ADDRESS: 4605 52nd Ave SE
 Calgary Alberta T2C 4N7, Canada
WEBSITE: www.goldrayglass.com

CONTACT NAME: Prince Ruchogeza
TITLE: Industrial Scientist
PHONE: 800 640 3709
EMAIL: info@goldrayglass.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.