

HPD UNIQUE IDENTIFIER: 29025

CLASSIFICATION: 12 05 13 Fabrics

PRODUCT DESCRIPTION: CRYPTON SUPER FABRIC IS A PERFORMANCE TEXTILE ENGINEERED TO DELIVER CONSISTENT, PERMANENT STAIN AND MOISTURE RESISTANCE

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<b>Inventory Reporting Format</b>	<b>Threshold Level</b>	<b>Residuals/Impurities</b>	<i>All Substances Above the Threshold Indicated Are:</i>
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input type="radio"/> Considered	<b>Characterized</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input checked="" type="radio"/> Partially Considered	<i>% weight and role provided for all substances.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Considered	<b>Screened</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	<b>Explanation(s) provided for Residuals/Impurities?</b>	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Identified</b> <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**  
**TABOO CRYPTON HC | POLYETHYLENE TEREPHTHALATE LT-P1 | RES**  
**POLYURETHANE LT-UNK | CELLULOSE LT-UNK | RES ACRYLIC**  
**COPOLYMER NoGS | FELDSPAR LT-UNK | UNDISCLOSED NoGS**  
**UNDISCLOSED LT-UNK | DISPERSE DYES NoGS | UNDISCLOSED LT-P1**  
**TITANIUM DIOXIDE LT-1 | CAN | END ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Crypton Super Fabric Technology - Greenguard Gold

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-07-01

PUBLISHED DATE: 2022-07-01

EXPIRY DATE: 2025-07-01

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### TABOO CRYPTON HC

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Partially

RESIDUALS AND IMPURITIES NOTES: No Residuals or Impurities are expected to be present at or above content inventory.

OTHER PRODUCT NOTES:

#### POLYETHYLENE TEREPHTHALATE

ID: 25038-59-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-07-01 9:04:25**

#: **81.8020 - 87.6930** GS: **LT-P1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Textile component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

#### POLYURETHANE

ID: 9009-54-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-07-01 9:04:25**

#: **7.3820 - 8.0940** GS: **LT-UNK** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

#### CELLULOSE

ID: 9004-34-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-07-01 9:04:26**

#: **1.7690 - 1.7940** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surface modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: bound in polymer matrix

#### ACRYLIC COPOLYMER

ID: **Not Registered**

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2022-07-01 9:03:20**

#: **1.4990 - 2.0750** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

**FELDSPAR**

ID: 68476-25-5

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-07-01 9:04:26</b>		
%: <b>0.5950 - 0.6740</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Filler</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: bound in polymer matrix				

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: <b>Toxnot Chemical Hazard Screening Library</b>		HAZARD SCREENING DATE: <b>2022-07-01 9:03:25</b>		
%: <b>0.1360 - 0.5160</b>	GS: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Polymer species</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None				

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: <b>Toxnot Chemical Hazard Screening Library</b>		HAZARD SCREENING DATE: <b>2022-07-01 9:03:27</b>		
%: <b>0.1360 - 0.3440</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Polymer species</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None				

**DISPERSE DYES**

ID: **Not Registered**

HAZARD SCREENING METHOD: <b>Toxnot Chemical Hazard Screening Library</b>		HAZARD SCREENING DATE: <b>2022-07-01 9:03:19</b>		
%: <b>0.0900 - 2.4570</b>	GS: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>Unknown</b>	SUBSTANCE ROLE: <b>Dye</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:				

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: <b>Toxnot Chemical Hazard Screening Library</b>		HAZARD SCREENING DATE: <b>2022-07-01 9:03:26</b>		
%: <b>0.0500 - 0.4510</b>	GS: <b>LT-P1</b>	RC: <b>Both</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Lubricant</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**TITANIUM DIOXIDE**

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-07-01 9:04:27**

%: **0.0000 - 0.8190** GS: **LT-1** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Matting agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: bound in polymer matrix

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### Crypton Super Fabric Technology - Greenguard Gold

CERTIFYING PARTY: Third Party	ISSUE DATE: 2012-04-26	EXPIRY DATE: 2023-04-26	CERTIFIER OR LAB: UL Environment
APPLICABLE FACILITIES: Kings Mountain, NC			
CERTIFICATE URL: <a href="https://spot.ul.com/main-app/products/detail/5ad1e9dd55b0e82d946a312d?page_type=Products%20Catalog">https://spot.ul.com/main-app/products/detail/5ad1e9dd55b0e82d946a312d?page_type=Products%20Catalog</a>			
CERTIFICATION AND COMPLIANCE NOTES: Greenguard Gold - Compliance with CA 01350			

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### CLEANING AND MAINTENANCE INSTRUCTIONS

HPD URL: [crypton.com/support/cleaning-care/](https://crypton.com/support/cleaning-care/)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

CLEANING AND MAINTENANCE INSTRUCTIONS URL: [crypton.com/support/cleaning-care/](https://crypton.com/support/cleaning-care/) See website for cleaning and maintenance instructions

## Section 5: General Notes

Crypton Super Fabric is a performance textile engineered to deliver consistent, permanent stain and moisture resistance.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Crypton LLC**  
 ADDRESS: **513 Crypton Drive**  
**Kings Mountain NC 28086, USA**  
 WEBSITE: **www.crypton.com**

CONTACT NAME: **Michael Grigat**  
 TITLE: **Vice President of R&D**  
 PHONE: **704-734-5400**  
 EMAIL: **michael@crypton.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*