Durock[™] Brand Advanced Skim Coat[™] Floor Patch by USG

HPD UNIQUE IDENTIFIER: 23045

CLASSIFICATION: 09 24 00 Cement Plastering

PRODUCT DESCRIPTION: Durock[™] Brand Advanced Skim Coat[™] Floor Patch is a versatile calcium aluminate floor patch and skim coat for interior use over wood, concrete and gypsum subfloors and over most interior floors, including ceramic and quarry tile, terrazzo, wood, metal and interior concrete, as well as properly prepared residues of cutback and other non-water-soluble adhesives on concrete and epoxy coatings.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials MethodBasic Method

Threshold Disclosed Per

- C Material
- O Product

Threshold level 100 ppm 1,000 ppm Per GHS SDS Other

Residuals/Impurities

ConsideredPartially ConsideredNot Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No

Basic Method / Product Threshold

All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

Screened O Yes Ex/SC • Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

DUROCKTM BRAND ADVANCED SKIM COATTM FLOOR PATCH [HIGH-ALUMINA CEMENT LT-UNK LIMESTONE LT-UNK CALCIUM SULFATE DIHYDRATE LT-UNK PORTLAND CEMENT LT-P1 | END | CAN PERLITE LT-UNK UNDISCLOSED BM-2 | RES UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK ATTAPULGITE, ACTIVATED LT-1 | CAN LITHIUM CARBONATE LT-1 | DEV | REP UNDISCLOSED LT-UNK

VOLATILE ORGANIC COMPOUND (VOC) CONTENT VOC Content data is not applicable for this product category. Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified? C Yes C No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-11-11 PUBLISHED DATE: 2020-12-01 EXPIRY DATE: 2023-11-11 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

DUROCK™ BRAND ADVANCED S	KIM COAT™ FLOOR PATCH					
PRODUCT THRESHOLD: 1000 ppn	DUCT THRESHOLD: 1000 ppm			RESIDUALS AND IMPURITIES CONSIDERED: Yes		
displayed in the HPD when greater	TES: Residuals/Impurities in raw materials to than or equal to 1000 ppm. Naturally occu cumulative percentage of respirable crystal nal exposure information.	rring raw mater	ials in this produ	uct may contain tra	ace amounts of	
OTHER PRODUCT NOTES: This pr	oduct is manufactured at Southard, OK.					
HIGH-ALUMINA CEMENT					ID: 65997-16-2	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2020-11-11		
%: 25.0000 - 35.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE R	OLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS			
None found			No warnings fo	ound on HPD Prior	ity Hazard Lists	
score of BM-1, LT-1, LT-P1 or NoGS						
LIMESTONE					ID: 1317-65-3	
	Pharos Chemical and Materials Library	HAZARD SCF	REENING DATE:	2020-11-11	ID: 1317-65-3	
	Pharos Chemical and Materials Library GS: LT-UNK	HAZARD SCF RC: None	REENING DATE: NANO: No	2020-11-11 SUBSTANCE R		
HAZARD SCREENING METHOD:			NANO: No			
HAZARD SCREENING METHOD: %: 15.0000 - 25.0000	GS: LT-UNK	RC: None	NANO: No INGS		OLE: Filler	
HAZARD SCREENING METHOD: %: 15.0000 - 25.0000 HAZARD TYPE None found	GS: LT-UNK AGENCY AND LIST TITLES uals or Impurities are expected to be prese	RC: None WARNI	NANO: No INGS No warnings fo	SUBSTANCE R	OLE: Filler ity Hazard Lists	
HAZARD SCREENING METHOD: %: 15.0000 - 25.0000 HAZARD TYPE None found SUBSTANCE NOTES: No Resid	GS: LT-UNK AGENCY AND LIST TITLES uals or Impurities are expected to be prese LT-1, LT-P1 or NoGS.	RC: None WARNI	NANO: No INGS No warnings fo	SUBSTANCE R	OLE: Filler ity Hazard Lists	
HAZARD SCREENING METHOD: %: 15.0000 - 25.0000 HAZARD TYPE None found SUBSTANCE NOTES: No Resid GreenScreen® score of BM-1, I CALCIUM SULFATE DIHYDRATE	GS: LT-UNK AGENCY AND LIST TITLES uals or Impurities are expected to be prese LT-1, LT-P1 or NoGS.	RC: None WARNI	NANO: No INGS No warnings fo the 1000 ppm th	SUBSTANCE R	OLE: Filler ity Hazard Lists	
HAZARD SCREENING METHOD: %: 15.0000 - 25.0000 HAZARD TYPE None found SUBSTANCE NOTES: No Resid GreenScreen® score of BM-1, I CALCIUM SULFATE DIHYDRATE	GS: LT-UNK AGENCY AND LIST TITLES uals or Impurities are expected to be prese LT-1, LT-P1 or NoGS.	RC: None WARNI	NANO: No INGS No warnings fo the 1000 ppm th	SUBSTANCE R	OLE: Filler ity Hazard Lists n a ID: 10101-41-4	
HAZARD SCREENING METHOD: %: 15.0000 - 25.0000 HAZARD TYPE None found SUBSTANCE NOTES: No Resid GreenScreen® score of BM-1, I CALCIUM SULFATE DIHYDRATT HAZARD SCREENING METHOD:	GS: LT-UNK AGENCY AND LIST TITLES uals or Impurities are expected to be prese LT-1, LT-P1 or NoGS.	RC: None WARNI	NANO: No NGS No warnings fo the 1000 ppm th REENING DATE: NANO: No	SUBSTANCE R bund on HPD Prior rreshold that return	OLE: Filler ity Hazard Lists n a ID: 10101-41-4	
HAZARD SCREENING METHOD: %: 15.0000 - 25.0000 HAZARD TYPE None found SUBSTANCE NOTES: No Resid GreenScreen® score of BM-1, I CALCIUM SULFATE DIHYDRATH HAZARD SCREENING METHOD: %: 10.0000 - 25.0000	GS: LT-UNK AGENCY AND LIST TITLES uals or Impurities are expected to be prese LT-1, LT-P1 or NoGS. E Pharos Chemical and Materials Library GS: LT-UNK	RC: None WARNI ent at or above a HAZARD SCF RC: None	NANO: No NGS No warnings fo the 1000 ppm th REENING DATE: NANO: No	SUBSTANCE R bund on HPD Prior rreshold that return	OLE: Filler ity Hazard Lists n a ID: 10101-41-4 OLE: Filler	

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DAT	E: 2020-11-1	1
%: 5.0000 - 15.0000	GS: LT-P1	RC: None	NANO: No	SUBSTA	NCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	rs Potential Endocrine Disruptor			
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic eff but not sufficient for classification			
SUBSTANCE NOTES: No Reside GreenScreen® score of BM-1, L	uals or Impurities are expected to be prese .T-1, LT-P1 or NoGS.	nt at or above 1	the 1000 ppm	threshold tha	t return a
PERLITE					ID: 93763-7
IAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCF	REENING DAT	E: 2020-11-1	1
%: 5.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTA	NCE ROLE: Filler
	AGENCY AND LIST TITLES	WARNI	NGS		
HAZARD TYPE					
GreenScreen® score of BM-1, L	uals or Impurities are expected to be prese				D Priority Hazard Lis t return a
None found SUBSTANCE NOTES: No Residu GreenScreen® score of BM-1, L	uals or Impurities are expected to be prese .T-1, LT-P1 or NoGS.	nt at or above t	the 1000 ppm	threshold tha	t return a
None found SUBSTANCE NOTES: No Residu GreenScreen® score of BM-1, L INDISCLOSED IAZARD SCREENING METHOD:	uals or Impurities are expected to be prese	nt at or above t HAZARD SCF	the 1000 ppm	threshold tha E: 2020-11-1	t return a
None found SUBSTANCE NOTES: No Residu GreenScreen® score of BM-1, L NDISCLOSED AZARD SCREENING METHOD: 5: 3.0000 - 7.0000	uals or Impurities are expected to be prese T-1, LT-P1 or NoGS. Pharos Chemical and Materials Library	nt at or above t HAZARD SCF	the 1000 ppm REENING DAT	threshold tha E: 2020-11-1	t return a
None found SUBSTANCE NOTES: No Residu GreenScreen® score of BM-1, L INDISCLOSED IAZARD SCREENING METHOD: 6: 3.0000 - 7.0000	uals or Impurities are expected to be prese T-1, LT-P1 or NoGS. Pharos Chemical and Materials Library GS: BM-2	nt at or above t HAZARD SCF RC: None N WARNI	the 1000 ppm REENING DAT NANO: No	threshold tha E: 2020-11-1	t return a 1 ROLE: Impact modif
None found SUBSTANCE NOTES: No Residu GreenScreen® score of BM-1, L INDISCLOSED IAZARD SCREENING METHOD: 6: 3.0000 - 7.0000 HAZARD TYPE RESPIRATORY SUBSTANCE NOTES: Proprietan that return a GreenScreen® sco (Version 4.0).	uals or Impurities are expected to be prese T-1, LT-P1 or NoGS. Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES	nt at or above t HAZARD SCF RC: None M WARNI Asthma e expected to b	the 1000 ppm REENING DAT NANO: No NGS agen (Rs) - se pe present at	threshold that E: 2020-11-1 SUBSTANCE F	t return a 1 ROLE: Impact modif ed 000 ppm threshold
None found SUBSTANCE NOTES: No Residu GreenScreen® score of BM-1, L INDISCLOSED IAZARD SCREENING METHOD: 6: 3.0000 - 7.0000 HAZARD TYPE RESPIRATORY SUBSTANCE NOTES: Proprietau that return a GreenScreen® sco (Version 4.0).	uals or Impurities are expected to be prese T-1, LT-P1 or NoGS. Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES AOEC - Asthmagens ry ingredient. No Residuals or Impurities ar re of BM-1, LT-1, LT-P1 or NoGS. Not on th	nt at or above t HAZARD SCF RC: None M WARNI Asthma e expected to b	the 1000 ppm REENING DAT NANO: No NGS agen (Rs) - se pe present at ng Challenge	threshold that E: 2020-11-1 SUBSTANCE F nsitizer-induce or above the 1 ™ (LBC) Red L	t return a 1 ROLE: Impact modif ed 000 ppm threshold .ist Chemical Guide
None found SUBSTANCE NOTES: No Residu GreenScreen® score of BM-1, L INDISCLOSED IAZARD SCREENING METHOD: 6: 3.0000 - 7.0000 HAZARD TYPE RESPIRATORY SUBSTANCE NOTES: Proprietau that return a GreenScreen® sco (Version 4.0).	uals or Impurities are expected to be prese T-1, LT-P1 or NoGS. Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES AOEC - Asthmagens ry ingredient. No Residuals or Impurities ar re of BM-1, LT-1, LT-P1 or NoGS. Not on th	nt at or above t HAZARD SCF RC: None M WARNI Asthma e expected to b he Living Buildi	the 1000 ppm REENING DAT NANO: No NGS agen (Rs) - se pe present at ng Challenge	threshold that E: 2020-11-1 SUBSTANCE F Insitizer-induce or above the 1 ™ (LBC) Red L E: 2020-11-1	t return a 1 ROLE: Impact modif ed 000 ppm threshold .ist Chemical Guide
None found SUBSTANCE NOTES: No Residu GreenScreen® score of BM-1, L NDISCLOSED AZARD SCREENING METHOD: 6: 3.0000 - 7.0000 HAZARD TYPE RESPIRATORY SUBSTANCE NOTES: Proprietal that return a GreenScreen® sco (Version 4.0). NDISCLOSED AZARD SCREENING METHOD:	uals or Impurities are expected to be prese T-1, LT-P1 or NoGS. Pharos Chemical and Materials Library GS: BM-2 AGENCY AND LIST TITLES AOEC - Asthmagens ry ingredient. No Residuals or Impurities ar re of BM-1, LT-1, LT-P1 or NoGS. Not on the Pharos Chemical and Materials Library	nt at or above to HAZARD SCF RC: None M WARNI Asthma e expected to the Living Buildi HAZARD SCF	the 1000 ppm REENING DAT NANO: No NGS agen (Rs) - se De present at ng Challenge REENING DAT	threshold that E: 2020-11-1 SUBSTANCE F Insitizer-induce or above the 1 ™ (LBC) Red L E: 2020-11-1	t return a 1 ROLE: Impact modif ed 000 ppm threshold .ist Chemical Guide 1

Durock Brand Advanced Skim Coat Floor Patch hpdrepository.hpd-collaborative.org

(Version 4.0).

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-11-11		
%: 0.1000 - 1.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found			No warnings f	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 4.0).

ATTAPULGITE, ACTIVATED				ID: 12174-11-7
HAZARD SCREENING METHOD:	ary HAZARD SCREENING DATE: 2020-11-11			
%: 0.1000 - 1.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
CANCER IARC		Group	o 2b - Possibly ca	arcinogenic to humans
CANCER	CA EPA - Prop 65		nogen	
CANCER	МАК	Carcinogen Group 2 - Considered to be carcinogenic man		Considered to be carcinogenic for

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.The final product as installed is not in an inhalable form and not expected to increase the risk of cancer. The fibrous attapulgite raw material that USG uses in its products comes from the Meigs-Attapulgus-Quincy District (Georgia-Florida), a clay-rich region where the mineral content of the deposits consists almost entirely of attapulgite with minor quantities of impurities. In the finished form when applied according to USG specifications no exposure to attapulgite is expected for the building occupants.

LITHIUM CARBONATE				ID: 554-13-2	
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD S	CREENING DA	TE: 2020-11-11	
%: 0.1000 - 0.5000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Accelerator	
HAZARD TYPE	AGENCY AND LIST TITLES	WAI	RNINGS		
DEVELOPMENTAL	CA EPA - Prop 65	Dev	elopmental toxic	city	
REPRODUCTIVE	GHS - New Zealand		6.8A - Known or presumed human reproductive or developmental toxicants		
REPRODUCTIVE	GHS - Japan	Тох	ic to reproductic	on - Category 1A [H360]	

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-11

%: 0.1000 - 0.3000

RC: None NANO: No SUBSTANCE ROLE: Binder

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge[™] (LBC) Red List Chemical Guide (Version 4.0).

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Gold Certified			
CERTIFYING PARTY: Third Party	ISSUE DATE: 2017-12- EXPIRY DATE:	CERTIFIER OR LAB: UL		
APPLICABLE FACILITIES: All	18	Environment		
CERTIFICATE URL: https://spot.ul.com				

CERTIFICATION AND COMPLIANCE NOTES: Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2. Maximum allowable predicted TVOC concentrations for GREENGUARD Gold (0.22 mg/m³) fall in the range of 0.5 mg/m³ or less, as specified in CDPH Standard Method v1.2.

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Ingredient specific notes are included in Section 2.

MANUFACTURER INFORMATION

MANUFACTURER: USG ADDRESS: 550 W Adams St Chicago IL 60661, United States WEBSITE: usg.com CONTACT NAME: Stacy Simpson TITLE: Sustainability Manager PHONE: 1-800-USG4YOU EMAIL: sustainability@usg.com

LT-1 List Translator 1 (Likely Benchmark-1)

to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

LT-UNK List Translator Benchmark Unknown (the chemical is

information contained within the list did not result in a clear mapping

present on at least one GreenScreen Specified List, but the

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.