

HPD UNIQUE IDENTIFIER: 28980

CLASSIFICATION: 09 51 00 Acoustical Ceilings

PRODUCT DESCRIPTION: Manufactured by USG Interiors, LLC. USG "F" Fissured™ Basic Acoustical Ceiling Panels are long-lasting and abuse resistant. Offering sound absorption, these easy-to-clean panels are perfect for administrative offices, schools, financial institutions, religious buildings and restaurants.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

| | | | |
|--|--|--|---|
| <p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p> | <p>Threshold Level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p> | <p>Residuals/Impurities</p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p> | <p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p> |
|--|--|--|---|

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
USG "F" FISSURED™ BASIC ACOUSTICAL CEILING PANELS [MINERAL WOOL (BIOSOLUBLE, WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT GREATER THAN 18 % BY WEIGHT) LT-UNK PLASTER OF PARIS NoGS STARCH LT-UNK KAOLIN CLAY LT-UNK | CAN CALCIUM CARBONATE BM-3 BORIC ACID LT-1 | END | REP | DEV | MUL TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

| | | |
|--|--|--|
| <p>Third Party Verified?</p> <p><input type="radio"/> Yes</p> <p><input checked="" type="radio"/> No</p> | <p>PREPARER: Self-Prepared</p> <p>VERIFIER:</p> <p>VERIFICATION #:</p> | <p>SCREENING DATE: 2022-06-28</p> <p>PUBLISHED DATE: 2022-06-28</p> <p>EXPIRY DATE: 2025-06-28</p> |
|--|--|--|

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

USG "F" FISSURED™ BASIC ACOUSTICAL CEILING PANELS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: See the SDS on usg.com for occupational exposure information. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES: Chemical inventory and screening of the ingredients in USG "F" Fissured™ Basic Acoustical Ceiling Panels.

MINERAL WOOL (BIOSOLUBLE, WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT GREATER THAN 18 % BY WEIGHT)

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-06-28 12:49:52

#: 60.0000 - 72.0000

GS: LT-UNK

RC: PreC

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The synthetic mineral wool fiber used in this product is exonerated from classification as a carcinogenic in accordance with Note Q in the EU Commission Directive 97/69/EC. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

PLASTER OF PARIS

ID: 26499-65-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-06-28 12:49:52

#: 12.0000 - 15.0000

GS: NoGS

RC: PreC

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

STARCH

ID: 9005-25-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2022-06-28 12:49:53

#: 9.0000 - 12.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-28 12:49:53**%: **1.0000 - 1.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-28 12:49:54**%: **0.8000 - 1.2000** GS: **BM-3** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

BORIC ACID

ID: 10043-35-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-28 12:49:54**%: **0.5000 - 0.8000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---|--|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| REP | EU - SVHC Authorisation List | Toxic to reproduction - Candidate list |
| DEV | MAK | Pregnancy Risk Group B |
| REP | EU - Annex VI CMRs | Reproductive Toxicity - Category 1B |
| MUL | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| REP | EU - SVHC Authorisation List | Toxic to reproduction - Prioritized for listing |
| END | EU - Priority Endocrine Disruptors | Category 1 - In vivo evidence of Endocrine Disruption Activity |
| REP | GHS - Japan | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B] |
| REP | GHS - Australia | H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B] |
| REP | EU - GHS (H-Statements) Annex 6 Table 3-1 | H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B] |

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-28 12:49:55**%: **0.0900 - 0.2000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---|--|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| CAN | MAK | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |

SUBSTANCE NOTES: Since titanium dioxide is bound with in the coating and not inhalable, it is excluded from several regulatory hazard lists. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

UNDISCLOSED

ID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-28 12:49:55**%: **0.0700 - 0.2000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: 0.0 – 0.5% in Coating/0.1 – 0.6% in Laminate. Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 4).

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Cloquet, MN
CERTIFICATE URL: <http://spot.ul.com>

ISSUE DATE: 2015-08-06 EXPIRY DATE:

CERTIFIER OR LAB: UL
Environment

CERTIFICATION AND COMPLIANCE NOTES: Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818, Section 7.1 and 7.2. Maximum allowable predicted TVOC concentrations for GREENGUARD Gold (0.22 mg/m³) fall in the range of 0.5 mg/m³ or less, as specified in CDPH Standard Method v1.2.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

USG DONN® BRAND ACOUSTICAL SUSPENSION SYSTEMS

HPD URL: <https://www.usg.com/content/usgcom/en.html>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:
Used to install acoustical ceiling panels.

Section 5: General Notes

Ingredient specific notes are included in Section 2.

MANUFACTURER INFORMATION

MANUFACTURER: USG
ADDRESS: 550 West Adams St
 Chicago IL 60661, United States
WEBSITE: usg.com

CONTACT NAME: Stacy Simpson
TITLE: Sustainability Manager
PHONE: 1-800-USG4YOU
EMAIL: sustainability@usg.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | NoGS No GreenScreen. |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | |
| BM-U Benchmark Unspecified (due to insufficient data) | |
| LT-P1 List Translator Possible 1 (Possible Benchmark-1) | |

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.