

HPD UNIQUE IDENTIFIER: 5622259084288

CLASSIFICATION: 09 60 00 Flooring

PRODUCT DESCRIPTION: Levelrock® Brand 3500 Series Floor Underlayments have compressive strengths from 3500 to 4500 psi. For a premium fiber-reinforced underlayment, try Levelrock 3500 FR and 3500 Green FR Floor Underlayment.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and Characterized/Screened/Identified. Includes radio button options for 'Yes' and 'No'.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE
USG LEVELROCK® BRAND 2500 AND 3500 SERIES FLOOR UNDERLAYMENTS | CALCIUM SULFATE - HEMIHYDRATE LT-UNK | MAM PORTLAND CEMENT LT-P1 | CAN | END | MAM UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK QUARTZ BM-1 | CAN | MAM | GEN LIMESTONE, CALCIUM CARBONATE BM-3dg |

Number of Greenscreen BM-4/BM3 contents ... 1
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [Polymers]

Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. USG uses an outside lab to quantify potential impurities of raw materials. Analytical methods may include but are not limited to; x-ray diffraction, x-ray fluorescence, atomic absorption, ion chromatography, liquid chromatography, and crystalline silica analysis.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Summary table with 3 columns: Third Party Verified? (Yes/No), PREPARER: Self-Prepared, VERIFIER: VERIFICATION #:, SCREENING DATE: 2024-02-28, PUBLISHED DATE: 2024-02-28, EXPIRY DATE: 2027-02-28

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

USG LEVELROCK® BRAND 2500 AND 3500 SERIES FLOOR UNDERLAYMENTS

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED:
Yes

RESIDUALS AND IMPURITIES NOTES: Residuals/Impurities in raw materials that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS are displayed in the HPD when greater than or equal to 1000 ppm. Naturally occurring raw materials in this product may contain trace amounts of respirable crystalline silica. The accumulative percentage of respirable crystalline silica is expected to exceed the threshold of 1000 ppm. See the SDS on usg.com for occupational exposure information.

OTHER PRODUCT NOTES: This product is manufactured at Southard, OK and Fort Dodge, IA, Gypsum, OH, Torrance, CA, and Baltimore, MD.

CALCIUM SULFATE - HEMIHYDRATE

ID: 10034-76-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-02-28 8:09:17**

%: **92.0000 - 97.0000**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|----------------------|---|
| MAM | GHS - Japan | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: May also use the CAS RN of calcium sulfate hemihydrate CAS RN: 26499-65-0. Crystalline silica is an impurity found in calcium sulfate hemihydrate. See the impurity crystalline silica entry for more information.

PORTLAND CEMENT

ID: 65997-15-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-02-28 8:09:17**

%: **3.0000 - 7.0000**

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---------------------------------------|---|
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MAM | GHS - Japan | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

UNDISCLOSED

ID: **Undisclosed**

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2024-02-28 8:09:17 | | |
|--|----------------------------|--|-----------------|-----------------------------------|
| %: 0.1000 - 0.7000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Dispersion |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | |

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 3.1).

UNDISCLOSED

ID: **Undisclosed**

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2024-02-28 8:09:18 | | |
|--|----------------------------|--|-----------------|------------------------------------|
| %: 0.1000 - 0.5000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Plasticizer |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | |

SUBSTANCE NOTES: Proprietary ingredient. No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS. Not on the Living Building Challenge™ (LBC) Red List Chemical Guide (Version 3.1).

QUARTZ

ID: 14808-60-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-02-28 8:09:18**

%: **0.0000 - 0.5000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|-----------------------------------|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting) |
| CAN | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| CAN | IARC | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources |
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans |
| CAN | US NIH - Report on Carcinogens | Known to be a human Carcinogen |
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1A] |
| CAN | GHS - Australia | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B] |
| CAN | GHS - New Zealand | Carcinogenicity category 1 |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| GEN | GHS - Japan | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2] |
| MAM | GHS - Australia | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| MAM | GHS - New Zealand | Specific target organ toxicity - repeated exposure category 1 |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Impurity found in naturally occurring raw materials.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2024-02-28 8:09:17**%: **0.0500 - 0.1000**GreenScreen: **BM-3dg**RC: **None**NANO: **No**SUBSTANCE ROLE: **Filler**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: No Residuals or Impurities are expected to be present at or above the 1000 ppm threshold that return a GreenScreen® score of BM-1, LT-1, LT-P1 or NoGS.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | UL/GreenGuard Gold Certified | |
|--|---------------------------------|----------------------|
| CERTIFYING PARTY: Third Party | ISSUE DATE: 2017-12-18 00:00:00 | CERTIFIER OR LAB: UL |
| APPLICABLE FACILITIES: All | EXPIRY DATE: | Environment |
| CERTIFICATE URL: http://certificates.ulenvironment.com/default.aspx?id=108967&t=CS | | |
| CERTIFICATION AND COMPLIANCE NOTES: Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2. Maximum allowable predicted TVOC concentrations for GREENGUARD Gold (0.22 mg/m ³) fall in the range of 0.5 mg/m ³ or less, as specified in CDPH Standard Method v1.2. | | |

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Ingredient specific notes are included in Section 2.

MANUFACTURER INFORMATION

MANUFACTURER: **USG**
 ADDRESS: **550 West Adams St.**
Chicago, IL 60661
 COUNTRY: **US**

WEBSITE: **usg.com**
 CONTACT NAME: **Stacy Simpson**
 TITLE: **Sustainability Manager**
 PHONE: **1-800-USG4YOU**
 EMAIL: **sustainability@usg.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible 1 (Possible Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | NoGS No GreenScreen. |
| BM-U Benchmark Unspecified (due to insufficient data) | |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

