created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 23456

CLASSIFICATION: 10 56 26 Mobile Storage Shelving

PRODUCT DESCRIPTION: This HPD covers the Montel Mobilex® mechanical assist mobile storage system. Mobilex®, a mobile carriage, allows to compact storage capacity in less floor space. It can accommodate a variety of Montel's shelving, filing and racking systems as well as an extensive line of cabinets and accessories. The Mobilex® is available in various colors and sizes.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm

⊙ 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities

Residuals/Impurities Considered in 6 of 6 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened

⊙ Yes Ex/SC ○ Yes ○ No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow quidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

STEEL [STEEL (UNS G10110 CARBON OR ALLOY STEEL) NoGS UNS G10080 CARBON OR STEEL ALLOY NoGS UNS G10180 CARBON OR STEEL ALLOY NoGS UNS G10450 CARBON OR STEEL ALLOY NoGS UNS G51400 CARBON OR STEEL ALLOY NOGS UNS G10500 CARBON OR STEEL ALLOY NOGS UNS K02705 STEEL ALLOY NOGS UNS K03000 STEEL ALLOY NoGS STEEL (HT 200) NoGS STEEL (CSA G40.21 50W) NoGS UNS G10200 CARBON OR STEEL ALLOY NoGS UNS G12144 CARBON OR STEEL ALLOY NOGS UNS G10150 CARBON OR STEEL ALLOY NOGS UNS G10100 CARBON OR STEEL ALLOY NoGS UNS G15360 CARBON OR STEEL ALLOY NoGS UNS G10250 CARBON OR STEEL ALLOY NOGS STEEL (20CRMNMO) NOGS 100CR6 NoGS STEEL (UNS K02599) NoGS VEGETABLE OIL NoGS ZINC, ELEMENTAL LT-P1 | AQU | END | MUL | PHY] PLYWOOD [SC:WOOD, **DUST Not Screened PHENOL-FORMALDEHYDE RESIN LT-P1 | RES** BORIC ACID LT-1 | END | REP | MUL | DEV UREA, N-(AMINOIMINOMETHYL)-, PHOSPHATE (1:?) NoGS FORMALDEHYDE BM-1 | RES | CAN | MAM | SKI | GEN | MUL | END] ALUMINUM [UNS A96063 ALUMINUM ALLOY NoGS | POWDER COATING [UNDISCLOSED NoGS LIMESTONE LT-UNK TITANIUM DIOXIDE LT-1 CAN | END ALUMINUM HYDROXIDE, DRIED BM-2 TRIGLYCIDYL ISOCYANURATE LT-1 | RES | GEN | MAM | SKI | EYE | MUL FERRIC OXIDE, YELLOW LT-UNK N,N,N',N'-TETRAKIS-(2-HYDROXETHYLADIPAMID) LT-UNK ALUMINUM BM-1 | RES | PHY |

END BARIUM SULFATE BM-2 | CAN UNDISCLOSED LT-P1 | END

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

This HPD is build with a Nested Inventory and a product threshold of 1000 ppm. All substances at or above the product threshold are included. Steel and aluminum alloys do not have a Chemical Abstract Service Registration Number (CAS RN), when available, they have been identified by their grade using the Unified Numbering System (UNS). When entering information for steel or aluminum alloys, Special Condition for Metal Alloys was followed (SCMetalAlloy/2020-08-06). Note that the characteristics, including hazards, of the alloy are different from those of the individual alloying elements.

UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-P1 | MUL UNDISCLOSED NoGS UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-UNK UNDISCLOSED NoGS OF CEMENT GROUT [QUARTZ LT-1 | CAN PORTLAND CEMENT LT-P1 | END | CAN]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes⊙ No

PREPARER: Vertima

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-01-19 PUBLISHED DATE: 2021-01-19 EXPIRY DATE: 2024-01-19



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

STEEL %: 75.5000 - 81.4000

PRODUCT THRESHOLD: 1000 ppm

None found

%: 10.0000 - 15.0000

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

No warnings found on HPD Priority Hazard Lists

RC: UNK NANO: No SUBSTANCE ROLE: Structure component

RESIDUALS AND IMPURITIES NOTES: Oil, from the oiling of steel may be present as well as climaseal coating of Tapcon screws; however, it is below the declaration threshold. There are no known impurities.

OTHER MATERIAL NOTES: The product is available in multiple configuration; hence, the material and substance percentage weight are listed as ranges. A fraction of the steel is galvanized.

STEEL (UNS G10110 CARBON OR ALLOY STEEL)

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 45.9000 - 54.4000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES **WARNINGS**

SUBSTANCE NOTES: Ranges are used to cover all product configurations. In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. Alloying element

content inventory and their GreenScreen scores are available in Section 5 (General Notes) of this HPD.

UNS G10080 CARBON OR STEEL ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

GS: NoGS

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover all product configurations. In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. Alloying element content inventory and their GreenScreen scores are available in Section 5 (General Notes) of this HPD.

UNS G10180 CARBON OR STEEL ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 9.1000 - 13.2000 RC: UNK NANO: No SUBSTANCE ROLE: Structure component GS: NoGS

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

UNS G10450 CARBON OR STEEL ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 6.3000 - 7.0000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover all product configurations. In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. Alloying element content inventory and their GreenScreen scores are available in Section 5 (General Notes) of this HPD.

UNS G51400 CARBON OR STEEL ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 6.0000 - 7.0000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: Ranges are used to cover all product configurations. In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. Alloying element content inventory and their GreenScreen scores are available in Section 5 (General Notes) of this HPD.

UNS G10500 CARBON OR STEEL ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 2.6000 - 2.9000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES **WARNINGS**

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover all product configurations. In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. Alloying element content inventory and their GreenScreen scores are available in Section 5 (General Notes) of this HPD.

UNS K02705 STEEL ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 2.6000 - 6.2000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

AGENCY AND LIST TITLES WARNINGS **HAZARD TYPE**

None found No warnings found on HPD Priority Hazard Lists

UNS K03000 STEEL ALLOY ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 2.6000 - 6.2000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover all product configurations. In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. Alloying element content inventory and their GreenScreen scores are available in Section 5 (General Notes) of this HPD.

STEEL (HT 200) ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 1.9000 - 2.3000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover all product configurations. In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. Alloying element content inventory and their GreenScreen scores are available in Section 5 (General Notes) of this HPD.

STEEL (CSA G40.21 50W) ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 1.8000 - 3.9000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover all product configurations. In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. Alloying element content inventory and their GreenScreen scores are available in Section 5 (General Notes) of this HPD.

UNS G10200 CARBON OR STEEL ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 1.6000 - 1.9000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

UNS G12144 CARBON OR STEEL ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.4000 - 0.8000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover all product configurations. In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. Alloying element content inventory and their GreenScreen scores are available in Section 5 (General Notes) of this HPD.

UNS G10150 CARBON OR STEEL ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.2000 - 0.3000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover all product configurations. In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. Alloying element content inventory and their GreenScreen scores are available in Section 5 (General Notes) of this HPD.

UNS G10100 CARBON OR STEEL ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.1000 - 0.3000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover all product configurations. In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. Alloying element content inventory and their GreenScreen scores are available in Section 5 (General Notes) of this HPD.

UNS G15360 CARBON OR STEEL ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.1000 - 0.4000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

UNS G10250 CARBON OR STEEL ALLOY

ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.0000 - 0.1000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover all product configurations. In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. Alloying element content inventory and their GreenScreen scores are available in Section 5 (General Notes) of this HPD.

STEEL (20CRMNMO) ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.0000 - 0.2000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover all product configurations. In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. Alloying element content inventory and their GreenScreen scores are available in Section 5 (General Notes) of this HPD.

100CR6 ID: Not registered

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.0000 - 0.0500 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges are used to cover all product configurations. In compliance with HPDC Special Conditions Policy for Metal Alloys, the listed alloy is considered the ingredient in this product, and is reported without information regarding its alloying elements. Metal alloys have different intrinsic characteristics, including health and environmental hazards, than their alloying elements. Alloying element content inventory and their GreenScreen scores are available in Section 5 (General Notes) of this HPD.

STEEL (UNS K02599) ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.0000 - 0.4000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

VEGETABLE OIL ID: 68956-68-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.0000 - 0.2000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Lubricant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Specific type of vegetable oil is unknown. This substance is present in some gear parts.

ZINC, ELEMENTAL ID: 7440-66-6

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2021-01-19 | | | |
|--------------------------|--|-----------------------------------|---|---|--|
| %: 0.0000 - 5.1000 | GS: LT-P1 | RC: None | e NANO: No | SUBSTANCE ROLE: Coating | |
| HAZARD TYPE | AGENCY AND LIST TITLES | V | VARNINGS | | |
| AQU | EU - GHS (H-Statements) | F | aquatic life | | |
| AQU | EU - GHS (H-Statements) | H | aquatic life with long lasting effects | | |
| END | TEDX - Potential Endocrine Disruptors | ; F | Potential Endocrine Disruptor | | |
| MUL | German FEA - Substances Hazardous Waters | is to Class 2 - Hazard to Waters | | Waters | |
| PHY | EU - GHS (H-Statements) | H | 1250 - Catches fire s | spontaneously if exposed to air | |
| PHY | EU - GHS (H-Statements) | | 1260 - In contact wit which may ignite spo | th water releases flammable gases ontaneously | |

SUBSTANCE NOTES: Zinc present in galvanized steel. Weight percentage of zinc in galvanized steel can be up to 20 wt.%.

PLYWOOD %: 12.1000 - 14.4000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Known or potential residuals are reported by Pharos for Plywood is Formaldehyde (CAS RN 50-00-0).

OTHER MATERIAL NOTES: The product is available in multiple configuration; hence, the material and substance percentage weight are listed as ranges. This material is used to build a false floor at the installation site to install the carriage. It is not always present. Plywood is a common product and is source from multiple and varying manufacturers. The material composition is based on Pharos reported composition for Plywood and as well as those of current suppliers.

SC:WOOD, DUST ID: SC:Bio

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 85.0000 - 98.0000 GS: Not Screened RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23 Category: Tree-based materials

Identifier: unknown, but includes red ceader

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

Wood dust can be identified by CAS RN 9004-34-6.

PHENOL-FORMALDEHYDE RESIN

ID: 9003-35-4

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCF | REENING DATE: | 2021-01-19 |
|--------------------------|---------------------------------------|------------|------------------|------------------------|
| %: 2.0000 - 5.0000 | GS: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Binder |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| RES | AOEC - Asthmagens | Asthr | nagen (Rs) - sen | sitizer-induced |

BORIC ACID ID: 10043-35-3

| BOTTIO AOID | | | | | ID. 100 4 5-55-5 |
|--------------------------|---------------------------------------|----------|----------------|------------------|-------------------------------------|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZAR | D SCRE | EENING DATE: | 2021-01-19 |
| %: 0.0000 - 5.0000 | GS: LT-1 | RC: No | ne | NANO: No | SUBSTANCE ROLE: Biocide |
| HAZARD TYPE | AGENCY AND LIST TITLES | | WARN | IINGS | |
| END | EU - Priority Endocrine Disruptors | | Catego | • | vidence of Endocrine Disruption |
| REP | EU - SVHC Authorisation List | | Toxic t | to reproduction | - Candidate list |
| REP | EU - SVHC Authorisation List | | Toxic t | to reproduction | - Prioritized for listing |
| REP | EU - GHS (H-Statements) | | H360F child | D - May damag | ge fertility. May damage the unborn |
| MUL | ChemSec - SIN List | | CMR - | Carcinogen, M | lutagen &/or Reproductive Toxicant |
| END | TEDX - Potential Endocrine Disruptors | 3 | Potent | tial Endocrine D | Disruptor |
| DEV | MAK | | Pregna | ancy Risk Grou | рВ |
| REP | GHS - Japan | | Toxic t | to reproduction | - Category 1B [H360] |
| REP | EU - Annex VI CMRs | | Reprod | ductive Toxicity | / - Category 1B |
| REP | GHS - Australia | | H360F child | D - May damag | ge fertility. May damage the unborn |
| 4 | | | | | |

SUBSTANCE NOTES: This substance is used for wood conservation. The quantity present in material varies depending on the storage area and level of wood conservation required.

UREA, N-(AMINOIMINOMETHYL)-, PHOSPHATE (1:?)

ID: 17675-60-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19
%: 0.0000 - 10.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Flame retardant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is used for wood conservation. The quantity present in material varies depending on the storage area and level of wood conservation required.

FORMALDEHYDE ID: 50-00-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: Impurity/Residual GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---|--|
| RES | AOEC - Asthmagens | Asthmagen (G) - generally accepted |
| CAN | US EPA - IRIS Carcinogens | (1986) Group B1 - Probable human Carcinogen |
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans |
| CAN | CA EPA - Prop 65 | Carcinogen |
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | US NIH - Report on Carcinogens | Known to be a human Carcinogen |
| MAM | EU - GHS (H-Statements) | H301 - Toxic if swallowed |
| MAM | EU - GHS (H-Statements) | H311 - Toxic in contact with skin |
| SKI | EU - GHS (H-Statements) | H314 - Causes severe skin burns and eye damage |
| SKI | EU - GHS (H-Statements) | H317 - May cause an allergic skin reaction |
| MAM | EU - GHS (H-Statements) | H331 - Toxic if inhaled |
| GEN | EU - GHS (H-Statements) | H341 - Suspected of causing genetic defects |
| CAN | EU - GHS (H-Statements) | H350 - May cause cancer |
| CAN | EU - REACH Annex XVII CMRs | Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man |
| MUL | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MUL | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |
| SKI | MAK | Sensitizing Substance Sh - Danger of skin sensitization |
| MAM | US EPA - EPCRA Extremely Hazardous Substances | Extremely Hazardous Substances |
| CAN | GHS - Korea | Carcinogenicity - Category 1 [H350 - May cause cancer] |
| CAN | EU - Annex VI CMRs | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence |
| CAN | GHS - New Zealand | 6.7A - Known or presumed human carcinogens |
| CAN | GHS - Japan | Carcinogenicity - Category 1A [H350] |
| CAN | GHS - Australia | H350i - May cause cancer by inhalation |

SUBSTANCE NOTES: This is a residual that may be present in plywood according to Pharos.

ALUMINUM %: 2.9000 - 9.6000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: There are no known residuals or impurities at or above the declaration threshold

OTHER MATERIAL NOTES: The product is available in multiple configuration; hence, the material and substance percentage weight are listed as ranges. Sub-rails and the label holder are made of aluminum.

| UNS A96063 ALUMINUM ALLOY | | | | ID: Not registered |
|---------------------------|---------------------------------------|----------|-------------|--|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD S | SCREENING I | DATE: 2021-01-19 |
| %: 100.0000 | GS: NoGS | RC: UNK | NANO: No | SUBSTANCE ROLE: Structure component |
| HAZARD TYPE | AGENCY AND LIST TITLES | W | ARNINGS | |
| None found | | | No wa | arnings found on HPD Priority Hazard Lists |

POWDER COATING %: 0.6000 - 0.9000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities declared by the manufacturers are below the reporting threshold.

OTHER MATERIAL NOTES: This material covers all the colors offered by Montel. Material weight percentage intervals are used to cover different product configuration.

 UNDISCLOSED

 HAZARD SCREENING METHOD:
 Pharos Chemical and Materials Library
 HAZARD SCREENING DATE:
 2021-01-19

 %: 0.0000 - 40.0000
 GS: NoGS
 RC: UNK
 NANO: No
 SUBSTANCE ROLE: Binder

 HAZARD TYPE
 AGENCY AND LIST TITLES
 WARNINGS

 None found
 No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage interval is used to cover all powder paint colors.

LIMESTONE ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.0000 - 35.0000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percentage interval is used to cover all powder paint colors.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.0000 - 35.0000 GS: LT-1 RC: UNK NANO: No SUBSTANCE ROLE: Pigment

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---------------------------------------|--|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| CAN | EU - GHS (H-Statements) | H351 - Suspected of causing cancer |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CAN | MAK | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |

SUBSTANCE NOTES: Weight percentage interval is used to cover all powder paint colors.

| ALUMINUM HYDROXIDE, DRIED | | | | ID: 21645-51-2 |
|---------------------------|---------------------------------------|-----------|-----------------|-----------------------------------|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SC | REENING DATE: | 2021-01-19 |
| %: 0.0000 - 15.2000 | GS: BM-2 | RC: UNK | NANO: No | SUBSTANCE ROLE: Filler |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARN | IINGS | |
| None found | | | No warnings for | ound on HPD Priority Hazard Lists |

SUBSTANCE NOTES: Weight percentage interval is used to cover all powder paint colors.

| TRIGLYCIDYL ISOCYANURATE | | | | ID: 2451-62-9 |
|--------------------------|---------------------------------------|-----------|---------------|-----------------------------|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SO | CREENING DATE | E: 2021-01-19 |
| %: 0.0000 - 4.2000 | GS: LT-1 | RC: UNK | NANO: No | SUBSTANCE ROLE: Accelerator |

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---|--|
| RES | AOEC - Asthmagens | Asthmagen (Rs) - sensitizer-induced |
| GEN | EU - SVHC Authorisation List | Mutagenic - Candidate list |
| MAM | EU - GHS (H-Statements) | H301 - Toxic if swallowed |
| SKI | EU - GHS (H-Statements) | H317 - May cause an allergic skin reaction |
| EYE | EU - GHS (H-Statements) | H318 - Causes serious eye damage |
| MAM | EU - GHS (H-Statements) | H331 - Toxic if inhaled |
| GEN | EU - GHS (H-Statements) | H340 - May cause genetic defects |
| GEN | EU - REACH Annex XVII CMRs | Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man |
| MUL | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| MUL | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| RES | MAK | Sensitizing Substance Sah - Danger of airway & skin sensitization |
| GEN | GHS - Korea | Germ cell mutagenicity - Category 1 [H340 - May cause genetic defects] |
| GEN | EU - Annex VI CMRs | Mutagen - Category 1B |
| GEN | GHS - New Zealand | 6.6A - Known or presumed human mutagens |
| GEN | GHS - Japan | Germ cell mutagenicity - Category 1B [H340] |

| FERRIC OXIDE, YELLOW | | | | ID: 51274-00-1 |
|--------------------------|---------------------------------------|-----------|-----------------|-----------------------------------|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SC | REENING DATE: | 2021-01-19 |
| %: 0.0000 - 3.0000 | GS: LT-UNK | RC: UNK | NANO: No | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARN | IINGS | |
| None found | | | No warnings f | ound on HPD Priority Hazard Lists |
| | | | | |

SUBSTANCE NOTES: Weight percentage interval is used to cover all powder paint colors.

SUBSTANCE NOTES: Weight percentage interval is used to cover all powder paint colors.

N,N,N',N'-TETRAKIS-(2-HYDROXETHYLADIPAMID)

ID: 6334-25-4

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCF | REENING DATE: | 2021-01-19 |
|--------------------------|---------------------------------------|------------|---------------|-----------------------------------|
| %: 0.0000 - 5.0000 | GS: LT-UNK | RC: UNK | NANO: No | SUBSTANCE ROLE: Activator |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARN | INGS | |
| None found | | | No warnings f | ound on HPD Priority Hazard Lists |

SUBSTANCE NOTES: Weight percentage interval is used to cover all powder paint colors.

ALUMINUM ID: 7429-90-5

| HAZARD SCREENING METHOD | Pharos Chemical and Materials Library | HAZARD S | CREENING DATE: | 2021-01-19 | |
|-------------------------|--|---|----------------|-------------------------|--|
| %: 0.0000 - 4.0000 | GS: BM-1 | RC: UNK | NANO: No | SUBSTANCE ROLE: Pigment | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WAF | | | |
| RES | AOEC - Asthmagens | Asthmagen (Rs) - sensitizer-induced | | | |
| PHY | EU - GHS (H-Statements) | H228 - Flammable solid | | | |
| PHY | EU - GHS (H-Statements) | H261 - In contact with water releases flammable gases | | | |
| END | TEDX - Potential Endocrine Disruptors | ocrine Disruptors Potential Endocrine Disruptor | | | |
| SUBSTANCE NOTES: Weight | percentage interval is used to cover all power | der paint colo | rs. | | |

| HAZARD SCREENING METH | OD: Pharos Chemical and Materials Library | HAZARD SC | REENING DATE: | 2021-01-19 |
|-----------------------|---|-----------|------------------------------------|--|
| %: 0.0000 - 10.0000 | GS: BM-2 | RC: UNK | NANO: No | SUBSTANCE ROLE: Filler |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARN | NINGS | |
| CAN | MAK | | nogen Group 4 - sk under MAK/BA | Non-genotoxic carcinogen with AT levels |

| UNDISCLOSED | | | | ID: Undisclo |
|------------------------|--|-----------------|--------------|---------------------------------|
| HAZARD SCREENING METHO | D: Pharos Chemical and Materials Library | HAZARD SC | REENING DATE | : 2021-01-19 |
| %: 0.0000 - 40.0000 | GS: LT-P1 | RC: UNK | NANO: No | SUBSTANCE ROLE: Binder |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARI | NINGS | |
| END | EU - Priority Endocrine Disruptors | Cateo Activi | • | vidence of Endocrine Disruption |

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage interval is used to cover all powder paint colors.

| UNDISCLOSED | | | | ID: Undisclose |
|-------------------------|---------------------------------------|-----------|---------------|------------------------------------|
| HAZARD SCREENING METHOD | Pharos Chemical and Materials Library | HAZARD SC | REENING DATE: | 2021-01-19 |
| %: 0.0000 - 30.0000 | GS: NoGS | RC: UNK | NANO: No | SUBSTANCE ROLE: Binder |
| HAZARD TYPE | AGENCY AND LIST TITLES | WAR | NINGS | |
| None found | | | No warnings t | found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage interval is used to cover all powder paint colors.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.0000 - 20.0000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage interval is used to cover all powder paint colors.

 UNDISCLOSED

 HAZARD SCREENING METHOD:
 Pharos Chemical and Materials Library
 HAZARD SCREENING DATE:
 2021-01-19

 %: 0.0000 - 50.0000
 GS: LT-UNK
 RC: UNK
 NANO: No
 SUBSTANCE ROLE: Binder

 HAZARD TYPE
 AGENCY AND LIST TITLES
 WARNINGS

 None found
 No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage interval is used to cover all powder paint colors.

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage interval is used to cover all powder paint colors.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19
%: 0.0000 - 3.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Activator

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

MUL German FEA - Substances Hazardous to Waters

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage interval is used to cover all powder paint colors.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 0.0000 - 37.4000

GS: NoGS

RC: UNK

NANO: No

SUBSTANCE ROLE: Polymer species

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage interval is used to cover all powder paint colors.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.0000 - 35.5000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage interval is used to cover all powder paint colors.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.0000 - 35.2000 GS: NoGS RC: UNK NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage interval is used to cover all powder paint colors.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 0.0000 - 3.0000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary. Weight percentage interval is used to cover all powder paint colors.

HANDLES %: 0.5000 - 1.4000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurites are present at or above the threshold; hence, none are reported.

OTHER MATERIAL NOTES: The product is available in multiple configuration; hence, the material and substance percentage weight are listed as ranges. This material covers two different handles.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 26.5000 - 27.7000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is undisclosed as it is proprietary.

| UNDISCLOSED | | | | ID: Undisclosed |
|-----------------------------|--|----------|-------------|--|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD S | CREENING DA | TE: 2021-01-19 |
| %: 22.5000 - 27.1000 | GS: LT-UNK | RC: UNK | NANO: No | SUBSTANCE ROLE: Polymer species |
| HAZARD TYPE | AGENCY AND LIST TITLES | WA | RNINGS | |
| None found | | | No warr | nings found on HPD Priority Hazard Lists |
| SUBSTANCE NOTES: This subst | ance is undisclosed as it is proprietary | | | |

| UNDISCLOSED | | | | ID: Undisclosed |
|--------------------------|---|----------|-------------|--|
| HAZARD SCREENING METHO | D: Pharos Chemical and Materials Library | HAZARD S | CREENING DA | ATE: 2021-01-19 |
| %: 18.8000 - 19.7000 | GS: NoGS | RC: UNK | NANO: No | SUBSTANCE ROLE: Polymer species |
| HAZARD TYPE | AGENCY AND LIST TITLES | WA | ARNINGS | |
| None found | | | No war | nings found on HPD Priority Hazard Lists |
| SUBSTANCE NOTES: This su | ubstance is undisclosed as it is proprietary. | | | |

| UNDISCLOSED | | | | ID: Undisclosed |
|-----------------------------|--|----------|------------|--|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD S | CREENING D | DATE: 2021-01-19 |
| %: 11.9000 - 16.2000 | GS: LT-UNK | RC: UNK | NANO: No | SUBSTANCE ROLE: Abrasion resistance |
| HAZARD TYPE | AGENCY AND LIST TITLES | W | ARNINGS | |
| None found | | | No wa | arnings found on HPD Priority Hazard Lists |
| SUBSTANCE NOTES: This subs | stance is undisclosed as it is proprietany | | | |

| UNDISCLOSED | | | | ID: Undisclosed |
|----------------------------|---|----------|------------|--|
| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD S | CREENING I | DATE: 2021-01-19 |
| %: 10.1000 - 12.1000 | GS: NoGS | RC: UNK | NANO: No | SUBSTANCE ROLE: Structure component |
| HAZARD TYPE | AGENCY AND LIST TITLES | W | ARNINGS | |
| None found | | | No w | arnings found on HPD Priority Hazard Lists |
| SUBSTANCE NOTES: This subs | stance is undisclosed as it is proprietary. | | | |

| CEMENT GROUT | %: 0.1000 - 0.5000 |
|--------------|--------------------|
| | |

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities at or above the declaration threshold; hence none reported.

OTHER MATERIAL NOTES: The product is available in multiple configuration; hence, the material and substance percentage weight are listed as ranges. This material is used at the installation site before installing the carriage to level the floor and support the sub-rails.

QUARTZ ID: 14808-60-7

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZAR | D SCREENING | G DATE: | 2021-01-19 |
|-----------------------------|---------------------------------------|---|----------------|-----------------------|---------------------------------|
| %: 30.1000 - 40.0000 | GS: LT-1 | RC: UN | K NANC | D: No | SUBSTANCE ROLE: Filler |
| HAZARD TYPE | AGENCY AND LIST TITLES | ١ | WARNINGS | | |
| CAN | IARC | (| Group 1 - Age | nt is Car | cinogenic to humans |
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen | | | |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exproute | | | |
| CAN | IARC | Group 1 - Agent is carcinogenic to humans - i | | | • |
| CAN | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size occupational setting) | | | arcinogen (respirable size - |
| CAN | MAK | Carcinogen Group 1 - Substances that cause man | | | Substances that cause cancer in |
| CAN | GHS - New Zealand | 6.7A - Known or presumed human carcino | | med human carcinogens | |
| CAN | GHS - Japan | (| Carcinogenicit | y - Cate | gory 1A [H350] |
| CAN | GHS - Australia | ı | H350i - May ca | ause can | cer by inhalation |
| | | | | | |

PORTLAND CEMENT ID: 65997-15-1

SUBSTANCE NOTES: Can be present is particules size below 5 microns.

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2021-01-19 | | |
|--------------------------|---------------------------------------|--|--------|------------------------|
| %: 20.0000 - 30.0000 | GS: LT-P1 | RC: UNK NANO: No | | SUBSTANCE ROLE: Binder |
| HAZARD TYPE | AGENCY AND LIST TITLES | WA | RNINGS | |
| END | TEDX - Potential Endocrine Disruptors | ruptors Potential Endocrine Disruptor | | sruptor |
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogen but not sufficient for classification | | • |

SUBSTANCE NOTES: According to Pharos, their are numerous known or potential residuals in cement; however, none are reported by the manufacturer at or above the declaration threshold.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Inherently non-emitting source per LEED

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All.

ISSUE DATE: 2020-12- EXPIRY DATE:

CERTIFIER OR LAB: n/a

18

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Powder-coated metals are Inherently nonemitting sources by LEED v4 (https://www.usgbc.org/credits/new-construction-core-and-shell-retail-new-construction-data-centers-new-construction? return=/credits/newconstruction/v4/indoor-environmental-quality)



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Steel Alloying elements GreenScreen Score according to Pharos: - Iron (Fe) 7439-89-6: LT-P1 - Carbon (C) 7440-44-0: LT-UNK - Manganese (Mn) 7439-96-5: LT-P1 - Silicon (Si) 7440-21-3: LT-UNK - Phosphorus (P) 7723-14-0: BM-2 - Sulfur (S) 7704-34-9: LT-UNK Aluminum Alloying elements GreenScreenScore according to Pharos: - Aluminum (al) 7429-90-5: BM-1 - Iron (Fe) 7439-89-6: LT-P1 - Manganese (Mn) 7439-96-5: LT-P1 - Silicon (Si) 7440-21-3: LT-UNK - Chromium (Cr) 7440-47-3: LT-P1 - Zinc (Zn) 7440-66-6: LT-P1 - Magnesium (Mg) 7439-95-4: LT-UNK - Copper (Cu) 7440-50-8: LT-P1 - Lead (Pb) 7439-92-1: BM-1 - Titanium (Ti) 7440-32-6: LT-UNK

MANUFACTURER INFORMATION

MANUFACTURER: Montel Inc.

ADDRESS: 225 4th Avenue, Montmagny Montmagny Quebec G5V 4N9, Canada

WEBSITE: www.montel.com

CONTACT NAME: Véronique Giasson-Cloutier

TITLE: Product Engineer
PHONE: 800-935-0235 #260
EMAIL: vgiasson@montel.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.) **NoGS** No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created
 after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.