# **ARDEX 8 + 9** by ARDEX Engineered Cements

# **Health Product** Declaration v2.2

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 20602 CLASSIFICATION: 09 30 00** 

PRODUCT DESCRIPTION: The absolute best-in-class, topside waterproofing and crack isolation membrane for use on all common substrates in commercial and residential applications prior to the installation of any type of tile or stone. Two components, very easy to use, cement based waterproofing and crack isolation compound providing outstanding bond to mortars. ARDEX 8+9 can also be used as a shower pan. Ideal for use in showers, kitchens and for exterior manufactured veneer stone installations.



# Section 1: Summary

## **Basic Method / Product Threshold**

|   |    | ITEN   | IT  | INI   | /EN  | ITO          | DV   | , |
|---|----|--------|-----|-------|------|--------------|------|---|
| u | UI | I I Eľ | 4 I | 11/1/ | /EIN | $\mathbf{I}$ | 'R T |   |

**Inventory Reporting Format** 

C Nested Materials Method

Basic Method

**Threshold Disclosed Per** 

Material

Product

Threshold level

C 100 ppm

© 1,000 ppm Per GHS SDS

C Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

• Yes • No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened

O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

## CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

ARDEX 8 + 9 [ HIGH-ALUMINA CEMENT LT-UNK POLYMER LT-UNK WATER BM-4 CALCIUM SULFATE, 1\_2-HYDRATE, POWDER LT-UNK QUARTZ LT-1 | CAN PORTLAND CEMENT LT-P1 | END | CAN LIMESTONE; CALCIUM CARBONATE LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

### **INVENTORY AND SCREENING NOTES:**

The ingredients are listed as required per OSHA's Global Harmonization System. Note that many proprietary ingredients are withheld as trade secrets. The proprietary ingredients used in this product are not reportable by OSHA or WHMIS standards. None of the proprietary ingredients present at greater than 0.1% are known to be carcinogens by IARC, NTP, OSHA, or ACGIH. None of the proprietary ingredients present at greater than 0.1% are known to be mutagens, teratogens, or reproductive toxins.

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 0g/L Regulatory (g/l): 0g/L Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -

Classroom & Office scenario VOC content: ARDEX 8 + 9 SDS

VOC content: ARDEX 8 + 9 Part 8 - Liquid SDS

### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VFRIFIFR: VERIFICATION #: **SCREENING DATE: 2018-05-30** PUBLISHED DATE: 2020-06-15 EXPIRY DATE: 2021-05-30



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

### **ARDEX 8 + 9**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Any residual that may be present above the 100ppm level is accounted for in this product.

OTHER PRODUCT NOTES: ARDEX 8 + 9 is a two-part product, requiring that "Part 9 Powder" be mixed with "Part 8 Liquid" for every application in accordance with our written recommendations.

**HIGH-ALUMINA CEMENT** ID: 65997-16-2

| HAZARD SCREENING METHOD: Pha                  | HAZARD SCREENING DATE: 2018-05-30 |             |                                    |                        |
|---|-----------------------------------|-------------|------------------------------------|------------------------|
| %: <b>30.0000 - 60.0000</b> GS: <b>LT-UNK</b> |                                   | RC: None    | nano: <b>No</b>                    | SUBSTANCE ROLE: Binder |
| HAZARD TYPE                                   | AGENCY AND LIST TITLES            | WARNINGS    |                                    |                        |
| None found                                    |                                   | No warnings | found on HPD Priority Hazard Lists |                        |

SUBSTANCE NOTES: The exact percentage of this ingredient is withheld by the manufacturer as trade secrets.

**POLYMER ID: Undisclosed** 

| HAZARD SCREENING METHOD: Pha                  | ros Chemical and Materials Library | HAZARD SCREENING DATE: 2018-05-30 |                 |   |  |
|---|------------------------------------|-----------------------------------|-----------------|---|--|
| %: <b>30.0000 - 60.0000</b> GS: <b>LT-UNK</b> |                                    | RC: None                          | nano: <b>No</b> | SUBSTANCE ROLE: Viscosity modifier          |  |
| HAZARD TYPE                                   | AGENCY AND LIST TITLES             | W                                 | ARNINGS         |   |  |
| None found                                    |                                    |                                   | No              | warnings found on HPD Priority Hazard Lists |  |

SUBSTANCE NOTES: The identity of this polymer has been withheld by the manufacturer as a trade secret. This ingredient does not have any hazardous chemicals reportable by OSHA or WHMIS standards.

**WATER** ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2018-05-30 %: 30.0000 - 60.0000 GS: **BM-4** RC: None SUBSTANCE ROLE: Solvent NANO: NO

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The exact percentages of the ingredients are withheld by the manufacturer as trade secrets.

### **CALCIUM SULFATE, 1\_2-HYDRATE, POWDER**

ID: **7778-18-9** 

| HAZARD SCREENING METHOD: Pha                  | HAZARD SCREENING DATE: 2018-05-30 |             |                                      |                        |
|---|-----------------------------------|-------------|--------------------------------------|------------------------|
| %: <b>10.0000 - 30.0000</b> GS: <b>LT-UNK</b> |                                   | RC: None    | NANO: <b>No</b>                      | SUBSTANCE ROLE: Binder |
| HAZARD TYPE                                   | AGENCY AND LIST TITLES            | WARNINGS    | 3                                    |                        |
| None found                                    |                                   | No warnings | s found on HPD Priority Hazard Lists |                        |

SUBSTANCE NOTES: The exact percentages of the ingredients have been withheld by the manufacturer as trade secrets.

QUARTZ ID: 14808-60-7

| HAZARD SCREENING METHOD: Pharos             | HAZARD SCREENING DATE: 2018-05-30                                    |   |                 |                                 |                               |
|---|--|---|-----------------|---------------------------------|-------------------------------|
| %: <b>10.0000 - 30.0000</b> GS: <b>LT-1</b> |  | RC: N   | : None NANO: No |                                 | SUBSTANCE ROLE: Filler        |
| HAZARD TYPE                                 | AGENCY AND LIST TITLES   |   | WARNINGS        |                                 |                               |
| CANCER                                      | CER US CDC - Occupational Carcinogens Occupational Carcinogen        |   |                 |                                 |                               |
| CANCER                                      | CANCER CA EPA - Prop 65 Carcinogen - specific to chemical form or ex |   |                 | chemical form or exposure route |                               |
| CANCER IARC                                 |  | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources |                 |                                 |                               |
| CANCER                                      | US NIH - Report on Carcinogens                                       | arcinogens Known to be Human Carcinogen (respirabl occupational setting)      |                 | cinogen (respirable size -      |                               |
| CANCER                                      | MAK  | Carcinogen Group 1 - Substances that cause cancer man                         |                 |                                 | ostances that cause cancer in |
| CANCER                                      | New Zealand - GHS  |   | 6.7A - Kr       | nown or presume                 | d human carcinogens           |
| CANCER                                      | Japan - GHS  |   | Carcinog        | enicity - Categor               | y 1A                          |
| CANCER                                      | Australia - GHS  | H350i - May cause cancer by inhalation  |                 |                                 | r by inhalation               |

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{The\ exact\ percentages\ of\ the\ ingredients\ are\ withheld\ by\ the\ manufacturer\ as\ trade\ secrets.}$ 

PORTLAND CEMENT ID: 65997-15-1

| HAZARD SCREENING METHOD: Pharos | HAZARD SCREENING DATE: 2018-05-30 |          |                 |                        |
|---------------------------------|-----------------------------------|----------|-----------------|------------------------|
| %: <b>5.0000 - 10.0000</b>      | gs: LT-P1                         | RC: None | NANO: <b>No</b> | SUBSTANCE ROLE: Binder |

| HAZARD TYPE | AGENCY AND LIST TITLES                | WARNINGS   |
|-------------|---------------------------------------|--|
| ENDOCRINE   | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor  |
| CANCER      | MAK                                   | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |

SUBSTANCE NOTES: The exact percentages of the ingredients have been withheld by the manufacturer as trade secrets.

## LIMESTONE; CALCIUM CARBONATE

ID: **1317-65-3** 

| HAZARD SCREENING METHOD: Pha                | HAZARD SCREENING DATE: 2018-05-30 |          |                 |                                   |
|---|-----------------------------------|----------|-----------------|-----------------------------------|
| %: <b>1.0000 - 5.0000</b> GS: <b>LT-UNK</b> |                                   | RC: None | NANO: <b>No</b> | SUBSTANCE ROLE: Filler            |
| HAZARD TYPE                                 | AGENCY AND LIST TITLES            | WARNINGS |                 |                                   |
| None found                                  |                                   |          | No warnings for | ound on HPD Priority Hazard Lists |

SUBSTANCE NOTES: The exact percentages are withheld by the manufacturer as trade secrets.



# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom &

Office scenario

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-

EXPIRY DATE: CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: All ARDEX manufacturing

03-13

Environment

facilities.

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: ARDEX 8 + 9 has a tested TVOC content of 0.5 mg/m^3 or less.

**VOC CONTENT** 

ARDEX 8 + 9 SDS

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2016-

EXPIRY DATE:

CERTIFIER OR LAB: ARDEX

APPLICABLE FACILITIES: All ARDEX manufacturing

09-08

**Americas** 

facilities.

CERTIFICATE URL:

https://www.ardexamericas.com/wp-

content/uploads/ARDEX-89-PART-9-POWDER-

SDS.pdf

CERTIFICATION AND COMPLIANCE NOTES: The information herein is confirmed in the respective Safety Data Sheet

**VOC CONTENT** 

ARDEX 8 + 9 Part 8 - Liquid SDS

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All ARDEX Americas

09-08

EXPIRY DATE:

CERTIFIER OR LAB: ARDEX

Americas

manufacturing locations.

CERTIFICATE URL:

https://www.ardexamericas.com/wp-

content/uploads/ARDEX-89-PART-8-LIQUID-

SDS.pdf

CERTIFICATION AND COMPLIANCE NOTES: The information can be confirmed via the GHS formatted Safety Data Sheet.

ISSUE DATE: 2016-



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

ARDEX 8 + 9 PART 8 - LIQUID

HPD URL: HTTP://WWW.GOOGLE.COM

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

ARDEX 8 + 9 is a two-part product, where PART 9 - POWDER must be mixed with PART 8 - LIQUID for each application in accordance with our written recommendations.



Follow written recommendations as per the ARDEX 8 + 9 Technical Data Sheet and ARDEX 8 + 9 Safety Data Sheet.

### MANUFACTURER INFORMATION

MANUFACTURER: ARDEX Engineered Cements

ADDRESS: 400 Ardex Park Drive Aliquippa PA 15001, USA

WEBSITE: www.ardexamericas.com

CONTACT NAME: Steven Newbrough

TITLE: Environmental Programs Specialist

PHONE: **724-203-5445** 

EMAIL: steven.newbrough@ardexamericas.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### **KEY**

### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.