# 201 Fibered Black Roof Coating by Henry Company

# CLASSIFICATION: 07 26 16.00

**PRODUCT DESCRIPTION:** Henry 201 Fibered Asphalt Roof Coating is a premium cold-applied, brush or spray-grade asphalt coating in a solvent system. It is a penetrating-type protective coating formulated to provide a tough, durable, weather-resistant film. The solvent system allows working at lower temperatures than with asphalt emulsions, and the coating won't wash off if unexpected rain occurs before curing.

# Section 1: Summary

# **CONTENT INVENTORY**

### **Inventory Reporting Format**

- C Nested Materials Method
- Basic Method

### **Threshold Disclosed Per**

C Material

Product

100 ppm
1,000 ppm
Per GHS SDS
Per OSHA MSDS
Other

**Threshold level** 

### **Residuals/Impurities**

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities? All Substances Above the Threshold Indicated Are:

**Basic Method / Product Threshold** 

Characterized C Yes Ex/SC • Yes C No % weight and role provided for all substances.

### Screened O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

### Identified C Yes Ex/SC • Yes C No All substances disclosed by Name (Specific or Generic) and Identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

### MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

201 FIBERED ROOF COATING [ ASPHALT LT-1 | CAN SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-P1 | MAM | END PERLITE LT-UNK CELLULOSE, MICROCRYSTALLINE LT-UNK | RES ENGLISH FULLERS EARTH NoGS ALKYL(C12-16)DIMETHYLBENZYLAMMONIUM CHLORIDE BM-1 | RES | MUL *1,2,4-TRIMETHYLBENZENE* BM-2 | AQU | SKI | EYE | MUL QUARTZ LT-1 | CAN ]

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 250 Regulatory (g/l): 250 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES: None

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

Yes
 No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-04-14 PUBLISHED DATE: 2020-04-14 EXPIRY DATE: 2023-04-14

# Health Product Declaration v2.1.1

created via: HPDC Online Builder

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

## 201 FIBERED ROOF COATING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered.

OTHER PRODUCT NOTES: None

#### **ASPHALT** ID: 8052-42-4 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-14 GS: LT-1 %: 60.00 - 70.00 RC: None NANO: **NO** ROLE: Waterproofing/flexibility HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CANCER IARC Group 2b - Possibly carcinogenic to humans CANCER US CDC - Occupational Carcinogens **Occupational Carcinogen** CANCER CA EPA - Prop 65 Carcinogen CANCER IARC Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources CANCER MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen when used in road paving applications. This product is not used in this application.

SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC				ID: 64742-88-7	
HAZARD SCREENING METHOD: Pharos Chem	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZA		HAZARD SCREENING DATE: 2020-04-14		
%: <b>20.00 - 30.00</b>	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	ROLE: Solvent	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and ente	ers airways
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through repeated exposure	n prolonged or
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
SUBSTANCE NOTES: Contain	s no benzene - not a carcinogen or mutagen		
PERLITE			ID: <b>93763-70-3</b>
	haros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-14	
%: 5.00 - 10.00	GS: LT-UNK		ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		iority Hozord Listo
None found		No warnings found on HPD Pr	Tority Hazard Lists
SUBSTANCE NOTES: Not in re	espirable form		
CELLULOSE, MICROCRY	STALLINE		ID: 9004-34-6
HAZARD SCREENING METHOD: <b>P</b>	haros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-14	
%: 1.00 - 5.00	GS: LT-UNK	RC: None NANO: No ROLE: Reinf	forcement
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced	
SUBSTANCE NOTES: Not in re	espirable form		
ENGLISH FULLERS EART	н		ID: 8031-18-3
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-14	
%: <b>1.00 - 5.00</b>	GS: NoGS	RC: None NANO: No ROLE: T	hixotrope
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Pr	iority Hazard Lists
SUBSTANCE NOTES: Not in re	espirable form		
ALKYL(C12-16)DIMETHYI	BENZYLAMMONIUM CHLORIDE		ID: 68424-85-1
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-14	
ibered Black Roof Coating			

%: 0.10 - 1.00	GS: <b>BM-1</b>	RC: None	NANO: <b>NO</b>	ROLE: Preservative
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen	Asthmagen (Rs) - sensitizer-induced	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

SUBSTANCE NOTES: None

1,2,4-TRIMETHYLBENZENE				ID: <b>95-63</b> -
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-14		
%: Impurity/Residual	GS: <b>BM-2</b>	RC: None	NANO: <b>NO</b>	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
CHRON AQUATIC	EU - GHS (H-Statements)	H411	- Toxic to aquati	c life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315	- Causes skin irri	itation
EYE IRRITATION	EU - GHS (H-Statements)	H319	- Causes serious	eye irritation
MULTIPLE	German FEA - Substances Hazardous t Waters	o Class	2 - Hazard to Wa	aters

SUBSTANCE NOTES: None

QUARTZ			ID: <b>14808-60-7</b>	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-14		
%: Impurity/Residual	GS: <b>LT-1</b>	RC: None	NANO: <b>NO</b>	ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Not available in respirable form.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Self-declared		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All Henry facilities CERTIFICATE URL:	ISSUE DATE: 2020- 04-14	EXPIRY DATE:	CERTIFIER OR LAB: Henry Company
CERTIFICATION AND COMPLIANCE NOTES: Exterior us	se only product		
VOC CONTENT	EPA Method 24 -	Volatile Matter Co	ntent (EPA 24)
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All Henry facilities CERTIFICATE URL:	ISSUE DATE: 2020- 04-14	EXPIRY DATE:	CERTIFIER OR LAB: Henry Company

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product

# 🛨 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

No additional general notes for this product

# MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy Suite 800 El Segundo CA 90245, USA WEBSITE: www.henry.com CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

LT-P1 List Translator Possible Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

LT-1 List Translator Likely Benchmark 1

# KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**GLO** Global warming

### Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

avoid - chemical of high concern)information from List Translator lists to benchmark)specified (insuficient data to benchmark)NoGS Unknown (no data on List Translator Lists)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

### **Other Terms**

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

#### 201 Fibered Black Roof Coating hpdrepository.hpd-collaborative.org