280DC White Elastomeric Roof Coating by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: Henry 280DC White Roof Coating is a premium, water-based acrylic latex coating. It reduces surface temperature and penetration of the sun's rays to the roof surface, which helps reduce roof and interior temperatures as well as energy costs. When properly applied, it is highly resistant to disbonding, chalking, mildew, fungi, and discoloration.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

C Material

Product

Threshold level 100 ppm 1,000 ppm Per GHS SDS Per OSHA MSD

C Per OSHA MSDS C Other

Residuals/Impurities

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes • No All Substances Above the Threshold Indicated Are:

Basic Method / Product Threshold

Characterized C Yes Ex/SC • Yes C No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

WHITE ELASTOMERIC ROOF COATING [WATER BM-4 2-PROPENOIC ACID, POLYMER WITH ETHENYLBENZENE AND 2-ETHYLHEXYL 2-PROPENOATE LT-UNK ALUMINA TRIHYDRATE BM-2 LIMESTONE; CALCIUM CARBONATE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END ZINC OXIDE BM-1 | AQU | MUL | RES | END ENGLISH FULLERS EARTH NoGS ETHYLENE GLYCOL BM-1 | DEL | END 1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATE LT-UNK | CAN BUTYL BENZYL PHTHALATE (BBP) LT-1 | CAN | DEL | REP | END | MUL | AQU MIXTURE- 5-CHLORO-2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [26172-55-4] AND 2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [2682-20-4] MIXTURE IN RATIO 3:1 (SH) LT-UNK | SKI *QUARTZ* LT-1 | CAN]

 VOLATILE ORGANIC COMPOUND (VOC) CONTENT

 Material (g/l): 5.0
 Regulatory (g/l): 5.0

 Does the product contain exempt VOCs: No
 Are ultra-low VOC tints available: N/A

Number of Greenscreen BM-4/BM3 contents ... 1

did not follow guidance.

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES:

None

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

O Yes O No PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2020-04-12 PUBLISHED DATE: 2020-04-12 EXPIRY DATE: 2023-04-12 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

WHITE ELASTOMERIC ROOF COATING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered.

OTHER PRODUCT NOTES: None

WATER					ID: 7732-18	3-5
HAZARD SCREENING METHOD: F	haros Chemical and Materials Library	HAZARD S	SCREENING D	DATE: 2020-04	-12	
%: 30.00 - 40.00	GS: BM-4	RC: Non	e	NANO: No	ROLE: Solvent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	6			
None found			No war	mings found or	n HPD Priority Hazard List	íS
SUBSTANCE NOTES: None						
2-PROPENOIC ACID, POI ETHYLHEXYL 2-PROPEN	LYMER WITH ETHENYLBENZENE AND 2- OATE				ID: 25085-1 9) -2
HAZARD SCREENING METHOD: F	haros Chemical and Materials Library	HAZARD SC	CREENING DA	TE: 2020-04- 1	12	
%: 25.00 - 35.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Wate polymer/f	erproofing lexibility	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S			

%: 5.00 - 10.00

SUBSTANCE NOTES: None

ALUMINA TRIHYDRATE

None found

GS: **BM-2**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

RC: None NANO: No R

HAZARD SCREENING DATE: 2020-04-12

ROLE: Filler/film strengthener

ID: 21645-51-2

No warnings found on HPD Priority Hazard Lists

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

ID: 1317-65-3

None found

SUBSTANCE NOTES: Not in respirable form.

LIMESTONE; CALCIUM CARBONATE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12			
%: 5.00 - 10.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Filler/film strengthener	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS		
None found			No warr	nings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Not in respirable form.

TITANIUM DIOXIDE ID: 13463-67-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-12 %: 5.00 - 10.00 GS: LT-1 ROLE: Pigment BC: None NANO: NO HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CANCER **US CDC - Occupational Carcinogens Occupational Carcinogen** CANCER CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route IARC CANCER Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources CANCER MAK Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value ENDOCRINE **TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor CANCER MAK Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Not present in a respirable form.

ZINC OXIDE

ID: 1314-13-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-12

%: 1.00 - 5.00

RC: None NANO: No

ROLE: Mildew/fungal resistance

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Not in respirable form

ID: 8031-18-3 ID: 8031-18-3 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-12 %: 0.50 - 1.00 GS: NOGS RC: None NANO: No ROLE: Thixotrope HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Not in respirable form.

ETHYLENE GLYCOL				ID: 107-21-1
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	ENING DATE: 2020)-04-12
%: 0.50 - 1.00	GS: BM-1	RC: None	NANO: NO	ROLE: Coalescing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
DEVELOPMENTAL	CA EPA - Prop 65	Devel	opmental toxicity	,
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear	Evidence of Adve	erse Effects - Developmental Toxicity
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Poten	tial Endocrine Dis	sruptor

SUBSTANCE NOTES: None

1,3-PENTANEDIOL, 2,2,4-TRIM	ETHYL-, MONOISOBUTYRATE			ID: 25265-77-4
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2020-0)4-12
%: 0.20 - 1.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: UV Stability

HAZARD TYPE

CANCER

AGENCY AND LIST TITLES

MAK

WARNINGS

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: None

BUTYL BENZYL PHTHALATE (BBP)

ID: 85-68-7

|--|

%: **0.10 - 0.90**

GS: **LT-1**

RC: None

NANO: **NO**

ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US EPA - IRIS Carcinogens	(1986) Group C - Possible human Carcinogen
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity
REPRODUCTIVE	EU - SVHC Authorisation List	Toxic to reproduction - Banned unless Authorised
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Substance of Possible Concern
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Reproductive Toxicity
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
DEVELOPMENTAL	EU - GHS (H-Statements)	H360Df - May damage the unborn child. Suspected of damaging fertility
REPRODUCTIVE	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
REPRODUCTIVE	US EPA - PPT Chemical Action Plans	Reproductive effects
REPRODUCTIVE	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
ENDOCRINE	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REPRODUCTIVE	GHS - Korea	Reproductive toxicity - Category 1 [H360 - May damage fertility or the unborn child]
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]
DEVELOPMENTAL	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility

SUBSTANCE NOTES: None

MIXTURE- 5-CHLORO-2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [26172-55-4] AND 2- METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [2682-20-4] MIXTURE IN RATIO 3:1 (SH)		I	D: Not registered
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD \$	SCREENING	DATE: 2020-04-12
%: 0.00 - 0.01 GS: LT-UNK	RC: None	NANO: No	ROLE: Preservative

HAZARD TYPE

AGENCY AND LIST TITLES

MAK

WARNINGS

Sensitizing Substance Sh - Danger of skin sensitization

SKIN SENSITIZE

SUBSTANCE NOTES: None

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-12		04-12	
%: Impurity/Residual	GS: LT-1	rc: No i	ne	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES		WARNING	S	
CANCER	US CDC - Occupational Carcinogens		Occupa	ational Carcinog	en
CANCER	CA EPA - Prop 65		Carcinc	ogen - specific to	o chemical form or exposure route
CANCER	US NIH - Report on Carcinogens			to be Human Ca tional setting)	arcinogen (respirable size -
CANCER	МАК		Carcinc man	ogen Group 1 - S	Substances that cause cancer in
CANCER	IARC		Group 1	I - Agent is Carc	inogenic to humans
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inha occupational sources		inogenic to humans - inhaled from	
CANCER	GHS - New Zealand		6.7A - k	Known or presun	ned human carcinogens
CANCER	GHS - Japan		Carcinc	ogenicity - Categ	jory 1A [H350]
CANCER	GHS - Australia		H350i -	May cause can	cer by inhalation

 ${\tt SUBSTANCE NOTES}: Not \ present \ in \ respirable \ form.$

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Self-declared		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All Henry facilities CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES: Exterior	ISSUE DATE: 2020- 04-12 T use only product.	EXPIRY DATE:	CERTIFIER OR LAB: Henry Company
VOC CONTENT	EPA Method 24 -	Volatile Matter Co	ontent (EPA 24)
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All Henry facilities CERTIFICATE URL:	ISSUE DATE: 2020- 04-12	EXPIRY DATE:	CERTIFIER OR LAB: Henry Company

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product

🛨 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

No additional general notes for this product

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy Suite 800 El Segundo CA 90245, USA WEBSITE: www.henry.com CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

LT-P1 List Translator Possible Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

LT-1 List Translator Likely Benchmark 1

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

280DC White Elastomeric Roof Coating hpdrepository.hpd-collaborative.org