

280DC White Elastomeric Roof Coating by Henry Company

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: HENRY 280DC WHITE ROOF COATING IS A PREMIUM, WATER-BASED ACRYLIC LATEX COATING. IT REDUCES SURFACE TEMPERATURE AND PENETRATION OF THE SUN'S RAYS TO THE ROOF SURFACE, WHICH HELPS REDUCE ROOF AND INTERIOR TEMPERATURES AS WELL AS ENERGY COSTS. WHEN PROPERLY APPLIED, IT IS HIGHLY RESISTANT TO DISBONDING, CHALKING, MILDEW, FUNGI, AND DISCOLORATION.

Health Product Declaration v2.0

created via: HPDC Online Builder



Section 1: Summary

CONTENT INVENTORY

Threshold per
material

- ☒ 100 ppm
- ☐ 1,000 ppm
- ☐ Per GHS SDS
- ☐ Per OSHA MSDS
- ☐ Other

Residuals and
impurities
considered in
1 of 1 materials
☒ see Section 2:
Material Notes
☒ see Section 5:
General Notes

Based on the selected Content Inventory Threshold:

Characterized.....	<input checked="" type="radio"/>	<input type="radio"/>
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

WHITE ELASTOMERIC ROOF COATING [WATER BM-4 2-PROPENOIC ACID, POLYMER WITH
ETHENYLBENZENE AND 2-ETHYLHEXYL 2-PROPENOATE LT-UNK ALUMINA TRIHYDRATE BM-2 |
RES LIMESTONE; CALCIUM CARBONATE LT-UNK TITANIUM DIOXIDE LT-1 | CAN ZINC OXIDE BM-1
| AQU | RES | MUL ENGLISH FULLERS EARTH UNK ETHYLENE GLYCOL BM-1 | MAM | DEV | END
1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATE LT-UNK | CAN BUTYL BENZYL
PHTHALATE (BBP) LT-1 | AQU | DEV | REP | CAN | END | MUL MIXTURE- 5-CHLORO-2-METHYL-2,3-
DIHYDROISOTHIAZOL-3-ONE [26172-55-4] AND 2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [2682-20-
4] MIXTURE IN RATIO 3:1 (SH) LT-UNK | SKI QUARTZ LT-1 | CAN]

Number of Greenscreen
BM-4/BM3 contents.....
1
Contents highest concern
GreenScreen
Benchmark or List
translator Score.....
BM-1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 Regulatory (g/l):
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: January 22, 2017	EXPIRY DATE*: January 22, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: January 22, 2017	* or within 3 months of significant change in product contents
*See HPDC website for details			



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

WHITE ELASTOMERIC ROOF COATING %: 100.0000 - 100.0000 HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: Yes

Material Notes:

WATER

ID: 7732-18-5

%: 30.0000 - 40.0000

GS: BM-4

RC: None

NANO: NO

ROLE: Solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

2-PROPENOIC ACID, POLYMER WITH ETHENYLBENZENE AND 2-ETHYLHEXYL 2-PROPENOATE

ID: 25085-19-2

%: 25.0000 - 35.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Waterproofing polymer/flexibility

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

ALUMINA TRIHYDRATE

ID: 21645-51-2

%: 5.0000 - 10.0000

GS: BM-2

RC: None

NANO: NO

ROLE: Filler/film strengthener

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

SUBSTANCE NOTES:

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

%: 5.0000 - 10.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Filler/film
strengtheners

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

TITANIUM DIOXIDE

ID: 13463-67-7

%: 5.0000 - 10.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Pigment

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or
exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans -
inhaled from occupational sources

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic
effects but not sufficient to establish MAK/BAT
value

SUBSTANCE NOTES: Not present in a respirable form.

ZINC OXIDE

ID: 1314-13-2

%: 1.0000 - 5.0000

GS: BM-1

RC: None

NANO: NO

ROLE: Mildew/fungal
resistance

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ACUTE AQUATIC

EU - R-phrases

R50 - Very Toxic to Aquatic Organisms

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable
forms only

ACUTE AQUATIC

EU - GHS (H-Statements)

H400 - Very toxic to aquatic life

CHRON AQUATIC

EU - GHS (H-Statements)

H410 - Very toxic to aquatic life with long lasting
effects

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES:

ENGLISH FULLERS EARTH

ID: 8031-18-3

HAZARDS:	AGENCY(IES) WITH WARNINGS:
None Found	No warnings found on HPD Priority lists

SUBSTANCE NOTES:

ETHYLENE GLYCOLID: 107-21-1

HAZARDS:	AGENCY(IES) WITH WARNINGS:
MAMMALIAN	EU - R-phrasesR22 - Harmful if Swallowed
DEVELOPMENTAL	CA EPA - Prop 65Developmental toxicity
DEVELOPMENTAL	US NIH - Reproductive & Developmental MonographsClear Evidence of Adverse Effects - Developmental Toxicity
ENDOCRINE	TEDX - Potential Endocrine DisruptorsPotential Endocrine Disruptor

SUBSTANCE NOTES:

1,3-PENTANEDIOL, 2,2,4-TRIMETHYL-, MONOISOBUTYRATEID: 25265-77-4

HAZARDS:	AGENCY(IES) WITH WARNINGS:
CANCER	MAKCarcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES:

BUTYL BENZYL PHTHALATE (BBP)ID: 85-68-7

HAZARDS:	AGENCY(IES) WITH WARNINGS:
ACUTE AQUATIC	EU - R-phrasesR50 - Very Toxic to Aquatic Organisms
DEVELOPMENTAL	EU - R-phrasesR61 - May cause harm to the unborn child
REPRODUCTIVE	EU - R-phrasesR62 - Possible risk of impaired fertility
CANCER	US EPA - IRIS Carcinogens(1986) Group C - Possible human Carcinogen

DEVELOPMENTAL	CA EPA - Prop 65		Developmental toxicity		
ENDOCRINE	EU - Priority Endocrine Disrupters		Category 1 - In vivo evidence of Endocrine Disruption Activity		
REPRODUCTIVE	EU - SVHC Authorisation List		Toxic to reproduction - Banned unless Authorised		
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern		Endocrine Disruptor - Substance of Possible Concern		
ENDOCRINE	OSPAR - Priority PBTs & EDs & equivalent concern		Endocrine Disruptor - Chemical for Priority Action		
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs		Clear Evidence of Adverse Effects - Developmental Toxicity		
REPRODUCTIVE	US NIH - Reproductive & Developmental Monographs		Some Evidence of Adverse Effects - Reproductive Toxicity		
RESTRICTED LIST	US EPA - PPT Chemical Action Plans		EPA Chemical of Concern - Action Plan published		
RESTRICTED LIST	US EPA - PPT Chemical Action Plans		TSCA Work Plan chemical - Action Plan in development		
ACUTE AQUATIC	EU - GHS (H-Statements)		H400 - Very toxic to aquatic life		
CHRON AQUATIC	EU - GHS (H-Statements)		H410 - Very toxic to aquatic life with long lasting effects		
DEVELOPMENTAL	EU - GHS (H-Statements)		H360Df - May damage the unborn child. Suspected of damaging fertility		
REPRODUCTIVE	EU - REACH Annex XVII CMRs		Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans		
MULTIPLE	ChemSec - SIN List		CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters		
REPRODUCTIVE	US EPA - PPT Chemical Action Plans		Reproductive effects		
REPRODUCTIVE	EU - Annex VI CMRs		Reproductive Toxicity - Category 1B		
SUBSTANCE NOTES:					
MIXTURE- 5-CHLORO-2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [26172-55-4] AND 2-METHYL-2,3-DIHYDROISOTHIAZOL-3-ONE [2682-20-4] MIXTURE IN RATIO 3:1 (SH) ID:					
%: 0.0010 - 0.0100		GS: LT-UNK	RC: None	NANO: NO	ROLE: Preservative
HAZARDS:		AGENCY(IES) WITH WARNINGS:			
SKIN SENSITIZE		MAK		Sensitizing Substance Sh - Danger of skin sensitization	

SUBSTANCE NOTES:

QUARTZ

ID: 14808-60-7

?: Impurity/Residual

GS: LT-1

RC: None

NANO: NO

ROLE: Impurity/Residual

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 1: Agent is carcinogenic to humans - inhaled from occupational sources

CANCER

US NIH - Report on Carcinogens

Known to be Human Carcinogen (respirable size - occupational setting)

CANCER

MAK

Carcinogen Group 1 - Substances that cause cancer in man

SUBSTANCE NOTES: Not present in respirable form.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes

**MANUFACTURER INFORMATION**

MANUFACTURER: Henry Company

ADDRESS: 999 N. Sepulveda Blvd
Suite 800
El Segundo, CA 90245
USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity**CAN** Cancer**DEV** Developmental toxicity**END** Endocrine activity**EYE** Eye irritation/corrosivity**GEN** Gene mutation**GLO** Global warming**MAM** Mammalian/systemic/organ toxicity**MUL** Multiple hazards**NEU** Neurotoxicity**OZO** Ozone depletion**PBT** Persistent Bioaccumulative Toxic**PHY** Physical Hazard (reactive)**REP** Reproductive toxicity**RES** Respiratory sensitization**SKI** Skin sensitization/irritation/corrosivity**LAN** Land Toxicity**NF** Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)**BM-3** Benchmark 3 (use but still opportunity for improvement) **BM-2**
Benchmark 2 (use but search for safer substitutes)**BM-1** Benchmark 1 (avoid - chemical of high concern)**BM-U** Benchmark Unspecified (insufficient data to benchmark)**LT-P1** List Translator Possible Benchmark 1**LT-1** List Translator Likely Benchmark 1**LT-UNK** List Translator Benchmark Unknown (insufficient
information from List Translator lists to benchmark)**UNK** Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)**PostC** Postconsumer**Both** Both Preconsumer and Postconsumer**Unk** Inclusion of recycled content is unknown**None** Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)**Independent Lab** Manufacturer's self-declaration using results from an independent lab**Second Party** Verification by trade association or other interested party**Third Party** Verification by independent certifier**Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.