# 555 Fibered Aluminum Roof Coating by Henry Company

## Health Product Declaration v2.1.1

created via: HPDC Online Builder

#### CLASSIFICATION: 07 26 16.00

**PRODUCT DESCRIPTION:** Henry 555 Fibered Aluminum Roof Coating is a premium fibered aluminum coating that forms a tough, reflective surface. It can decrease heating and air-conditioning costs, and can lower inside temperatures of buildings, up to 20°F cooler during summer.

## Section 1: Summary

#### **CONTENT INVENTORY**

#### **Inventory Reporting Format**

- C Nested Materials Method
- Basic Method

#### **Threshold Disclosed Per**

Material
 Product

100 ppm
1,000 ppm
Per GHS SDS
Per OSHA MSDS
Other

Threshold level

- **Residuals/Impurities**
- Considered
   Partially Considered
   Not Considered

Explanation(s) provided for Residuals/Impurities? All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

#### Screened O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

#### Identified O Yes Ex/SC O Yes O No

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

**INVENTORY AND SCREENING NOTES:** 

Nanomaterial ... No

None

Benchmark or List translator Score ... BM-1

All substances disclosed by Name (Specific or Generic) and Identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals<sup>®</sup>. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

#### MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

FIBERED ALUMINUM ROOF COATING [ SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-P1 | MAM | END ASPHALT LT-1 | CAN ALUMINUM BM-1 | END | PHY | RES PERLITE LT-UNK SOLID / PLATE GLASS LT-UNK SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM., SHOWN TO CONTAIN LESS THAN 0,1 % W/W BENZENE LT-P1 | MAM | MUL | END SILICA GEL LT-UNK ENGLISH FULLERS EARTH NoGS *1,2,4-TRIMETHYLBENZENE* BM-2 | AQU | SKI | EYE | MUL *XYLENES* BM-1 | SKI | END | MUL | REP *QUARTZ* LT-1 | CAN ]

#### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 400 Regulatory (g/l): 400 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-04-12 PUBLISHED DATE: 2020-04-12 EXPIRY DATE: 2023-04-12

# **Basic Method / Product Threshold**

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

#### FIBERED ALUMINUM ROOF COATING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered

OTHER PRODUCT NOTES: None

#### SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC

ID: 64742-88-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12		
%: 30.00 - 40.00	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be	e fatal if swallowed	and enters airways
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes repeated expo	0 0	s through prolonged or
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endo	ocrine Disruptor	

SUBSTANCE NOTES: Contains no benzene - not a carcinogen or mutagen

ASPHALT			ID: <b>8052-42</b>
HAZARD SCREENING METHOD: F	Pharos Chemical and Materials Library	HAZARD SCREENING DATE	E: <b>2020-04-12</b>
%: 30.00 - 40.00	GS: <b>LT-1</b>	RC: None NANO: I	No ROLE: Waterproofing/flexibility
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CANCER	IARC	Group 2b - Possibly carcinogenic to humans	
CANCER	US CDC - Occupational Carcinogens	ens Occupational Carcinogen	
CANCER	CA EPA - Prop 65	Carcinogen	
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inha occupational sources	
CANCER	МАК	-	Group 3B - Evidence of carcinogenic effects cient for classification

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen when used in road paving applications. This product is not intended for that use.

#### **ALUMINUM** ID: 7429-90-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-12 %: 10.00 - 15.00 GS: BM-1 ROLE: Heat reflection BC: None NANO: NO HAZARD TYPE AGENCY AND LIST TITLES WARNINGS ENDOCRINE **TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor** PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H228 - Flammable solid PHYSICAL HAZARD (REACTIVE) EU - GHS (H-Statements) H261 - In contact with water releases flammable gases RESPIRATORY **AOEC - Asthmagens** Asthmagen (Rs) - sensitizer-induced SUBSTANCE NOTES: Not available in a respirable dust form. PERLITE ID: 93763-70-3 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-12 %: 5.00 - 10.00 GS: LT-UNK ROLE: Filler/film strengthener RC: None NANO: **NO** HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No warnings found on HPD Priority Hazard Lists None found SUBSTANCE NOTES: Not available in respirable form.

SOLID / PLATE GLASS				ID: <b>65997-17-3</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12		0-04-12
%: 1.00 - 5.00	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Filler/film strengthener

AGENCY AND LIST TITLES

SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM., SHOWN TO CONTAIN LESS THAN

WARNINGS

No warnings found on HPD Priority Hazard Lists

ID: 64742-95-6

#### None found

SUBSTANCE NOTES: Not available in respirable form.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREI	ENING DATE: 20	)20-04-12
%: 1.00 - 5.00	GS: <b>LT-P1</b>		RC: None	NANO: <b>NO</b>	ROLE: Solver
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
MAMMALIAN	EU - GHS (H-Statements)	H304 - May	be fatal if swalld	wed and ente	ers airways
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential E	ndocrine Disrupto	or	
SUBSTANCE NOTES: None					
SILICA GEL					ID: <b>112926-0</b>
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE: 2020	)-04-12	
%: <b>0.10 - 1.00</b>	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE:	hixotrope
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	No warnings fou	nd on HPD Pr	iority Hazard Lis
None found	AGENCY AND LIST TITLES	WARNINGS	No warnings fou	nd on HPD Pr	iority Hazard Lis
None found	vailable in respirable form.	WARNINGS	No warnings fou	nd on HPD Pr	
None found SUBSTANCE NOTES: Not av	vailable in respirable form.		No warnings fou		iority Hazard Lis
None found SUBSTANCE NOTES: Not av ENGLISH FULLERS EAF	vailable in respirable form.			-04-12	
None found SUBSTANCE NOTES: Not av ENGLISH FULLERS EAF	vailable in respirable form. RTH Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE: <b>2020</b>	-04-12	ıd: <b>8031-1</b>
None found SUBSTANCE NOTES: Not av ENGLISH FULLERS EAF HAZARD SCREENING METHOD: %: 0.10 - 1.00	vailable in respirable form. RTH Pharos Chemical and Materials Library GS: NoGS	HAZARD SCREE RC: <b>None</b>	NING DATE: <b>2020</b>	-04-12 Role: T	ID: <mark>8031-</mark> 1
None found SUBSTANCE NOTES: Not av ENGLISH FULLERS EAF HAZARD SCREENING METHOD: %: 0.10 - 1.00 HAZARD TYPE None found	vailable in respirable form. RTH Pharos Chemical and Materials Library GS: NoGS	HAZARD SCREE RC: <b>None</b>	NING DATE: <b>2020</b> NANO: <b>NO</b>	-04-12 Role: T	ID: 8031-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12		
%: Impurity/Residual	GS: <b>BM-2</b>	RC: None	NANO: <b>NO</b>	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
CHRON AQUATIC	EU - GHS (H-Statements)	H411	- Toxic to aquation	c life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		tation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class	2 - Hazard to Wa	iters

SUBSTANCE NOTES: None

#### **XYLENES**

ID: 1330-20-7

ID: 14808-60-7

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	-04-12
%: Impurity/Residual	GS: <b>BM-1</b>	RC: None	NANO: <b>NO</b>	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
SKIN IRRITATION	EU - GHS (H-Statements)	H315	- Causes skin irri	tation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Poten	tial Endocrine Di	sruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	us to Class 2 - Hazard to Waters		aters
REPRODUCTIVE	GHS - Japan	Toxic	to reproduction	- Category 1B [H360]

SUBSTANCE NOTES: None

### QUARTZ

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12		
%: Impurity/Residual	GS: <b>LT-1</b>	RC: None	NANO: <b>NO</b>	ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Not available in respirable form.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Self-declared		
CERTIFYING PARTY: Self-declared Applicable facilities: All Henry facilities CERTIFICATE URL:	ISSUE DATE: 2020- 04-12	EXPIRY DATE:	CERTIFIER OR LAB: Henry Company
CERTIFICATION AND COMPLIANCE NOTES: Exterior use	only product		
VOC CONTENT	EPA Method 24 -	Volatile Matter Conte	ent (EPA 24)
CERTIFYING PARTY: Self-declared Applicable facilities: All Henry facilities CERTIFICATE URL:	ISSUE DATE: 2020- 04-12	EXPIRY DATE:	CERTIFIER OR LAB: Henry Company

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product

## 🛨 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

No additional general notes for this product

#### MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy Suite 800 El Segundo CA 90245, USA WEBSITE: www.henry.com CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

LT-P1 List Translator Possible Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

LT-1 List Translator Likely Benchmark 1

#### KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

#### GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

**Recycled Types** 

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

#### **Other Terms**

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

# 555 Fibered Aluminum Roof Coating hpdrepository.hpd-collaborative.org