# 790-11 Hot Rubberized Asphalt by Henry Company

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 14 13.00

PRODUCT DESCRIPTION: 790-11 is a hot applied, rubberized asphalt formulated to provide a monolithic fully bonded roofing and waterproofing membrane. It is hot poured in a single or fabric reinforced application. 790-11 is composed of a specially selected blend of refined asphalts, synthetic rubber and mineral stabilizers. It is modified with additives to promote adhesion and improve low temperature flexibility.



# Section 1: Summary

### **Basic Method / Product Threshold**

#### **CONTENT INVENTORY**

# **Inventory Reporting Format**

- Nested Materials Method
- Basic Method

#### **Threshold Disclosed Per**

- Material
- Product

### Threshold level

- € 100 ppm
- C 1,000 ppm
- Per GHS SDS C Per OSHA MSDS
- C Other

### Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

790-11 HOT RUBBERIZED ASPHALT [ ASPHALT LT-1 | CAN LIMESTONE; CALCIUM CARBONATE LT-UNK SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES LT-1 | CAN | MUL STYRENE BUTADIENE RUBBER (SBR) LT-UNK QUARTZ LT-1 | CAN SULFUR LT-UNK | SKI ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Regulatory (g/l): 0.0 Material (g/l): 0.0

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

**CONSISTENCY WITH OTHER PROGRAMS** 

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VFRIFIFR: VERIFICATION #: SCREENING DATE: 2020-04-09 PUBLISHED DATE: 2020-04-09 EXPIRY DATE: 2023-04-09



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

### 790-11 HOT RUBBERIZED ASPHALT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities and residuals considered...

OTHER PRODUCT NOTES: None

ASPHALT				ID: <b>8052-42-</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-09		
%: 35.00 - 55.00	gs: <b>LT-1</b>	RC: None	nano: <b>No</b>	ROLE: Membrane layer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
CANCER	IARC	Group 2b - Possibly carcinogenic to humans		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CANCER	MAK		ogen Group 3B - I sufficient for cla	Evidence of carcinogenic effects ssification
		but not	sufficient for clas	ssification

LIMESTONE; CALCIUM CARBONATE				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-09				
%: 30.00 - 40.00	GS: LT-UNK	RC: None NANO: No ROLE: Fill	er/Film strengthener	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found	on HPD Priority Hazard Lists	

SUBSTANCE NOTES: This is not used for road paving applications so it is not considered a carcinogen by IARC.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-09		
%: 5.00 - 10.00	GS: <b>LT-1</b>	RC: None NANO: No ROLE: Flexibility		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer		
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man		
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based animal evidence		
CANCER	GHS - Australia	H350 - May cause cancer		

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-09		
%: 1.00 - 5.00	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Flexibility
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	o warnings found	on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

SUBSTANCE NOTES: Contains less than 3% DMSO extractables - not considered a carcinogen or mutagen.

QUARTZ				ID: <b>14808-60-7</b>
HAZARD SCREENING METHOD: Pharos (	Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-09		-04-09
%: Impurity/Residual	GS: LT-1	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans		
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens		
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]		
CANCER	GHS - Australia	H350i - May cause cancer by inhalation		

 $\mbox{\scriptsize SUBSTANCE}$  NOTES: This substance is encapsulated in the membrane.

SULFUR ID: 7704-34-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-09		
%: Impurity/Residual	GS: LT-UNK	RC: <b>None</b> NANO:	No ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		

SUBSTANCE NOTES: None



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

Self-declared

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilities

ISSUE DATE: 2020-04-09

EXPIRY DATE:

CERTIFIER OR LAB: Henry

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product.

**VOC CONTENT** 

**EPA Method 24 - Volatile Matter Content (EPA 24)** 

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilities

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

04-09

Company

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product.



## **Section 4: Accessories**

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



## Section 5: General Notes

No additional general notes for this product.

#### MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Hazard Types**

AQU Aquatic toxicity

CAN Cancer
DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple hazards **NEU** Neurotoxicity

OZO Ozone depletion
PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

### **Recycled Types**

PreC Preconsumer (Post-Industrial)

**PostC** Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown

None Does not include recycled content

### **Other Terms**

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.