

869 Rubberized Aluminum Roof Coating by Henry Company

Health Product Declaration v2.0

CLASSIFICATION: 07 14 16.00

created via: HPDC Online
Builder

PRODUCT DESCRIPTION: HENRY 869 RUBBERIZED ALUMINUM ROOF COATING IS A PREMIUM, HIGHLY REFLECTIVE, PONDING WATER RESISTANT ROOF COATING MADE WITH SBS RUBBER POLYMERS, WHICH GIVE THE COATING OUTSTANDING STRENGTH AND ELASTIC PROPERTIES. IT IS AN EXCELLENT TOP SURFACING FOR NEW OR WEATHERED ASPHALT SURFACES, SMOOTH MODIFIED BITUMEN MEMBRANES, AND METAL ROOFS. IT IS SUITABLE FOR COMMERCIAL, INSTITUTIONAL, AND INDUSTRIAL APPLICATIONS. ITS HIGHLY REFLECTIVE PROPERTIES WILL EXTEND ROOF LIFE EXPECTANCY BY RETARDING THE ADVERSE EFFECTS OF SOLAR RADIATION AND REDUCING ROOF SURFACE TEMPERATURES. IT ALSO REDUCES INTERIOR BUILDING TEMPERATURES. MANUFACTURED TO MEET THE REQUIREMENTS OF ASTM D-2824, TYPE III.

Section 1: Summary

CONTENT INVENTORY

- Threshold per material
- 100 ppm
 - 1,000 ppm
 - Per GHS SDS
 - Per OSHA MSDS
 - Other

- Residuals and impurities considered in 1 of 1 materials
- see Section 2: Material Notes
 - see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized.....	<input checked="" type="radio"/>	<input type="radio"/>
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

RUBBERIZED ALUMINUM ROOF COATING [SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM., SHOWN TO CONTAIN LESS THAN 0,1 % W/W BENZENE **LT-P1** | MAM | MUL ALUMINUM **LT-P1** | RES | END | PHY STYRENE BUTADIENE RUBBER (SBR) **LT-UNK** ASPHALT **LT-1** | CAN WOLLASTONITE **LT-UNK** SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC **LT-UNK** | MAM DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC, SHOWN TO CONTAIN LESS THAN 3 % DMSO EXTRACT **LT-1** | CAN | MUL SILICA GEL **LT-UNK** HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED **LT-UNK** 1,2,4-TRIMETHYLBENZENE **BM-2** | MAM | EYE | SKI | AQU | MUL XYLENES **BM-1** | MAM | SKI | END | MUL 1,2,3-TRIMETHYLBENZENE **BM-2**]

Number of Greenscreen BM-4/BM3 contents.....
0
Contents highest concern GreenScreen Benchmark or List translator Score.....
BM-1
Nanomaterial..... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): Regulatory (g/l): 450
Does the product contain exempt VOCs: No
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: January 24, 2017	EXPIRY DATE*: January 24, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: January 24, 2017	* or within 3 months of significant change in product contents
*See HPDC website for details			



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

RUBBERIZED ALUMINUM ROOF COATING %: 100.0000 - 100.0000 HPD URL:

Inventory Threshold: 100 ppm

Residuals Considered: Yes

Material Notes:

SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM., SHOWN TO CONTAIN LESS THAN 0,1 % W/W BENZENE

ID: 64742-95-6

%: 15.0000 - 25.0000

GS: LT-P1

RC: None

NANO: NO

ROLE: Solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN

EU - GHS (H-Statements)

H304 - May be fatal if swallowed and enters airways

MULTIPLE

ChemSec - SIN List

CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES:

ALUMINUM

ID: 7429-90-5

%: 10.0000 - 20.0000

GS: LT-P1

RC: None

NANO: NO

ROLE: Reflectance

HAZARDS:

AGENCY(IES) WITH WARNINGS:

RESPIRATORY

AOEC - Asthmagens

Asthmagen (ARs) - sensitizer-induced - inhalable forms only

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H228 - Flammable solid

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H250 - Catches fire spontaneously if exposed to air

PHYSICAL HAZARD (REACTIVE)

EU - GHS (H-Statements)

H261 - In contact with water releases flammable gases

SUBSTANCE NOTES: Not in available in a dry or respirable form.

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

%: 10.0000 - 20.0000 GS: LT-UNK RC: None NANO: NO ROLE: Flexible polymer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

ASPHALT

ID: 8052-42-4

%: 10.0000 - 20.0000 GS: LT-1 RC: None NANO: NO ROLE: Waterproofing/flexibility

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen in road paving applications. This product is not intended for that application.

WOLLASTONITE

ID: 13983-17-0

%: 5.0000 - 10.0000 GS: LT-UNK RC: None NANO: NO ROLE: Filler/film strengthener

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC

ID: 64742-88-7

%: 3.0000 - 7.0000 GS: LT-UNK RC: None NANO: NO ROLE: Solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure

SUBSTANCE NOTES:

DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC, SHOWN TO CONTAIN LESS THAN 3 % DMSO EXTRACT

ID: 64742-52-5

%: 1.0000 - 5.0000 GS: LT-1 RC: None NANO: NO ROLE: Plasticizer

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER EU - REACH Annex XVII CMRs Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man

MULTIPLE ChemSec - SIN List CMR - Carcinogen, Mutagen &/or Reproductive Toxicant

MULTIPLE German FEA - Substances Hazardous to Waters Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: Contains less than 3% DMSO extractables. Not a carcinogen or mutagen.

SILICA GEL

ID: 112926-00-8

%: 1.0000 - 5.0000 GS: LT-UNK RC: None NANO: NO ROLE: Thixotrope

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES:

HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED

ID: 69430-35-9

%: 1.0000 - 5.0000 GS: LT-UNK RC: None NANO: NO ROLE: Adhesion

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES:

1,2,4-TRIMETHYLBENZENE

ID: 95-63-6

%: Impurity/Residual GS: BM-2 RC: None NANO: NO ROLE: Impurity/Residual

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN EU - R-phrases R20 - Harmful by Inhalation (gas or vapor or dust/mist)

EYE IRRITATION	EU - R-phrases	R36 - Irritating to eyes
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
ACUTE AQUATIC	EU - R-phrases	R51 - Toxic to Aquatic Organisms
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

XYLENES

ID: 1330-20-7

%: Impurity/Residual	GS: BM-1	RC: None	NANO: NO	ROLE: Impurity/Residual
----------------------	----------	----------	----------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
MAMMALIAN	EU - R-phrases	R21 - Harmful in Contact with Skin
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

1,2,3-TRIMETHYLBENZENE

ID: 526-73-8

%: Impurity/Residual	GS: BM-2	RC: None	NANO: NO	ROLE: Impurity/Residual
----------------------	----------	----------	----------	-------------------------

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found	No warnings found on HPD Priority lists
------------	---

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

CONTACT NAME: Whitney Randall

ADDRESS: 999 N. Sepulveda Blvd.
Suite 800
El Segundo, CA 90245
USA

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

WEBSITE: www.henry.com

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

- | | | |
|---------------------------------------|--|--|
| AQU Aquatic toxicity | GLO Global warming | PHY Physical Hazard (reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive toxicity |
| DEV Developmental toxicity | MUL Multiple hazards | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | OZO Ozone depletion | LAN Land Toxicity |
| GEN Gene mutation | PBT Persistent Bioaccumulative Toxic | NF Not found on Priority Hazard Lists |

GreenScreen (GS)

- | | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible Benchmark 1 |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator Likely Benchmark 1 |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | UNK Unknown (no data on List Translator Lists) |
| BM-U Benchmark Unspecified (insufficient data to benchmark) | |

Recycled Types

- PreC** Preconsumer (Post-Industrial)
- PostC** Postconsumer
- Both** Both Preconsumer and Postconsumer
- Unk** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other

- Nano** Composed of nanoscale particles or nanotechnology

Declaration Level

- Self-declared** Manufacturer's self-declaration (First Party)
- Independent Lab** Manufacturer's self-declaration using results from an independent lab
- Second Party** Verification by trade association or other interested party
- Third Party** Verification by independent certifier
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.