887 Tropi-Cool® 100% Silicone White Roof Coating by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: Henry 887 - TROPI-COOL™ 100% SILICONE WHITE ROOF COATING is a highly-reflective, white, 100% silicone, moisture cure coating designed to reflect the sun's heat and UV rays as well as protect many types of roofs. Whilesuitable for use in all climates, the 100% silicone chemistry is especially suited for extreme tropical environments, which are exposed to some of the hottest and wettest weather with intense UV exposure. It is specially designed to maintain maximum reflectivity of heat and UV rays as it ages. Its moisture cure chemistry creates a very aggressive chemical bond with the roof, which allows for permanent ponding water resistance, extreme durability, and superior capabilities of sealing and protection.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- € 100 ppm
- C 1,000 ppm
- Per GHS SDS C Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

100% SILICONE WHITE ROOF COATING [SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED BM-2 NEPHELINE SYENITE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END POLYDIMETHYL SILOXANE LT-P1 PBT OCTAMETHYLCYCLOTETRASILOXANE (D4) BM-1 | PBT | MUL | REP | END 2-BUTANONE, O,O',O''-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI) LT-UNK FUMED SILICA, CRYSTALLINE-FREE BM-1 | CAN QUARTZ LT-1 | CAN CARBON BLACK BM-1 | CAN FERRIC OXIDE BM-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (q/l): 10

Regulatory (g/l): 10

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2020-04-12 PUBLISHED DATE: 2020-04-12

EXPIRY DATE: 2023-04-12



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

100% SILICONE WHITE ROOF COATING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered

OTHER PRODUCT NOTES: None

SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED

ID: 70131-67-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	HAZARD SCREENING DATE: 2020-04-12		
%: 50.00 - 60.00	GS: BM-2	RC: None	nano: No	ROLE: Waterproofing/polymer	
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	NINGS		
None found			No wa	rnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: None

NEPHELINE SYENITE				ID: 37244-96- 5	
HAZARD SCREENING METHOD: F	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-12			
%: 20.00 - 30.00	GS: LT-UNK	RC: None	nano: No	ROLE: Filler/film strengthener	
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
None found			No war	nings found on HPD Priority Hazard Lists	

TITANIUM DIOXIDE				ID: 13463-67-7
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12		
%: 5.00 - 10.00	GS: LT-1	RC: None	nano: No	ROLE: Pigment

SUBSTANCE NOTES: Not in respirable form

AGENCY AND LIST TITLES	WARNINGS
US CDC - Occupational Carcinogens	Occupational Carcinogen
CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
	US CDC - Occupational Carcinogens CA EPA - Prop 65 IARC MAK TEDX - Potential Endocrine Disruptors

SUBSTANCE NOTES: Not available in respirable form.

POLYDIMETHYL SILOXANE	ID: 9016-00-6
-----------------------	----------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12			
%: 5.00 - 10.00	GS: LT-P1	RC: None	nano: No	ROLE: Flexibilizer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
РВТ	EC - CEPA DSL	Persistent, E humans	Persistent, Bioaccumulative and inherently Toxic (PBiTH) humans		

SUBSTANCE NOTES: None

OCTAMETHYLCYCLOTETRASILOXANE (D4)

ID: **556-67-2**

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2020-04	-12
%: 3.00 - 7.00	gs: BM-1	RC: None	nano: No	ROLE: Solvent

	WARNINGS	
J - ESIS PBT	Under PBT evaluation	
R DEQ - Priority Persistent Pollutants	Priority Persistent Pollutant - Tier 1	
	Persistent, Bioaccumulative and inherently Toxic (PBiTE) to the Environment (based on aquatic organisms)	
	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans	
S EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development	
J - GHS (H-Statements)	H361f - Suspected of damaging fertility	
nemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant	
nemSec - SIN List	Endocrine Disruption	
EDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
erman FEA - Substances Hazardous to aters	Class 3 - Severe Hazard to Waters	
	TSCA Work Plan chemical - ongoing chemical (risk) assessment	
	Category 1 - In vivo evidence of Endocrine Disruption Activity	
J - SVHC Authorisation List	PBT - Candidate list	
J - SVHC Authorisation List	vPvB - Candidate list	
R C C S J no no El el a	DEQ - Priority Persistent Pollutants - CEPA DSL - CEPA DSL EPA - PPT Chemical Action Plans - GHS (H-Statements) emSec - SIN List DX - Potential Endocrine Disruptors rman FEA - Substances Hazardous to ters EPA - PPT Chemical Action Plans - Priority Endocrine Disruptors - SVHC Authorisation List	

SUBSTANCE NOTES: None

2-BUTANONE, O,O',O''-(METHYLSILYLIDYNE)TRIOXIME (8CI)(9CI)

ID: **22984-54-9**

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREE	HAZARD SCREENING DATE: 2020-04-12			
%: 1.00 - 5.00	gs: LT-UNK	RC: None	nano: No	ROLE: Catalyst		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found		No v	varnings found on	HPD Priority Hazard Lists		
SUBSTANCE NOTES: None						

FUMED SILICA, CRYSTALLINE-FREE

ID: **112945-52-5**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12		
%: 1.00 - 5.00	GS: BM-1	RC: None	NANO: No	ROLE: Thixotrope

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Not in respirable form.

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12		
%: Impurity/Residual	GS: LT-1	RC: None	nano: No	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	IINGS	
CANCER	US CDC - Occupational Carcinogens	Occ	upational Carcino	gen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure rou		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer man		Substances that cause cancer in
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans		
CANCER	IARC		up 1 - Agent is can upational sources	cinogenic to humans - inhaled from
CANCER	GHS - New Zealand	6.74	- Known or presu	med human carcinogens
CANCER	GHS - Japan	Card	cinogenicity - Cate	gory 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: Not available in respirable form.

CARBON BLACK ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2020-04-12		
%: 0.00 - 1.00	GS: BM-1	RC: None	nano: No	ROLE: Pigment	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Not available in respirable form.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-12		
%: 0.00 - 3.00	GS: BM-1	RC: None	nano: No	ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		

SUBSTANCE NOTES: Not in respirable form



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Self-declared

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

CERTIFIER OR LAB: Henry

APPLICABLE FACILITIES: All Henry facilities

04-12

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product.

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

EXPIRY DATE:

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

APPLICABLE FACILITIES: All Henry facilities

04-12

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

No additional general notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity **CAN** Cancer

DEV Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming **PHY** Physical Hazard (reactive) MAM Mammalian/systemic/organ toxicity **REP** Reproductive toxicity

MUL Multiple hazards **RES** Respiratory sensitization **NEU** Neurotoxicity SKI Skin sensitization/irritation/corrosivity

OZO Ozone depletion **LAN** Land Toxicity

PBT Persistent Bioaccumulative Toxic NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes) BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer **Both Both Preconsumer and Postconsumer** Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.