906 Flashmaster Plus by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 26 16.00

PRODUCT DESCRIPTION: 906 - FLASHMASTER™ PLUS is a premium quality, rubber polymer-modified mastic compound of asphalt, organic fibers and mineral fillers for use on wet or dry surfaces. This all-weather application flashing cement is blended to assure maximum resistance to weathering while providing ease of application by trowel. It is a soft, all temperature, pliable material that gradually hardens to a flexible, durable and watertight film. It exhibits superior adhesion to either wet or dry surfaces.

-	

Section 1: Summary

Basic Method / Product Threshold

	JTF			

Threshold level All Substances Above the Threshold Indicated Are: **Inventory Reporting Format** Residuals/Impurities Nested Materials Method € 100 ppm Considered Characterized Basic Method C 1,000 ppm C Partially Considered Per GHS SDS Not Considered **Threshold Disclosed Per** Per OSHA MSDS Screened Explanation(s) provided Material Other for Residuals/Impurities? Product results disclosed. Yes No Identified

 ○ Yes Ex/SC Yes No % weight and role provided for all substances.

O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with

○ Yes Ex/SC ○ Yes ○ No All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

FLASH 906 [ASPHALT LT-1 | CAN SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-P1 | MAM | END ENGLISH FULLERS EARTH NOGS CELLULOSE, MICROCRYSTALLINE LT-UNK | RES LIMESTONE; CALCIUM CARBONATE LT-UNK AROMATIC NAPHTHA, TYPE 1 LT-1 | MAM | GEN | CAN | MUL | END ALKYL(C12-16) DIMETHYLBENZYLAMMONIUM CHLORIDE BM-1 | RES | MUL XYLENES BM-1 | SKI | END | MUL | REP 1,2,4-TRIMETHYLBENZENE BM-2 | AQU | SKI | EYE | MUL QUARTZ LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 250 Regulatory (g/l): 250

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes O No

PREPARER: Self-Prepared VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-04-10 PUBLISHED DATE: 2020-04-10 EXPIRY DATE: 2023-04-10



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

FLASH 906

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered.

OTHER PRODUCT NOTES: None

ASPHALT ID: 8052-42-4 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-10 GS: **LT-1** %: 40.00 - 60.00 RC: None NANO: **No** ROLE: Waterproofing/Flexibility HAZARD TYPE AGENCY AND LIST TITLES WARNINGS IARC CANCER Group 2b - Possibly carcinogenic to humans CANCER **US CDC - Occupational Carcinogens** Occupational Carcinogen **CANCER** CA EPA - Prop 65 Carcinogen IARC **CANCER** Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources **CANCER** MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Not used for road paving - not an IARC carcinogen

SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC

ID: 64742-88-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-04-10		
%: 20.00 - 30.00	GS: LT-P1	RC: None	nano: No	ROLE: Solvent	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways		and enters airways	
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged repeated exposure			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endo	ocrine Disruptor		

SUBSTANCE NOTES: Contains no benzene - not a carcinogen or a mutagen

ENGLISH FULLERS EARTH	ID: 8031-18-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2020-04-10			
%: 5.00 - 10.00	GS: NoGS	RC: None	nano: No	ROLE: Thixotrope		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found No warnings found on HPD Priority Hazard Lists						
SUBSTANCE NOTES: Not in	respirable form					

CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-04-10		
%: 5.00 - 10.00	GS: LT-UNK	RC: None	NANO: No	ROLE: Thixotrope	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthmagen	Asthmagen (Rs) - sensitizer-induced		

SUBSTANCE NOTES: Not in respirable form

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-10			
%: 1.00 - 5.00	GS: LT-UNK	RC: None	nano: No	ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No wa	rnings found on HF	PD Priority Hazard Lists	
SUBSTANCE NOTES: Not in	respirable form.				

AROMATIC NAPHTHA, TYPE 1

ID: **64742-95-6**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-10

%: 0.50 - 4.00	gs: LT-1	RC: None NANO: No ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
GENE MUTATION	GHS - Australia	H340 - May cause genetic defects
CANCER	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: None

ALKYL(C12-16)DIMETHYLBENZYLAMMONIUM CHLORIDE

ID: 68424-85-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-10		
%: 0.10 - 1.00	GS: BM-1	RC: None	nano: No	ROLE: Preservative
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

SUBSTANCE NOTES: None

XYLENES ID: 1330-20-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-10

%: Impurity/Residual

GS: BM-1

RC: None NANO: No ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: None

1,2,4-TRIMETHYLBENZENE	ID: 95-63-6
------------------------	--------------------

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-10		
%: Impurity/Residual	GS: BM-2	RC: None	nano: No	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class	2 - Hazard to Wa	aters

SUBSTANCE NOTES: None

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-10		
%: Impurity/Residual	GS: LT-1	RC: None	NANO: No	ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

 $\mbox{\scriptsize SUBSTANCE}$ NOTES: Not present in a respirable form.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Self-declared

ISSUE DATE: 2020-

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilities

04-10

EXPIRY DATE:

CERTIFIER OR LAB: Henry

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilities

ISSUE DATE: 2020-04-10

EXPIRY DATE:

CERTIFIER OR LAB: Henry

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

No additional general notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer **DEV** Developmental toxicity **END** Endocrine activity **EYE** Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.