

CLASSIFICATION: 07 26 16.00

PRODUCT DESCRIPTION: 906 - FLASHMASTER™ PLUS IS A PREMIUM QUALITY, RUBBER POLYMER-MODIFIED MASTIC COMPOUND OF ASPHALT, ORGANIC FIBERS AND MINERAL FILLERS FOR USE ON WET OR DRY SURFACES. THIS ALL-WEATHER APPLICATION FLASHING CEMENT IS BLENDED TO ASSURE MAXIMUM RESISTANCE TO WEATHERING WHILE PROVIDING EASE OF APPLICATION BY TROWEL. IT IS A SOFT, ALL TEMPERATURE, PLIABLE MATERIAL THAT GRADUALLY HARDENS TO A FLEXIBLE, DURABLE AND WATERTIGHT FILM. IT EXHIBITS SUPERIOR ADHESION TO EITHER WET OR DRY SURFACES.

**Section 1: Summary**

**CONTENT INVENTORY**

- Threshold per material
- 100 ppm
  - 1,000 ppm
  - Per GHS SDS
  - Per OSHA MSDS
  - Other

Residuals and impurities considered in 1 of 1 materials

- see Section 2: Material Notes
- see Section 5: General Notes

Based on the selected Content Inventory Threshold:

Characterized.....	<input checked="" type="radio"/>	<input type="radio"/>
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

FLASH 906 [ ASPHALT **LT-1** | CAN SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC **LT-UNK** | MAM CELLULOSE, MICROCRYSTALLINE **UNK** ATTAPULGITE **LT-1** | CAN AROMATIC NAPHTHA, TYPE 1 **LT-1** | CAN | GEN | MAM | MUL LIMESTONE; CALCIUM CARBONATE **LT-UNK** XYLENES **BM-1** | MAM | SKI | END | MUL 1,2,4-TRIMETHYLBENZENE **BM-2** | MAM | EYE | SKI | AQU | MUL QUARTZ **LT-1** | CAN ]

Number of Greenscreen BM-4/BM3 contents..... 0  
Contents highest concern GreenScreen Benchmark or List translator Score..... BM-1  
Nanomaterial..... No

**INVENTORY AND SCREENING NOTES:**

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 243 Regulatory (g/l):  
Does the product contain exempt VOCs:  
No  
Are ultra-low VOC tints available: N/A

**CERTIFICATIONS AND COMPLIANCE**

No certifications have been added to this HPD.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: January 21, 2017	EXPIRY DATE*: January 21, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: January 21, 2017	* or within 3 months of significant change in product contents

\*See HPDC website for details



## Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: [www.hpd-collaborative.org](http://www.hpd-collaborative.org) and [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org).

### FLASH 906

%: 100.0000 - 100.0000 HPD URL:

Inventory Threshold: 100 ppm Residuals Considered: Yes

Material Notes:

#### ASPHALT

ID: 8052-42-4

%: 40.0000 - 60.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Waterproofing/Flexibility

#### HAZARDS:

#### AGENCY(IES) WITH WARNINGS:

CANCER

IARC

Group 2b - Possibly carcinogenic to humans

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

MAK

Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES:

#### SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC

ID: 64742-88-7

%: 20.0000 - 30.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Solvent

#### HAZARDS:

#### AGENCY(IES) WITH WARNINGS:

MAMMALIAN

EU - GHS (H-Statements)

H304 - May be fatal if swallowed and enters airways

ORGAN TOXICANT

EU - GHS (H-Statements)

H372 - Causes damage to organs through prolonged or repeated exposure

SUBSTANCE NOTES:

#### CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

%: 5.0000 - 10.0000

GS: UNK

RC: None

NANO: NO

ROLE: Thixotrope

#### HAZARDS:

#### AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

ATTAPULGITE

ID: 12174-11-7

#: 5.0000 - 10.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Thixotrope

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES: Not present in a respirable form

AROMATIC NAPHTHA, TYPE 1

ID: 64742-95-6

#: 1.0000 - 5.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER	EU - R-phrases	R45 - May cause cancer
GENE MUTATION	EU - R-phrases	R46 - May cause heritable genetic damage
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B

SUBSTANCE NOTES:

## LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Filler
--------------------	------------	----------	----------	--------------

**HAZARDS:**

None Found

**AGENCY(IES) WITH WARNINGS:**

No warnings found on HPD Priority lists

## SUBSTANCE NOTES:

## XYLENES

ID: 1330-20-7

%: Impurity/Residual	GS: BM-1	RC: None	NANO: NO	ROLE: Impurity/Residual
----------------------	----------	----------	----------	-------------------------

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
MAMMALIAN	EU - R-phrases	R21 - Harmful in Contact with Skin
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

## SUBSTANCE NOTES:

## 1,2,4-TRIMETHYLBENZENE

ID: 95-63-6

%: Impurity/Residual	GS: BM-2	RC: None	NANO: NO	ROLE: Impurity/Residual
----------------------	----------	----------	----------	-------------------------

**HAZARDS:****AGENCY(IES) WITH WARNINGS:**

MAMMALIAN	EU - R-phrases	R20 - Harmful by Inhalation (gas or vapor or dust/mist)
EYE IRRITATION	EU - R-phrases	R36 - Irritating to eyes
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin
ACUTE AQUATIC	EU - R-phrases	R51 - Toxic to Aquatic Organisms
CHRON AQUATIC	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

QUARTZ

ID: 14808-60-7

%: Impurity/Residual

GS: LT-1

RC: None

NANO: NO

ROLE: Impurity/Residual

**HAZARDS:**

**AGENCY(IES) WITH WARNINGS:**

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 1: Agent is carcinogenic to humans - inhaled from occupational sources

CANCER

US NIH - Report on Carcinogens

Known to be Human Carcinogen (respirable size - occupational setting)

CANCER

MAK

Carcinogen Group 1 - Substances that cause cancer in man

SUBSTANCE NOTES: Not present in a respirable form.



### Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



### Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



### Section 5: General Notes



**MANUFACTURER INFORMATION**

MANUFACTURER: Henry Company

CONTACT NAME: Whitney Randall

ADDRESS: 999 N. Sepulveda Blvd  
Suite 800  
El Segundo, CA 90245  
USA

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

WEBSITE: www.henry.com

EMAIL: wrandall@henry.com

**KEY**

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

**AQU** Aquatic toxicity

**GLO** Global warming

**PHY** Physical Hazard (reactive)

**CAN** Cancer

**MAM** Mammalian/systemic/organ toxicity

**REP** Reproductive toxicity

**DEV** Developmental toxicity

**MUL** Multiple hazards

**RES** Respiratory sensitization

**END** Endocrine activity

**NEU** Neurotoxicity

**SKI** Skin sensitization/irritation/corrosivity

**EYE** Eye irritation/corrosivity

**OZO** Ozone depletion

**LAN** Land Toxicity

**GEN** Gene mutation

**PBT** Persistent Bioaccumulative Toxic

**NF** Not found on Priority Hazard Lists

GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**LT-P1** List Translator Possible Benchmark 1

**BM-3** Benchmark 3 (use but still opportunity for improvement) **BM-2** Benchmark 2 (use but search for safer substitutes)

**LT-1** List Translator Likely Benchmark 1

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**UNK** Unknown (no data on List Translator Lists)

Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

Other

**Nano** Composed of nanoscale particles or nanotechnology

Declaration Level

**Self-declared** Manufacturer's self-declaration (First Party)

**Independent Lab** Manufacturer's self-declaration using results from an independent lab

**Second Party** Verification by trade association or other interested party

**Third Party** Verification by independent certifier

**Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.