AQUA-BLOC® 2P by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: AQUA-BLOC® 2P is a two-part, 100% solids, self-leveling liquid membrane and vulcanizing adhesive designed to repair, level and waterproof rough and uneven concrete surfaces. Product cures to a smooth, rubberlike membrane, which can act as a standalone waterproofing membrane or as a leveling coat for Blueskin® WP200 or DuraTac™ self-adhering membrane products. Both Component A and B provided in pail, yielding 3.2 gallons of finished product.



Section 1: Summary

Basic Method / Product Threshold

	TFN			

Inventory Reporting Format	Threshold level	Residuals/Impurities	All Substances Abov	ve the Threshold Indicated Are:
Nested Materials Method Basic Method	 100 ppm 1,000 ppm Per GHS SDS	Considered Partially Considered Not Considered	Characterized % weight and role pl	C Yes Ex/SC • Yes C
Threshold Disclosed Per Material Product	© Per OSHA MSDS © Other	Explanation(s) provided for Residuals/Impurities? • Yes • No	Screened All substances screenesults disclosed.	C Yes Ex/SC • Yes C

 ○ Yes Ex/SC Yes No ided for all substances.

O Yes Ex/SC O Yes O No d using Priority Hazard Lists with

Identified ○ Yes Ex/SC ○ Yes ○ No All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

AQUA-BLOC 2P [ASPHALT LT-1 | CAN 2,5-FURANDIONE, POLYMER WITH 1,3-BUTADIENE LT-UNK DISTILLATES (PETROLEUM), SOLVENT-**DEWAXED HEAVY PARAFFINIC, SHOWN TO CONTAIN LESS THAN 3 %** DMSO EXTRACT LT-UNK 1,3-BUTADIENE, HOMOPOLYMER, HYDROXY-TERMINATED LT-UNK LIMESTONE; CALCIUM CARBONATE LT-UNK 2,4,6-TRI(DIMETHYLAMINOMETHYL)PHENOL LT-UNK | SKI | EYE SULFUR LT-UNK | SKI *QUARTZ* LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third	Party	Verified?
_		

C Yes O No

PREPARER: Self-Prepared VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-04-11 PUBLISHED DATE: 2020-04-12 EXPIRY DATE: 2023-04-11



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

AQUA-BLOC 2P

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered.

OTHER PRODUCT NOTES: None

ASPHALT ID: 8052-42-4 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-11 GS: **LT-1** %: 40.00 - 60.00 RC: None NANO: **NO** ROLE: Waterproofing/Flexibility HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CANCER IARC Group 2b - Possibly carcinogenic to humans CANCER US CDC - Occupational Carcinogens Occupational Carcinogen **CANCER** CA EPA - Prop 65 Carcinogen Group 2B - Possibly carcinogenic to humans - inhaled from **CANCER** IARC occupational sources CANCER MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen in road paving applications. This product is not used for that application.

2,5-FURANDIONE, POLYMER WITH 1,3-BUTADIENE

ID: 25655-35-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-11			
%: 20.00 - 20.00 GS	: LT-UNK	RC: None	NANO: No	ROLE: Catalyst	
HAZARD TYPE AGENC	CY AND LIST TITLES	WARNINGS			
None found		No wa	arnings found on H	PD Priority Hazard Lists	

SUBSTANCE NOTES: Reacts upon application.

SUBSTANCE NOTES: Less than 3% DMSO extractables - not considered a carcinogen or mutagen.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCF	REENING DATE:	2020-04-11
%: 15.00 - 25.00	GS: LT-UNK		RC: None	nano: No	ROLE: Flexibility
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No		warnings found	d on HPD Pri	ority Hazard Lists	

1,3-BUTADIENE, HOMOPOLYMER, HYDROXY-TERMINATED

ID: 69102-90-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-11		
%: 15.00 - 26.00	GS: LT-UNK	RC: None	nano: No	ROLE: waterproofing/polymer
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	NINGS	
None found			No war	nings found on HPD Priority Hazard Lists

LIMESTONE; CALCIUM CARBONATE

SUBSTANCE NOTES: Reacts upon application

ID: 1317-65-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-11			
%: 1.00 - 5.00	gs: LT-UNK	RC: None	nano: No	ROLE: Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No wa	arnings found on HF	PD Priority Hazard List	

2,4,6-TRI(DIMETHYLAMINOMETHYL)PHENOL

ID: **90-72-2**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-11
%: 0.10 - 1.00	GS: LT-UNK	RC: None NANO: No ROLE: Catalyst
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES: None

SULFUR ID: 7704-34-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-11			
%: Impurity/Residual	gs: LT-UNK	RC: None	nano: No	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		tation	

QUARTZ ID: 14808-60-7 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-11 %: Impurity/Residual GS: LT-1 RC: None NANO: **No** ROLE: Impurity/Residual HAZARD TYPE AGENCY AND LIST TITLES WARNINGS **CANCER** US CDC - Occupational Carcinogens Occupational Carcinogen **CANCER** CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route **CANCER** US NIH - Report on Carcinogens Known to be Human Carcinogen (respirable size occupational setting) **CANCER** MAK Carcinogen Group 1 - Substances that cause cancer in man CANCER IARC Group 1 - Agent is Carcinogenic to humans CANCER IARC Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources CANCER GHS - New Zealand 6.7A - Known or presumed human carcinogens **CANCER** GHS - Japan Carcinogenicity - Category 1A [H350] **CANCER** GHS - Australia H350i - May cause cancer by inhalation

SUBSTANCE NOTES: None



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Self-declared

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilites

ISSUE DATE: 2020-04-12

EXPIRY DATE:

CERTIFIER OR LAB: Henry

Company

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product.

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2020-APPLICABLE FACILITIES: All Henry facilities 04-11

EXPIRY DATE:

CERTIFIER OR LAB: Henry

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

No additional general notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer **DEV** Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.