AQUA-BLOC® WB by Henry Company

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: AQUA-BLOC® WB is a single component, cold applied rubberized asphalt emulsion which cures to provide a heavy duty "seamless", rubber-like membrane for use in waterproofing and dampproofing concrete and masonry surfaces above and below grade. The elastomeric membrane formed is characterized by its high solids content while retaining a relatively high degree of workability.

Section 1: Summary

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

C Material

Product

100 ppm
1,000 ppm
Per GHS SDS
Per OSHA MSDS
Other

Threshold level

Residuals/Impurities

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities? All Substances Above the Threshold Indicated Are:

Basic Method / Product Threshold

Characterized C Yes Ex/SC • Yes C No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

Identified C Yes Ex/SC • Yes C No All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

AB 72038WB [ASPHALT LT-1 | CAN WATER BM-4 2-PROPENOIC ACID, POLYMER WITH ETHENYLBENZENE AND 2-ETHYLHEXYL 2-PROPENOATE LT-UNK POLY(VINYL ALCOHOL) LT-UNK *AROMATIC* NAPHTHA, TYPE 1 LT-1 | CAN | GEN | MAM | MUL *SULFUR* LT-UNK | SKI]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A Number of Greenscreen BM-4/BM3 contents ... 1 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES: None

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Self-declared VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

Yes
 No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2017-01-21 PUBLISHED DATE: 2020-04-12 EXPIRY DATE: 2020-01-21

F QUANTITY Its from screening individual ch

Health Product Declaration v2.1.1

created via: HPDC Online Builder

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

• Basic Inventory method with Product-level threshold.

- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

RODUCT THRESHOLD: 100 pp	SHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes				
SIDUALS AND IMPURITIES NOT	TES: Residuals and impurities conside	ered			
THER PRODUCT NOTES: NON	e				
ASPHALT					ID: 8052-4 2
	haros Chemical and Materials Library	HAZARD SCREEN	VING DATE: 20	17-01-21	10. 0002-44
%: 40.00 - 50.00	GS: LT-1	RC: None	NANO: NO	ROLE: Water	proofing/flexibility
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS		
CANCER	IARC	Grou	up 2b - Possik	oly carcinogenic	to humans
CANCER	US CDC - Occupational Carcinogens	s Occ	Occupational Carcinogen		
CANCER	МАК	Caro	inoaen Groui	o 2 - Considered	I to be carcinogenic for
	assifies asphalt as a carcinogen in road pav	man			n this manner.
SUBSTANCE NOTES: IARC cla		man			n this manner. ID: 7732-1 8
SUBSTANCE NOTES: IARC cla		man	. This produc		ID: 7732-1 8
SUBSTANCE NOTES: IARC cla WATER HAZARD SCREENING METHOD: P	assifies asphalt as a carcinogen in road pav	man ving applications.	. This produc	ct is not used i	ID: 7732-1 8
SUBSTANCE NOTES: IARC cla WATER HAZARD SCREENING METHOD: P	assifies asphalt as a carcinogen in road pav	man ving applications.	This produce RD SCREENING	ct is not used i DATE: 2017-01 -	ID: 7732-1 8
SUBSTANCE NOTES: IARC Cla WATER HAZARD SCREENING METHOD: P %: 30.00 - 40.00	assifies asphalt as a carcinogen in road pav haros Chemical and Materials Library GS: BM-4	man ving applications. HAZA RC: N	This produce RD SCREENING None	date: 2017-01 -	ID: 7732-18 -21 ROLE: Solvent
SUBSTANCE NOTES: IARC CI2 WATER HAZARD SCREENING METHOD: P %: 30.00 - 40.00 HAZARD TYPE	assifies asphalt as a carcinogen in road pav haros Chemical and Materials Library GS: BM-4	man ving applications. HAZA RC: N	This produce RD SCREENING None	date: 2017-01 -	ID: 7732-1 8
SUBSTANCE NOTES: IARC cla WATER HAZARD SCREENING METHOD: P %: 30.00 - 40.00 HAZARD TYPE None found	assifies asphalt as a carcinogen in road pav haros Chemical and Materials Library GS: BM-4	man ving applications. HAZA RC: N	This produce RD SCREENING None	date: 2017-01 -	ID: 7732-18 -21 ROLE: Solvent
SUBSTANCE NOTES: IARC Cla WATER HAZARD SCREENING METHOD: P %: 30.00 - 40.00 HAZARD TYPE None found SUBSTANCE NOTES: None	assifies asphalt as a carcinogen in road pav haros Chemical and Materials Library GS: BM-4	man ving applications. HAZA RC: N WARN	. This produce RD SCREENING Jone	date: 2017-01 -	ID: 7732-18 -21 ROLE: Solvent

%: 5.00 - 10.00	GS: LT-UNK	I	RC: None	NANO: NO	ROLE: Flexibility
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings	found on HPD	Priority Hazard Lists
SUBSTANCE NOTES: None					
POLY(VINYL ALCOHOL)					ID: 9002-89-5
HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCRE	ENING DATE:	2017-01-21	
%: 0.50 - 3.00	GS: LT-UNK	RC: None	NANO:	No ro	LE: Emulsifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings	found on HPE) Priority Hazard Lists
SUBSTANCE NOTES: None					

IAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-01-21			
%: Impurity/Residual	GS: LT-1	RC: None NANO: No ROLE: Impurity/Residua			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS		
CANCER	EU - R-phrases	R45 -	May cause cano	er	
GENE MUTATION	EU - R-phrases	R46 -	R46 - May cause heritable genetic damage		
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways			
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects			
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer			
CANCER	EU - REACH Annex XVII CMRs		Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man		
GENE MUTATION	EU - REACH Annex XVII CMRs		• • •	Substances which should be Mutagenic to man	
MULTIPLE	ChemSec - SIN List	CMR	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class	Class 2 - Hazard to Waters		
CANCER	EU - Annex VI CMRs		nogen Category al evidence	1B - Presumed Carcinogen based o	
GENE MUTATION	EU - Annex VI CMRs	Muta	gen - Category 1	В	

SUBSTANCE NOTES: None

SULFUR

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2017-01-21		
%: Impurity/Residual	GS: LT-UNK	RC: None NANO: No ROLE: Impurity/Residual		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKIN IRRITATION	EU - R-phrases	R38 - Irritating to skin		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		

SUBSTANCE NOTES: None

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Self-declared	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All Henry facilites CERTIFICATE URL:	ISSUE DATE: 2020- EXPIRY I 04-12	DATE: CERTIFIER OR LAB: Henry Company
CERTIFICATION AND COMPLIANCE NOTES: Exterior	use only product	
VOC CONTENT	EPA Method 24 - Volatile N	latter Content (EPA 24)
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All Henry facilities CERTIFICATE URL:	ISSUE DATE: 2020- EXPIRY 0 04-12	DATE: CERTIFIER OR LAB: Henry Company

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product.

🛨 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

No additional general notes for this product

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy Suite 800 El Segundo CA 90245, USA WEBSITE: www.henry.com CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.