

CLASSIFICATION: 07 14 16.00

created via: HPDC Online Builder

PRODUCT DESCRIPTION: AQUA-BLOC® WB IS A SINGLE COMPONENT, COLD APPLIED RUBBERIZED ASPHALT EMULSION WHICH CURES TO PROVIDE A HEAVY DUTY "SEAMLESS", RUBBER-LIKE MEMBRANE FOR USE IN WATERPROOFING AND DAMPPROOFING CONCRETE AND MASONRY SURFACES ABOVE AND BELOW GRADE. THE ELASTOMERIC MEMBRANE FORMED IS CHARACTERIZED BY ITS HIGH SOLIDS CONTENT WHILE RETAINING A RELATIVELY HIGH DEGREE OF WORKABILITY.

Section 1: Summary

CONTENT INVENTORY

| | | |
|--|--|--|
| <p>Threshold per material</p> <ul style="list-style-type: none"> <input checked="" type="radio"/> 100 ppm <input type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Per OSHA MSDS <input type="radio"/> Other | <p>Residuals and impurities considered in 1 of 1 materials</p> <ul style="list-style-type: none"> <input checked="" type="radio"/> see Section 2: Material Notes <input checked="" type="radio"/> see Section 5: General Notes | <p>Based on the selected Content Inventory Threshold:</p> <p>Characterized..... <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p>Are the Percent Weight and Role provided for all substances?</p> <p>Screened..... <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p>Are all substances screened using Priority Hazard Lists with results disclosed?</p> <p>Identified..... <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p>Are all substances disclosed by Name (Specific or Generic) and Identifier?</p> |
|--|--|--|

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents..... 1

Contents highest concern GreenScreen Benchmark or List translator Score..... LT-1

Nanomaterial..... No

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

AB 72038WB [ASPHALT **LT-1** | CAN WATER **BM-4** 2-PROPENOIC ACID, POLYMER WITH ETHENYLBENZENE AND 2-ETHYLHEXYL 2-PROPENOATE **LT-UNK** POLY(VINYL ALCOHOL) **LT-UNK** AROMATIC NAPHTHA, TYPE 1 **LT-1** | CAN | GEN | MAM | MUL SULFUR **LT-UNK** | SKI]

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 Regulatory (g/l):

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

| | | | |
|--|-----------------|----------------------------------|--|
| <input checked="" type="radio"/> Self-Published* | VERIFIER: | SCREENING DATE: January 21, 2017 | EXPIRY DATE*: January 21, 2020 |
| <input type="radio"/> Third Party Verified | VERIFICATION #: | RELEASE DATE: January 22, 2017 | * or within 3 months of significant change in product contents |

*See HPDC website for details



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

AB 72038WB

%: 100.0000 - 100.0000 HPD URL:

Inventory Threshold: 100 ppm Residuals Considered: Yes

Material Notes:

ASPHALT

ID: 8052-42-4

%: 40.0000 - 50.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Waterproofing/flexibility

HAZARDS:

AGENCY(IES) WITH WARNINGS:

CANCER

IARC

Group 2b - Possibly carcinogenic to humans

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

MAK

Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen in road paving applications. This product is not used in this manner.

WATER

ID: 7732-18-5

%: 30.0000 - 40.0000

GS: BM-4

RC: None

NANO: NO

ROLE: Solvent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

2-PROPENOIC ACID, POLYMER WITH ETHENYL BENZENE AND 2-ETHYLHEXYL 2-PROPENOATE

ID: 25085-19-2

%: 5.0000 - 10.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Flexibility

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

POLY(VINYL ALCOHOL)

ID: 9002-89-5

| | | | | |
|--------------------|------------|----------|----------|------------------|
| %: 0.5000 - 3.0000 | GS: LT-UNK | RC: None | NANO: NO | ROLE: Emulsifier |
|--------------------|------------|----------|----------|------------------|

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

AROMATIC NAPHTHA, TYPE 1

ID: 64742-95-6

| | | | | |
|----------------------|----------|----------|----------|-------------------------|
| %: Impurity/Residual | GS: LT-1 | RC: None | NANO: NO | ROLE: Impurity/Residual |
|----------------------|----------|----------|----------|-------------------------|

HAZARDS:**AGENCY(IES) WITH WARNINGS:**

| | | |
|---------------|---|--|
| CANCER | EU - R-phrases | R45 - May cause cancer |
| GENE MUTATION | EU - R-phrases | R46 - May cause heritable genetic damage |
| MAMMALIAN | EU - GHS (H-Statements) | H304 - May be fatal if swallowed and enters airways |
| GENE MUTATION | EU - GHS (H-Statements) | H340 - May cause genetic defects |
| CANCER | EU - GHS (H-Statements) | H350 - May cause cancer |
| CANCER | EU - REACH Annex XVII CMRs | Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man |
| GENE MUTATION | EU - REACH Annex XVII CMRs | Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man |
| MULTIPLE | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| CANCER | EU - Annex VI CMRs | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence |
| GENE MUTATION | EU - Annex VI CMRs | Mutagen - Category 1B |

SUBSTANCE NOTES:

SULFUR

ID: 7704-34-9

| | | | | |
|----------------------|------------|----------|----------|-------------------------|
| %: Impurity/Residual | GS: LT-UNK | RC: None | NANO: NO | ROLE: Impurity/Residual |
|----------------------|------------|----------|----------|-------------------------|

HAZARDS:

SKIN IRRITATION

AGENCY(IES) WITH WARNINGS:

EU - R-phrases

R38 - Irritating to skin

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.



Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: Henry Company
 ADDRESS: 999 N. Sepulveda Blvd.
 Suite 800
 El Segundo, CA 90245
 USA
 WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall
 TITLE: Director, Regulatory Compliance Systems
 PHONE: 484-557-1247
 EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

- | | | |
|---------------------------------------|--|--|
| AQU Aquatic toxicity | GLO Global warming | PHY Physical Hazard (reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive toxicity |
| DEV Developmental toxicity | MUL Multiple hazards | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | OZO Ozone depletion | LAN Land Toxicity |
| GEN Gene mutation | PBT Persistent Bioaccumulative Toxic | NF Not found on Priority Hazard Lists |

GreenScreen (GS)

- | | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible Benchmark 1 |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator Likely Benchmark 1 |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | UNK Unknown (no data on List Translator Lists) |
| BM-U Benchmark Unspecified (insufficient data to benchmark) | |

Recycled Types

- PreC** Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other

- Nano** Composed of nanoscale particles or nanotechnology

Declaration Level

- Self-declared** Manufacturer's self-declaration (First Party)
Independent Lab Manufacturer's self-declaration using results from an independent lab
Second Party Verification by trade association or other interested party
Third Party Verification by independent certifier
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.