Air-Bloc® All Weather STPE by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 27 26.00

PRODUCT DESCRIPTION: Henry® Air-Bloc All-Weather STPE is a low VOC, UV and fire-resistant fluid applied, elastomeric membrane designed to provide a vapor permeable, water resistive air barrier when applied to above-grade wall assemblies. It is single-component, moisture cure Silyl Terminated Polyether (STPE) which forms a tough monolithic rubberlike membrane resistant to air leakage, water penetration, and long term weathering. Air-Bloc All-Weather STPE can be spray, roll, or brush applied and can be left exposed for use with open-joint cladding



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

€ 100 ppm

C 1,000 ppm

Per GHS SDS Per OSHA MSDS

Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened

O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

○ Yes Ex/SC ○ Yes ○ No

All substances disclosed by Name (Specific or Generic) and

Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

AIR-BLOC® ALL WEATHER STPE [LIMESTONE, CALCIUM CARBONATE LT-UNK SILYL-TERMINATED POLYETHER NoGS POLYPROPYLENE GLYCOL LT-UNK 1,2-CYCLOHEXANEDICARBOXYLIC ACID, DINONYL ESTER BM-2 1,2-ETHANEDIAMINE, N-(3-(TRIMETHOXYSILYL)PROPYL)-(9CI) LT-UNK TRIMETHOXYVINYLSILANE BM-1tp ANOX 20 LT-UNK 2-[2-HYDROXY-3-DIMETHYLBENZYLPHENYL-5-(1,1,3,3-TETRAMETHYLBUTYL)]-2H-BENZOTRIAZOL LT-P1 | PBT BIS(2,2,6,6-TETRAMETHYL-4-PIPERIDINYL) SEBACATE BM-1 | MUL METHYL N-{[DIMETHOXY(METHYL)SILYL]METHYL}CARBAMATE NoGS SILOXANES AND SILICONES, DI-ME, REACTION PRODUCTS WITH SILICA LT-UNK CARBON BLACK BM-1 | CAN 3-IODO-2-PROPYNYLBUTYLCARBAMATE (PRIMARY CASRN IS 55406-53-6) BM-2 | AQU | SKI | EYE | MAM | END | MUL *QUARTZ* LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 30 Regulatory (g/l): 30 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes

PREPARER: Self-Prepared VERIFIER:

SCREENING DATE: 2020-04-15 PUBLISHED DATE: 2020-04-15



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

AIR-BLOC® ALL WEATHER STPE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities such as quartz are not in a respirable form.

OTHER PRODUCT NOTES: No additional product notes.

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-04-15		
%: 45.00 - 55.00	GS: LT-UNK	RC: None	nano: No	ROLE: Film strength	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings for	und on HPD Priority Hazard Lists	

SUBSTANCE NOTES: Not in respirable form

SILYL-TERMINATED POLYETHER

ID: 205265-06-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-15		
%: 20.00 - 30.00	GS: NoGS	RC: None	NANO: No	ROLE: Polymer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		N	o warnings found o	on HPD Priority Hazard Lists

SUBSTANCE NOTES: No notes

POLYPROPYLENE GLYCOL

ID: 25322-69-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-15		
%: 15.00 - 25.00	GS: LT-UNK	RC: None	nano: No	ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		1	No warnings found	on HPD Priority Hazard Lists

1,2-CYCLOHEXANEDICARBOXYLIC ACID, DINONYL ESTER

ID: 474919-59-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-04-15		
%: 1.00 - 5.00	GS: BM-2	RC: None	nano: No	ROLE: Plasticizer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		ļ	No warnings found	on HPD Priority Hazard Lists	
SUBSTANCE NOTES: None					

1,2-ETHANEDIAMINE, N-(3-(TRIMETHOXYSILYL)PROPYL)-(9CI)

ID: 1760-24-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-15		
%: 1.00 - 5.00	GS: LT-UNK	RC: None	nano: No	ROLE: Adhesion
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found o	on HPD Priority Hazard Lists

SUBSTANCE NOTES: Reacts with polymer during cure

TRIMETHOXYVINYLSILANE ID: 2768-02				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-15				
%: 1.00 - 5.00	GS: BM-1tp	RG: None	nano: No	ROLE: Adhesion
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		N	o warnings found	on HPD Priority Hazard Lists

SUBSTANCE NOTES: Reacts with polymer during cure

ANOX 20				ID: 6683-19-
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-15				
%: 0.10 - 0.50	GS: LT-UNK	RC: None	nano: No	ROLE: Antioxidant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		I	No warnings found	d on HPD Priority Hazard Lists

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-15			
%: 0.10 - 0.50	GS: LT-P1	RC: None NANO: No ROLE: UV Stabilizer			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
РВТ	ChemSec - SIN List	PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)			

BIS(2,2,6,6-TETRAMETHYL-4-PIPERIDINYL) SEBACATE

ID: **52829-07-9**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-15		
%: 0.10 - 0.50	GS: BM-1	RC: None	nano: No	ROLE: UV Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - H	azard to Waters	

SUBSTANCE NOTES: None

SUBSTANCE NOTES: None

METHYL N-{[DIMETHOXY(METHYL)SILYL]METHYL}CARBAMATE

ID: 23432-65-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-15		
%: 0.10 - 0.50	GS: NoGS	RC: None	nano: No	ROLE: Adhesion
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found o	on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

SILOXANES AND SILICONES, DI-ME, REACTION PRODUCTS WITH SILICA

ID: 67762-90-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-15		
%: 0.10 - 0.90	gs: LT-UNK	RC: None	nano: No	ROLE: Thixotrope
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No w	arnings found or	n HPD Priority Hazard Lists

SUBSTANCE NOTES: Not in respirable form.

CARBON BLACK ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	IING DATE: 2020-0 4	l-15		
%: 0.10 - 1.00	GS: BM-1	RC: None	RC: None NANO: No ROLE: Pigment			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	US CDC - Occupational Carcinogens	Occupational	Carcinogen			
CANCER	CA EPA - Prop 65	Carcinogen -	Carcinogen - specific to chemical form or exposure route			
CANCER	IARC	Group 2B - Po	,	ic to humans - inhaled from		
CANCER	MAK	•	roup 3B - Evidence ent for classification	e of carcinogenic effects		

SUBSTANCE NOTES: Not in respirable form

3-IODO-2-PROPYNYLBUTYLCARBAMATE (PRIMARY CASRN IS 55406-53-6)

ID: 1389329-45-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-15			
%: 0.01 - 0.05	GS: BM-2	RC: None NANO: No ROLE: Preservative			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life			
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects			
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction			
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage			
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled			
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters			
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization			

SUBSTANCE NOTES: None

QUARTZ ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-15		
%: Impurity/Residual	GS: LT-1	RC: None	nano: No	ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Not in respirable form



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

APPLICABLE FACILITIES: All

05-09

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use product

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All

05-09

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

No general notes are applicable at this time.

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company
ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: **484-557-1247**

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

CEN Conservation

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards
NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.