# Blueskin® Adhesive by Henry Company

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 52 16.11

PRODUCT DESCRIPTION: Blueskin® Adhesive is a quick drying, rubber based adhesive designed to enhance the adhesion of self-adhesive membranes such as Blueskin®. It is the surface preparation of choice on above or below grade applicatins where a quick-setting, aggressive tack is required.



# Section 1: Summary

### **Basic Method / Product Threshold**

$\sim$	∩I	NI	т	NI	т	11	Nľ	W	E١	ď	т	റ		v	
U	U	N		N		ш	A	V		A	ш	v	п	1	

<b>Inventory Reporting Format</b>	Threshold level	Residuals/Impurities	All Substances Abov	ve the Threshold Indicated Are:
Nested Materials Method Basic Method	<ul><li> 100 ppm</li><li> 1,000 ppm</li><li> Per GHS SDS</li></ul>	Considered Partially Considered Not Considered	Characterized % weight and role pi	C Yes Ex/SC ⊙ Yes C No rovided for all substances.
Threshold Disclosed Per  Material Product	C Per OSHA MSDS C Other	Explanation(s) provided for Residuals/Impurities?  • Yes • No	Screened  All substances scree results disclosed.	C Yes Ex/SC • Yes C No ened using Priority Hazard Lists with

Identified ○ Yes Ex/SC Yes No All substances disclosed by Name (Specific or Generic) and Identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

BLUESKIN ADHESIVE [ N-HEXANE BM-1 | AQU | MAM | SKI | REP | MUL | END | PHY ACETONE LT-P1 | EYE | END | DEL | PHY NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS, HYDROGENATED LT-UNK STYRENE BUTADIENE RUBBER (SBR) LT-UNK SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-P1 | MAM | END PARAFFIN OIL LT-UNK | RES BENTONITE LT-UNK 1,2,4-TRIMETHYLBENZENE BM-2 | AQU | SKI | EYE | MUL ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

### INVENTORY AND SCREENING NOTES:

Impurities are calculated from information on components used in this mixture. Components do not react or form additional impurities once mixed.

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 450 Regulatory (g/l): 450 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: No

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? PREPARER: Self-Prepared **SCREENING DATE: 2020-04-07** VERIFIER: PUBLISHED DATE: 2020-04-07 C Yes EXPIRY DATE: 2023-04-07 **VERIFICATION #:** O No



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

### **BLUESKIN ADHESIVE**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Impurities are determined from information on each component. The components in the mixture do not react or form additional impurities when mixed.

OTHER PRODUCT NOTES: None

**N-HEXANE** ID: 110-54-3

Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-07			
gs: <b>BM-1</b>	RC: None NANO: No ROLE: Solvent			
AGENCY AND LIST TITLES	WARNINGS			
EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects			
EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways			
EU - GHS (H-Statements)	H315 - Causes skin irritation			
EU - GHS (H-Statements)	H361f - Suspected of damaging fertility			
ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant			
ChemSec - SIN List	Endocrine Disruption			
TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			
German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters			
EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour			
CA EPA - Prop 65	Reproductive Toxicity - Male			
	GS: BM-1  AGENCY AND LIST TITLES  EU - GHS (H-Statements)  EU - GHS (H-Statements)  EU - GHS (H-Statements)  EU - GHS (H-Statements)  ChemSec - SIN List  ChemSec - SIN List  TEDX - Potential Endocrine Disruptors  German FEA - Substances Hazardous to Waters  EU - GHS (H-Statements)			

SUBSTANCE NOTES: No additional notes

**ACETONE** ID: 67-64-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-07

%: 20.00 - 30.00 gs: LT-P1 ROLE: Solvent RC: None NANO: NO

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEVELOPMENTAL	MAK	Pregnancy Risk Group B
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour

SUBSTANCE NOTES: None

# ${\bf NAPHTHA~(PETROLEUM),~LIGHT~STEAM-CRACKED,~DEBENZENIZED,~POLYMERS,~HYDROGENATED}$

ID: 68132-00-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-07					
%: 15.00 - 25.00	GS: LT-UNK		RC: None	NANO: <b>No</b>	ROLE: Adhesion
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings	found on HPD	Priority Hazard Lists
SUBSTANCE NOTES: None					

### STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD SCREENING METHOD:	HAZARD SCREEN	HAZARD SCREENING DATE: 2020-04-07				
%: 5.00 - 10.00	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Flexible polymer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
None found			No warnings	found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: None						

### SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC

ID: 64742-88-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2020-04-07			
%: 1.00 - 5.00	GS: LT-P1	RC: None	nano: <b>No</b>	ROLE: Solvent		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be	fatal if swallowed	and enters airways		
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged repeated exposure		s through prolonged or		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endo	crine Disruptor			

 ${\scriptsize \texttt{SUBSTANCE NOTES:}}\ \textbf{None-does not contain benzene or other carcinogens/mutagens.}$ 

PARAFFIN OIL ID: 8012-95-1

HAZARD SCREENING METHOD: Pharos (	HAZARD SCREENING DATE: 2020-04-07				
%: 1.00 - 5.00	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Plasticizer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G)	- generally acce	pted	

SUBSTANCE NOTES: None

BENTONITE ID: 1302-78-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-04-07				
%: <b>1.00 - 5.00</b>	GS: <b>LT-UNK</b>	RC: None	NANO: <b>No</b>	ROLE: Thixotrope			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS					
None found No warnings found on HPD Priority Ha				on HPD Priority Hazard Lists			

SUBSTANCE NOTES: Not available in respirable form.

1,2,4-TRIMETHYLBENZENE

HAZARD SCREENING METHOD: Pha	HAZARD SCREENING DATE: 2020-04-07				
%: Impurity/Residual	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS		
CHRON AQUATIC	EU - GHS (H-Statements)	H411 ·	· Toxic to aquation	c life with long lasting effects	
SKIN IRRITATION	EU - GHS (H-Statements)	H315 -	- Causes skin irri	tation	
EYE IRRITATION	EU - GHS (H-Statements)	H319 -	- Causes serious	eye irritation	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class	2 - Hazard to Wa	aters	

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{Impurity\ is\ found\ in\ the\ hydrocarbon\ solvent\ used\ in\ the\ mixture.}$ 



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

Self-declared

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilities

ISSUE DATE: 2020-04-07

EXPIRY DATE:

CERTIFIER OR LAB: Henry

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product.

**VOC CONTENT** 

**EPA Method 24 - Volatile Matter Content (EPA 24)** 

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilities

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

04-07

Company

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product.



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



# Section 5: General Notes

No additional general notes for this product.

#### MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer **DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple hazards **NEU** Neurotoxicity **OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive) **REP** Reproductive toxicity

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

### **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both Both Preconsumer and Postconsumer** Unk Inclusion of recycled content is unknown None Does not include recycled content

### Other Terms

### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.