# Blueskin® PE 200 HT by Henry Company

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 27 00.00

PRODUCT DESCRIPTION: Henry Blueskin® PE 200 HT High Temperature Roof Underlayment is a self-adhered roofing underlayment consisting of a high softening point, SBS rubberized asphalt compound, which is integrally laminated to a blue cross-laminated polyethylene film. Henry Blueskin® PE 200 HT adheres directly to roof decks or certain insulation panels prior to the application of finished roof coverings including architectural metal, shingles or tile.



## Section 1: Summary

# **Basic Method / Product Threshold**

^		<b>ITE</b>	JT	INI	/EN	ITC	DV
u	Uľ		<i>u</i> .	11/1/1	V E I		ו חי

### **Inventory Reporting Format**

- Nested Materials Method
- Basic Method

#### **Threshold Disclosed Per**

- Material
- Product

### Threshold level

- € 100 ppm
- C 1,000 ppm
- Per GHS SDS
- C Per OSHA MSDS
- C Other

### Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities? Yes No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE | HAZARD TYPE** 

BLUESKIN RF200 [ ASPHALT LT-1 | CAN STYRENE BUTADIENE RUBBER (SBR) LT-UNK DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI); LT-1 | PBT | CAN | MUL POLYETHYLENE LT-UNK *SULFUR* LT-UNK | SKI ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** 

**SCREENING DATE: 2020-04-14** PUBLISHED DATE: 2020-04-14 EXPIRY DATE: 2023-04-14

Blueskin PE 200 HT hpdrepository.hpd-collaborative.org



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

### **BLUESKIN RF200**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered

OTHER PRODUCT NOTES: None

**ASPHALT** ID: 8052-42-4 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-14 GS: **LT-1** %: 65.00 - 75.00 RC: None NANO: **No** ROLE: Waterproofing/flexibility HAZARD TYPE AGENCY AND LIST TITLES WARNINGS IARC CANCER Group 2b - Possibly carcinogenic to humans CANCER US CDC - Occupational Carcinogens Occupational Carcinogen **CANCER** CA EPA - Prop 65 Carcinogen IARC Group 2B - Possibly carcinogenic to humans - inhaled from **CANCER** occupational sources **CANCER** MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Not used in road paving - not considered a carcinogen by IARC.

### STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2020-04-14			
GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Flexibility			
AGENCY AND LIST TITLES	WARNINGS					
None found No warnings found on HPD Priority Hazard List						
	GS: LT-UNK	GS: LT-UNK RC: None  AGENCY AND LIST TITLES WARNINGS	GS: LT-UNK RC: None NANO: No AGENCY AND LIST TITLES WARNINGS			

SUBSTANCE NOTES: None

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-14			
%: 5.00 - 15.00	gs: <b>LT-1</b>	RC: None NANO: No ROLE: Plasticizer			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
PBT	EC - CEPA DSL	Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans			
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer			
CANCER EU - REACH Annex XVII CMRs		Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man			
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant			
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters			
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence			
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]			
CANCER	GHS - Australia	H350 - May cause cancer			

SUBSTANCE NOTES: Contains less than 3% DMSO extractables - not considered to be a carcinogen or a mutagen.

POLYETHYLENE ID: 9002-88-4

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2020-04-14				
%: <b>1.00 - 5.00</b>	gs: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Protective polymer barrier	
HAZARD TYPE AGENCY AND LIST TITLES		WARNINGS			
None found No warnings found on HPD Priority Hazard Lists					

SUBSTANCE NOTES: None

SULFUR 1D: 7704-34-9

HAZARD SCREENING METHOD: Phar	os Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-14			
%: Impurity/Residual	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 -	H315 - Causes skin irritation		

SUBSTANCE NOTES: None



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

Self-declared

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilities

ISSUE DATE: 2020-

04-14

EXPIRY DATE:

CERTIFIER OR LAB: Henry

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



## Section 5: General Notes

No additional general notes for this product

#### MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer **DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple hazards **NEU** Neurotoxicity **OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive) **REP** Reproductive toxicity

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

NF Not found on Priority Hazard Lists

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

### **Recycled Types**

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both Both Preconsumer and Postconsumer** Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.