Blueskin RF200TM by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 27 00.00

PRODUCT DESCRIPTION: Blueskin® Roof Tile & Metal is a self-adhered rubberized waterproof roofing membrane underlayment. It is used as a secondary waterproofing layer on slope roofs in both residential and commercial buildings, protecting the building's interior from damages caused by water infiltration as a result of ice dams or wind-driven rain. It is designed to be adhered directly to wood, gypsum decks or certain insulation panels prior to the application of finished roof coverings including architectural metal, tile, slate or cedar shakes.



Section 1: Summary

Basic Method / Product Threshold

| CON. | TFNT | . INVE | ENTC |)RY |
|------|------|--------|------|-----|
| | | | | |

| Inventory Reporting Format |
|----------------------------|
| Nested Materials Method |
| Basic Method |

Threshold Disclosed Per

| O | Material |
|----------|----------|
| (| Product |

Threshold level

| \odot | 100 ppm |
|---------|-----------|
| 0 | 1,000 ppm |

- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities? Yes No

All Substances Above the Threshold Indicated Are:

| Characterized | O | Yes | Ex/SC | \odot | Yes | O | No |
|---------------|---|-----|-------|---------|-----|---|----|
| | | | | | | | |

% weight and role provided for all substances.

O Yes Ex/SC O Yes O No Screened All substances screened using Priority Hazard Lists with

results disclosed.

Identified ○ Yes Ex/SC ○ Yes ○ No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BLUESKIN RF200 [ASPHALT LT-1 | CAN STYRENE BUTADIENE RUBBER (SBR) LT-UNK DISTILLATES (PETROLEUM), HYDROTREATED (MILD) HEAVY NAPHTHENIC (9CI); LT-1 | PBT | CAN | MUL POLYETHYLENE LT-UNK SULFUR LT-UNK | SKI]

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2020-04-10 PUBLISHED DATE: 2020-04-10 EXPIRY DATE: 2023-04-10



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

BLUESKIN RF200

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered.

OTHER PRODUCT NOTES: None

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCI | REENING DATE: 202 | 20-04-10 |
|--------------------------|---------------------------------------|------------|------------------------------------------|---------------------------------------------------------|
| %: 65.00 - 75.00 | GS: LT-1 | RC: None | nano: No | ROLE: Waterproofing/flexibility |
| HAZARD TYPE | AGENCY AND LIST TITLES | V | VARNINGS | |
| CANCER | IARC | (| Group 2b - Possib | ly carcinogenic to humans |
| CANCER | US CDC - Occupational Carcinogens | (| Occupational Card | cinogen |
| CANCER | CA EPA - Prop 65 | (| Carcinogen | |
| CANCER | IARC | | Group 2B - Possib occupational sour | oly carcinogenic to humans - inhaled fron |
| CANCER | MAK | | Carcinogen Group out not sufficient f | 3B - Evidence of carcinogenic effects or classification |

SUBSTANCE NOTES: Not used in road paving - not considered a carcinogen by IARC.

| STYRENE BUTADIENE RUBBER (SBR) | | | | | | |
|--------------------------------------------------------------------------------------------------|------------------------|----------|------------------|------------------------------|--|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-10 | | | | | | |
| %: 15.00 - 25.00 | GS: LT-UNK | RC: None | nano: No | ROLE: Flexibility | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | | |
| None found | | N | o warnings found | on HPD Priority Hazard Lists | | |

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-04-10 | | | |
|----------------------------------------------------------------|---------------------------------------------|------------------------------------------------------------------------------------------------|--|--|--|
| %: 5.00 - 15.00 | gs: LT-1 | RC: None NANO: No ROLE: Plasticizer | | | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| PBT | EC - CEPA DSL | Persistent, Bioaccumulative and inherently Toxic (PBiTH) to humans | | | |
| CANCER | EU - GHS (H-Statements) | H350 - May cause cancer | | | |
| CANCER | EU - REACH Annex XVII CMRs | Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man | | | |
| MULTIPLE | ChemSec - SIN List | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant | | | |
| MULTIPLE | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters | | | |
| CANCER | EU - Annex VI CMRs | Carcinogen Category 1B - Presumed Carcinogen based on animal evidence | | | |
| CANCER | GHS - Japan | Carcinogenicity - Category 1A [H350] | | | |
| CANCER | GHS - Australia | H350 - May cause cancer | | | |
| | | | | | |

SUBSTANCE NOTES: Contains less than 3% DMSO extractables - not considered to be a carcinogen or a mutagen.

POLYETHYLENE ID: 9002-88-4

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-04-10 | | | |
|----------------------------------------------------------------|------------------------|-----------------------------------|-----------------|---------------------------------------------|--|
| %: 1.00 - 5.00 | GS: LT-UNK | RC: None | NANO: No | ROLE: Protective polymer barrier | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WA | RNINGS | | |
| None found | | | No w | varnings found on HPD Priority Hazard Lists | |
| SUBSTANCE NOTES: None | | | | | |

SULFUR 1D: 7704-34-9

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-04-10 | | | |
|----------------------------------------------------------------|-------------------------|-----------------------------------|------------------|-------------------------|--|
| %: Impurity/Residual | GS: LT-UNK | RC: None | nano: No | ROLE: Impurity/Residual | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNING | GS | | |
| SKIN IRRITATION | EU - GHS (H-Statements) | H315 - | Causes skin irri | tation | |
| | | | | | |

SUBSTANCE NOTES: None



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Self-declared

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilities

ISSUE DATE: 2020-

04-10

EXPIRY DATE:

CERTIFIER OR LAB: Henry

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

No additional general notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.