CM-100 by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 27 26.00

PRODUCT DESCRIPTION: CM-100 is a fast curing, one component elastomeric, solvent free, moisture cure waterproofing compound designed to provide a seamless waterproofing membrane or a cold alternative to hot applied rubberized membrane systems It is applied in a high build two-ply system or single ply application, which cures through reaction with airborne moisture to provide a heavy duty "seamless" rubber-like, impervious membrane.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- € 100 ppm
- C 1,000 ppm
- Per GHS SDS
- C Per OSHA MSDS
- C Other

Residuals/Impurities

- Considered
- C Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

Characterized

% weight and role provided for all substances.

Screened

○ Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

CM100 [LIMESTONE; CALCIUM CARBONATE LT-UNK SILYL-TERMINATED POLYETHER NoGS ASPHALT LT-1 | CAN NAPHTHA (PETROLEUM), LIGHT STEAM-CRACKED, DEBENZENIZED, POLYMERS, HYDROGENATED LT-UNK SILICA GEL LT-UNK QUARTZ LT-1 | CAN SULFUR LT-UNK | SKI]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0

Regulatory (g/l): 0.0

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-04-12 PUBLISHED DATE: 2020-04-12

EXPIRY DATE: 2023-04-12



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

CM100

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered

OTHER PRODUCT NOTES: None

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCRE | HAZARD SCREENING DATE: 2020-04-12 | | |
|--|------------------------|-------------|-----------------------------------|--|--|
| %: 30.00 - 40.00 | gs: LT-UNK | RC: None | NANO: No | ROLE: Filler/film strengthener | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WAR | NINGS | | |
| None found | | | No war | nings found on HPD Priority Hazard Lists | |

SUBSTANCE NOTES: Not available in respirable form

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

SILYL-TERMINATED POLYETHER

ID: 205265-06-1

| HAZARD SCREENING METHOD: F | Pharos Chemical and Materials Library | HAZARD SCREEN | IING DATE: 2020-04 | -12 |
|-----------------------------------|---------------------------------------|---------------|---------------------------|------------------------------|
| %: 20.00 - 25.00 | GS: NoGS | RC: None | NANO: No | ROLE: Polymer |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | N | o warnings found o | on HPD Priority Hazard Lists |

SUBSTANCE NOTES: None

ASPHALT ID: 8052-42-4

HAZARD SCREENING DATE: 2020-04-12

| %: 15.00 - 20.00 | GS: LT-1 | RC: None | NANO: No | ROLE: Waterproofing |
|-------------------------|-----------------|----------|-----------------|---------------------|

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|-----------------------------------|--|
| CANCER | IARC | Group 2b - Possibly carcinogenic to humans |
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CANCER | CA EPA - Prop 65 | Carcinogen |
| CANCER | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| CANCER | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen when used in road paving applications. This product is not used in this application.

${\bf NAPHTHA~(PETROLEUM),~LIGHT~STEAM-CRACKED,~DEBENZENIZED,~POLYMERS,~HYDROGENATED}$

ID: 68132-00-3

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-04-12 | | | |
|--|------------------------|-----------------------------------|-------------|-----------------|-----------------------|
| %: 10.00 - 15.00 | GS: LT-UNK | | RC: None | NANO: No | ROLE: Adhesion |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found | | | No warnings | found on HPD | Priority Hazard Lists |
| SUBSTANCE NOTES: None | | | | | |

SILICA GEL ID: 112926-00-8

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREE | NING DATE: 2020-0 | 04-12 |
|--------------------------|---------------------------------------|--------------|--------------------------|------------------------------|
| %: 1.00 - 5.00 | gs: LT-UNK | RC: None | nano: No | ROLE: Thixotrope |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | |
| None found | | N | No warnings found | on HPD Priority Hazard Lists |
| SUBSTANCE NOTES: Not a | vailable in respirable form. | | | |

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2020-04-12 | | |
|--|-----------------|-----------------------------------|-----------------|-------------------------|
| %: Impurity/Residual | GS: LT-1 | RC: None | nano: No | ROLE: Impurity/Residual |

QUARTZ

ID: 14808-60-7

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|-----------------------------------|---|
| CANCER | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CANCER | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CANCER | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting) |
| CANCER | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| CANCER | IARC | Group 1 - Agent is Carcinogenic to humans |
| CANCER | IARC | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources |
| CANCER | GHS - New Zealand | 6.7A - Known or presumed human carcinogens |
| CANCER | GHS - Japan | Carcinogenicity - Category 1A [H350] |
| CANCER | GHS - Australia | H350i - May cause cancer by inhalation |
| | | |

SUBSTANCE NOTES: Not in respirable form.

| SULFUR | ID: 7704-34-9 |
|--------|---------------|
| | |
| | |

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library | | HAZARD SCREEN | HAZARD SCREENING DATE: 2020-04-12 | | |
|--|-------------------------|-------------------------------|-----------------------------------|-------------------------|--|
| %: Impurity/Residual | GS: LT-UNK | RC: None | NANO: No | ROLE: Impurity/Residual | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNING | WARNINGS | | |
| SKIN IRRITATION | EU - GHS (H-Statements) | H315 - Causes skin irritation | | ation | |
| | | | | | |

SUBSTANCE NOTES: None



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Self-declared

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilities

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

04-12

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All Henry facilites

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

04-12

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

No additional general notes for this product.

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company
ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: **484-557-1247**

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity **END** Endocrine activity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.