Henry 612 ShingleGuard 100% Acrylic Clear Shingle Sealer by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 10 00

PRODUCT DESCRIPTION: Henry® 612 ShingleGuard 100% Acrylic Clear Shingle Sealer is designed to extend the life of aged shingles by locking in granules and reducing further granule loss while adding protection against degradation from sun, snow, ice and rain.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVE	N	Т	O	R١	1
--------------	---	---	---	----	---

Inventory Reporting Format Nested Materials Method Basic Method

Threshold Disclosed Per

Material Product Threshold level

€ 100 ppm C 1,000 ppm

Per GHS SDS

Per OSHA MSDS

Other

Residuals/Impurities

Considered

C Partially Considered Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes O No

All Substances Above the Threshold Indicated Are:

Characterized

O Yes Ex/SC O Yes O No

% weight and role provided for all substances.

Screened

O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed

Identified

○ Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

HENRY 612 SHINGLEGUARD 100% ACRYLIC CLEAR SHINGLE SEALER [WATER BM-4 METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE LT-UNK PROPYLENE GLYCOL BM-2 | END OCTHILINONE LT-

P1 | AQU | MAM | SKI | MUL]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

No screening notes at this time.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (q/l): 10 Regulatory (g/l): 10 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: **SCREENING DATE: 2019-08-02** PUBLISHED DATE: 2019-08-02 EXPIRY DATE: 2022-08-02



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

HENRY 612 SHINGLEGUARD 100% ACRYLIC CLEAR SHINGLE SEALER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered down to 100 ppm

OTHER PRODUCT NOTES: No other product notes at this time.

WATER 1D: 7732-18					
HAZARD SCREENING METHOD: F	HAZARD SCREE	HAZARD SCREENING DATE: 2019-08-02			
%: 65.00 - 70.00	GS: BM-4	RC: None	nano: No	ROLE: Solvent/carrier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings f	found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: None					

METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE				ID: 25852-37-3	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREEN			NING DATE: 2019-08-02		
%: 25.00 - 30.00	GS: LT-UNK	RC: None	nano: No	ROLE: Protective polymer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warning	s found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: No sub	stance notes at this time				

PROPYLENE GLYCOL				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-08-02		
%: 0.10 - 0.90	GS: BM-2	RC: None NANO: No ROLE: Coalescing agent		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

OCTHILINONE ID: 26530-20-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-08-02			
%: 0.05 - 0.50	GS: LT-P1	RC: None	nano: No	ROLE: Preservative	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life			
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects			
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin			
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage			
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction			
MAMMALIAN	EU - GHS (H-Statements)	H331 - Tox	ic if inhaled		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters			
SKIN SENSITIZE	MAK	Sensitizing	Substance Sh - [Danger of skin sensitization	

SUBSTANCE NOTES: Present as a preservative for product shelf life



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Self-declared

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

APPLICABLE FACILITIES: All

08-02

Companry

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All

08-02

ISSUE DATE: 2019-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

No general notes are applicable at this time.

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: **484-557-1247**

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.