

CLASSIFICATION: 07 27 00.00

PRODUCT DESCRIPTION: MODIFIEDPLUS® NP180GM4 Cap Sheet is used as the weather resistant, granulated top ply in a two-ply roofing systems, flashing membrane for modified bitumen roofing, conventional built-up roofing and hot rubberized asphalt systems. Designed for application with either hot asphalts or cold adhesives.

## Section 1: Summary

## Nested Method / Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- Nested Materials Method  
 Basic Method

#### Threshold Disclosed Per

- Material  
 Product

#### Threshold level

- 100 ppm  
 1,000 ppm  
 Per GHS SDS  
 Per OSHA MSDS  
 Other

#### Residuals/Impurities

Residuals/Impurities  
Considered in 1 of 1 Materials

Explanation(s) provided  
for Residuals/Impurities?  
 Yes  No

All Substances Above the Threshold Indicated Are:

**Characterized**  Yes Ex/SC  Yes  No  
% weight and role provided for all substances.

**Screened**  Yes Ex/SC  Yes  No  
All substances screened using Priority Hazard Lists with  
results disclosed.

**Identified**  Yes Ex/SC  Yes  No  
All substances disclosed by Name (Specific or Generic) and  
Identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

**MOD BASE [ ASPHALT LT-1 | CAN LIMESTONE; CALCIUM CARBONATE (LIMESTONE; CALCIUM CARBONATE (CALCITE)) LT-UNK STYRENE BUTADIENE RUBBER (SBR) LT-UNK FIBER GLASS, BIOINSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT >18 % BY WEIGHT (FIBER GLASS, BIOINSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT >18 % BY WEIGHT) LT-UNK QUARTZ (QUARTZ) LT-1 | CAN SULFUR (SULFUR) LT-UNK | SKI ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen  
Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

No additional information

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

#### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2020-04-14

PUBLISHED DATE: 2020-04-14

EXPIRY DATE: 2023-04-14



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

## MOD BASE

#: 100.00 - 100.00

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered down to 100 ppm.

HPD URL: <https://builder-2.hpd-collaborative.org/records/3922>

OTHER MATERIAL NOTES: None

## ASPHALT

ID: 8052-42-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-14

#: 50.00 - 60.00

GS: LT-1

RC: None

NANO: No

ROLE: Waterproofing/flexibility

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen in road paving applications. This product is not intended for that use.

## LIMESTONE; CALCIUM CARBONATE (LIMESTONE; CALCIUM CARBONATE (CALCITE))

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-14

#: 30.00 - 40.00

GS: LT-UNK

RC: None

NANO: No

ROLE: Filler/film strengthener

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Exposure to substance is not likely due to the nature of the product.

**STYRENE BUTADIENE RUBBER (SBR)**

ID: 9003-55-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-14**

%: <b>5.00 - 10.00</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Flexibility</b>
------------------------	-------------------	-----------------	-----------------	--------------------------

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **None****FIBER GLASS, BIOINSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT >18 % BY WEIGHT (FIBER GLASS, BIOINSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT >18 % BY WEIGHT)**

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-14**

%: <b>1.00 - 5.00</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Reinforcement</b>
-----------------------	-------------------	-----------------	-----------------	----------------------------

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Not in respirable form****QUARTZ (QUARTZ)**

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-04-14**

%: <b>Impurity/Residual</b>	GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Impurity/Residual</b>
-----------------------------	-----------------	-----------------	-----------------	--------------------------------

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources

CANCER

US NIH - Report on Carcinogens

Known to be Human Carcinogen (respirable size - occupational setting)

CANCER

MAK

Carcinogen Group 1 - Substances that cause cancer in man

CANCER

IARC

Group 1 - Agent is Carcinogenic to humans

CANCER

GHS - New Zealand

6.7A - Known or presumed human carcinogens

CANCER

GHS - Japan

Carcinogenicity - Category 1A [H350]

CANCER

GHS - Australia

H350i - May cause cancer by inhalation

SUBSTANCE NOTES: **Exposure is unlikely due to the nature of the product.**

**SULFUR (SULFUR)**

ID: **7704-34-9**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-04-14**

#: **Impurity/Residual**                      GS: **LT-UNK**                      RC: **None**                      NANO: **No**                      ROLE: **Impurity/Residual**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

**SKIN IRRITATION**

**EU - GHS (H-Statements)**

**H315 - Causes skin irritation**

SUBSTANCE NOTES: **None**

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### Self-declared

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2020-**

EXPIRY DATE:

CERTIFIER OR LAB: **Henry**

APPLICABLE FACILITIES: **All Henry facilities**

**04-14**

**Company**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: **Exterior use only product**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Product is an article and exposure to components is unlikely when used according to instructions.



## MANUFACTURER INFORMATION

MANUFACTURER: **Henry Company**  
 ADDRESS: **999 N. Pacific Coast Hwy**  
**Suite 800**  
**El Segundo CA 90245, USA**  
 WEBSITE: **www.henry.com**

CONTACT NAME: **Whitney Randall**  
 TITLE: **Director, Regulatory Compliance Systems**  
 PHONE: **484-557-1247**  
 EMAIL: **wrandall@henry.com**

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet  
**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b> Aquatic toxicity	<b>GLO</b> Global warming	<b>PHY</b> Physical Hazard (reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive toxicity
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple hazards	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>OZO</b> Ozone depletion	<b>LAN</b> Land Toxicity
<b>GEN</b> Gene mutation	<b>PBT</b> Persistent Bioaccumulative Toxic	<b>NF</b> Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible Benchmark 1
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator Likely Benchmark 1
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> Unknown (no data on List Translator Lists)
<b>BM-U</b> Benchmark Unspecified (insufficient data to benchmark)	

### Recycled Types

**PreC** Preconsumer (Post-Industrial)  
**PostC** Postconsumer  
**Both** Both Preconsumer and Postconsumer  
**Unk** Inclusion of recycled content is unknown  
**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*