ModifiedPlus® NP180gT4 Cap Sheet by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 27 00.00

PRODUCT DESCRIPTION: ModifiedPlus® NP180gT4 Cap Sheet is used as the top ply in a two-ply roofing system and as a flashing membrane for modified bitumen roofing, conventional built-up roofing and as a maintenance repair material. NP180gT4 is used as an exposed flashing sheet in 790-11 hot rubberized asphalt systems.



Section 1: Summary

Basic Method / Product Threshold

C	റ	N	IT	F	N	Т	Ш	V١	ľΕ	N	т	റ	R	Υ
$\mathbf{}$	$\overline{}$							-				$\overline{}$		

Inventory Reporting Format						
Nested Materials Method						
Basic Method						
Threshold Disclosed Per						

illiesiloid Disclosed	C
○ Material	
Product	

Threshold leve	ı
€ 100 ppm	

C 1,000 ppm Per GHS SDS

Per OSHA MSDS

Other

2	esi	dua	ls/	lm	pui	riti	es
1	COI	uua	13/		pui	1161	CO

Considered

C Partially Considered Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes O No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized % weight and role provided for all substances.

O Yes Ex/SC O Yes O No Screened All substances screened using Priority Hazard Lists with

Identified ○ Yes Ex/SC Yes No All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

MOD PLUS BASE [ASPHALT LT-1 | CAN LIMESTONE; CALCIUM CARBONATE LT-UNK STYRENE BUTADIENE RUBBER (SBR) LT-UNK ALUMINUM BM-1 | PHY | END | RES SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS) LT-UNK QUARTZ LT-1 | CAN SULFUR LT-UNK | SKI 1

Number of Greenscreen BM-4/BM3 contents ... 0

results disclosed

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-04-12 PUBLISHED DATE: 2020-04-12 EXPIRY DATE: 2023-04-12



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

MOD PLUS BASE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered

OTHER PRODUCT NOTES: None

ASPHALT ID: 8052-42-4 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-12 %: 50.00 - 60.00 GS: LT-1 RC: None NANO: **No** ROLE: Waterproofing/flexibility HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CANCER IARC Group 2b - Possibly carcinogenic to humans US CDC - Occupational Carcinogens CANCER Occupational Carcinogen **CANCER** CA EPA - Prop 65 Carcinogen Group 2B - Possibly carcinogenic to humans - inhaled from **CANCER** IARC occupational sources CANCER MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen in road paving applications. This product is not intended for that use.

LIMESTONE: CALCIUM CARBONATE ID: 1317-65-3 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-12 %: 30.00 - 40.00 GS: LT-UNK RC: None NANO: **No** ROLE: Filler/film strengthener WARNINGS HAZARD TYPE None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Not in respirable form

HAZARD SCREENING METHOD:	HAZARD SCREENING DATE: 2020-04-12			
%: 5.00 - 10.00	GS: LT-UNK	RC: None	nano: No	ROLE: Flexibility
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	o warnings found	on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

ALUMINUM				ID: 7429-90-5
HAZARD SCREENING METHOD: Pharos (Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2020-0	4-12
%: 1.00 - 5.00	GS: BM-1	RC: None	nano: No	ROLE: Reflection
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H228 - Flamn	nable solid	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261 - In con	tact with water re	eleases flammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	locrine Disruptor	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (F	Rs) - sensitizer-ind	duced

SOLID GLASS AND GLASS / MINERAL FIBER (SEE VARIANTS)

SUBSTANCE NOTES: None

ID: 65997-17-3

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2020	-04-12
%: 1.00 - 5.00	GS: LT-UNK	RC: None	nano: No	ROLE: Reinforcement
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings fo	ound on HPD Priority Hazard Lists

QUARTZ

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-04-12

%: Impurity/Residual

GS: LT-1

RC: None NANO: No ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

 $\hbox{\scriptsize SUBSTANCE NOTES: Not present in a respirable form.}$

SULFUR 1D: 7704-34-9

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-12			
%: Impurity/Residual	GS: LT-UNK	RC: None	nano: No	ROLE: Impurity/Residual	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	gs.		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 -	H315 - Causes skin irritation		

SUBSTANCE NOTES: None



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Self-declared

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

Company

APPLICABLE FACILITIES: All Henry facilities

04-12

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

No additional general notes for this product

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer **DEV** Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.