# **PERMAX 1.8 W - B Component** by Henry Company

## Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 27 36.00

PRODUCT DESCRIPTION: Part B of a two component, polyurethane, spray foam system.

# Section 1: Summary

# **Basic Method / Product Threshold**

## **CONTENT INVENTORY**

#### Inventory Reporting Format

Nested Materials Method
 Basic Method

#### **Threshold Disclosed Per**

C Material

Product

# Threshold level 100 ppm 1,000 ppm Per GHS SDS

C Per OSHA MSDS

C Other

## **Residuals/Impurities**

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

#### All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC • Yes O No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

# Identified O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

#### MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

PERMAX 1.8 R - B COMPONENT [ 1,3-BENZENEDIAMINE, AR-METHYL-, POLYMER WITH OXIRANE LT-UNK TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (TCPP, TMCP) BM-U | END | PBT | MUL CHLOROTRIFLUOROPROPRE NoGS 1,2-BENZENEDICARBOXYLIC ACID, 3,4,5,6-TETRABROMO-, MIXED ESTERS WITH DIETHYLENE GLYCOL AND PROPYLENE GLYCOL LT-1 | PBT | MUL 1,2-ETHANEDIAMINE, POLYMER WITH 2-METHYLOXIRANE AND OXIRANE LT-UNK POLY(OXY(METHYL-1,2-ETHANEDIYL)), ALPHA,ALPHS'-(OXYDI-2,1-ETHANEDIYL)BIS(OMEGA-HYDROXY- LT-UNK WATER BM-4 (DIMETHYLAMINO)CYCLOHEXANE LT-P1 | MUL DIETHYLTOLUENEDIAMINE LT-P1 | AQU | EYE | MUL 2,4,6-TRI(DIMETHYLAMINOMETHYL)PHENOL LT-UNK | SKI | EYE *ETHYLENE GLYCOL* BM-1 | DEL | END ]

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

No additional inventory and screening notes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Self-declared

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

O Yes O No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-03-30 PUBLISHED DATE: 2020-03-30 EXPIRY DATE: 2023-03-30 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

## **PERMAX 1.8 R - B COMPONENT**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All residuals and impurities considered.

OTHER PRODUCT NOTES: None

| 1,3-BENZENEDIAMINE, AR-METHYL-, POLYMER WITH OXIRANE |                                   |          |                 |  |
|--|-----------------------------------|----------|-----------------|--|
| HAZARD SCREENING METHOD:                             | HAZARD SCREENING DATE: 2020-03-30 |          |                 |  |
| %: <b>20.00 - 40.00</b>                              | GS: LT-UNK                        | RC: None | NANO: <b>NO</b> | ROLE: Urethane component               |
| HAZARD TYPE  | AGENCY AND LIST TITLES            | WARNIN   | IGS             |  |
| None found   |                                   |          | No warni        | ngs found on HPD Priority Hazard Lists |
|  |                                   |          |                 |  |

SUBSTANCE NOTES: Reacts upon application

#### TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (TCPP, TMCP) ID: 13674-84-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-03-30 ROLE: Flame retardant %: 10.00 - 15.00 GS: BM-U RC: None NANO: NO HAZARD TYPE AGENCY AND LIST TITLES WARNINGS ENDOCRINE **TEDX - Potential Endocrine Disruptors** Potential Endocrine Disruptor PBT EHP - San Antonio Statement on BFRs & CFRs Flame retardant substance class of concern for PB&T & long range transport RESTRICTED LIST US EPA - PPT Chemical Action Plans TSCA Work Plan chemical - ongoing chemical (risk) assessment

SUBSTANCE NOTES: None

### CHLOROTRIFLUOROPROPENE

ID: 102687-65-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

PERMAX 1.8 W - B Component hpdrepository.hpd-collaborative.org

|  | GS: NOGS   | RC: None                                    |   |  | Blowing agent   | L                 |
|--|--|---|---|--|---|-------------------|
| HAZARD TYPE  | AGENCY AND LIST TITLES   | WARNINGS                                    |   |  |   |                   |
| None found   |  |   | No warning  | s found on l   | HPD Priority Haza   | rd Lists          |
| SUBSTANCE NOTES: HFO bas   | ed blowing agent. 0 GWP.   |   |   |  |   |                   |
|  |  |   |   |  |   |                   |
| 1,2-BENZENEDICARBOXY<br>DIETHYLENE GLYCOL AN   | 'LIC ACID, 3,4,5,6-TETRABROMO-, MIXED ESTER<br>D PROPYLENE GLYCOL  | S WITH                                      |   |  | ID: <b>77(</b>  | )98-07-8          |
| HAZARD SCREENING METHOD: Pr  | naros Chemical and Materials Library   |   | HAZARD SC   | CREENING DA  | TE: 2020-03-30  |                   |
| %: 5.00 - 10.00  | GS: <b>LT-1</b>  |   | RC:<br>None   | NANO:<br>No  | ROLE: Flame<br>retardant                                  |                   |
| HAZARD TYPE  | AGENCY AND LIST TITLES   | WARNINGS                                    |   |  |   |                   |
| РВТ  | OSPAR - Priority PBTs & EDs & equivalent concern   | PBT - Che                                   | mical for Pric  | ority Action   |   |                   |
| РВТ  | EHP - San Antonio Statement on BFRs & CFRs   |   | ardant substa<br>e transport                                    | nce class o  | f concern for PB&   | Τ&                |
|  | US EPA - PPT Chemical Action Plans   | TSCA Wor                                    | rk Plan chemi   | cal - ongoin   | ng chemical (risk)  |                   |
| SUBSTANCE NOTES: None  |  | assessme                                    |   |  |   |                   |
| SUBSTANCE NOTES: None<br>1,2-ETHANEDIAMINE, POL<br>OXIRANE   | LYMER WITH 2-METHYLOXIRANE AND   |   | nt  |  | ID: <b>26</b> 3   | 316-40-5          |
| SUBSTANCE NOTES: None<br>1,2-ETHANEDIAMINE, POI<br>OXIRANE<br>HAZARD SCREENING METHOD: Pr  | LYMER WITH 2-METHYLOXIRANE AND   | HAZARD SCREE                                | nt<br>ENING DATE: <b>2</b> 0                                    | 020-03-30  |   |                   |
| SUBSTANCE NOTES: None<br>1,2-ETHANEDIAMINE, POL<br>OXIRANE   | LYMER WITH 2-METHYLOXIRANE AND   |   | nt  | 020-03-30  | ID: 263   |                   |
| SUBSTANCE NOTES: None<br>1,2-ETHANEDIAMINE, POI<br>OXIRANE<br>HAZARD SCREENING METHOD: Pr  | LYMER WITH 2-METHYLOXIRANE AND   | HAZARD SCREE                                | nt<br>ENING DATE: <b>2</b> 0                                    | 020-03-30  |   |                   |
| SUBSTANCE NOTES: None<br>1,2-ETHANEDIAMINE, POI<br>DXIRANE<br>HAZARD SCREENING METHOD: Pr<br>%: 5.00 - 15.00   | LYMER WITH 2-METHYLOXIRANE AND<br>haros Chemical and Materials Library   | HAZARD SCREE<br>RC: None                    | nt<br>ENING DATE: <b>2(</b><br>NANO: <b>NO</b>                  | 020-03-30<br>Role: Ui  |   | nent              |
| SUBSTANCE NOTES: None<br>1,2-ETHANEDIAMINE, POI<br>DXIRANE<br>HAZARD SCREENING METHOD: Pr<br>%: 5.00 - 15.00<br>HAZARD TYPE  | LYMER WITH 2-METHYLOXIRANE AND<br>haros Chemical and Materials Library<br>GS: LT-UNK<br>AGENCY AND LIST TITLES   | HAZARD SCREE<br>RC: None                    | nt<br>ENING DATE: <b>2(</b><br>NANO: <b>NO</b>                  | 020-03-30<br>Role: Ui  | rethane compor  | nent              |
| SUBSTANCE NOTES: None<br>1,2-ETHANEDIAMINE, POI<br>OXIRANE<br>HAZARD SCREENING METHOD: Pr<br>%: 5.00 - 15.00<br>HAZARD TYPE<br>None found<br>SUBSTANCE NOTES: Reacts u   | LYMER WITH 2-METHYLOXIRANE AND<br>haros Chemical and Materials Library<br>GS: LT-UNK<br>AGENCY AND LIST TITLES<br>pon application.   | HAZARD SCREE<br>RC: None                    | nt<br>ENING DATE: <b>2(</b><br>NANO: <b>NO</b>                  | 020-03-30<br>Role: Ui  | rethane compor  | nent              |
| SUBSTANCE NOTES: None<br>1,2-ETHANEDIAMINE, POL<br>OXIRANE<br>HAZARD SCREENING METHOD: PP<br>%: 5.00 - 15.00<br>HAZARD TYPE<br>None found<br>SUBSTANCE NOTES: Reacts U<br>POLY(OXY(METHYL-1,2-E<br>ETHANEDIYL)BIS(OMEGA    | LYMER WITH 2-METHYLOXIRANE AND<br>haros Chemical and Materials Library<br>GS: LT-UNK<br>AGENCY AND LIST TITLES<br>pon application.   | HAZARD SCREE<br>RC: None<br>WARNINGS        | nt<br>ENING DATE: <b>2(</b><br>NANO: <b>NO</b>                  | 020-03-30<br>ROLE: UI  | rethane compor<br>HPD Priority Haza                       | nent<br>Ird Lists |
| SUBSTANCE NOTES: None<br>1,2-ETHANEDIAMINE, POL<br>OXIRANE<br>HAZARD SCREENING METHOD: PP<br>%: 5.00 - 15.00<br>HAZARD TYPE<br>None found<br>SUBSTANCE NOTES: Reacts U<br>POLY(OXY(METHYL-1,2-E<br>ETHANEDIYL)BIS(OMEGA    | LYMER WITH 2-METHYLOXIRANE AND<br>haros Chemical and Materials Library<br>GS: LT-UNK<br>AGENCY AND LIST TITLES<br>pon application.   | HAZARD SCREE<br>RC: None<br>WARNINGS        | nt<br>ENING DATE: 20<br>NANO: NO<br>No warning:<br>ARD SCREENIN | 020-03-30<br>ROLE: UI<br>s found on I<br>G DATE: 202<br>O: ROI | rethane compor<br>HPD Priority Haza                       | nent<br>Ird Lists |
| SUBSTANCE NOTES: None  1,2-ETHANEDIAMINE, POI DXIRANE  4AZARD SCREENING METHOD: Pr  5.00 - 15.00  HAZARD TYPE None found SUBSTANCE NOTES: Reacts u POLY(OXY(METHYL-1,2-E ETHANEDIYL)BIS(OMEGA  4AZARD SCREENING METHOD: Pr | LYMER WITH 2-METHYLOXIRANE AND<br>haros Chemical and Materials Library<br>GS: LT-UNK<br>AGENCY AND LIST TITLES<br>pon application.<br>THANEDIYL)), ALPHA,ALPHS'-(OXYDI-2,1-<br>-HYDROXY-<br>haros Chemical and Materials Library | HAZARD SCREE<br>RC: None<br>WARNINGS<br>HAZ | nt<br>ENING DATE: 20<br>NANO: NO<br>No warning:<br>ARD SCREENIN | 020-03-30<br>ROLE: UI<br>s found on I<br>G DATE: 202<br>O: ROI | rethane compor<br>HPD Priority Haza<br>ID: 90<br>20-03-30 | nent<br>Ird Lists |

| WATER  |                        |          |                                   | ID: 7732-18-5                   |  |
|--|------------------------|----------|-----------------------------------|---------------------------------|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZ |                        |          | HAZARD SCREENING DATE: 2020-03-30 |                                 |  |
| %: 1.00 - 5.00   | GS: <b>BM-4</b>        | RC: None | NANO: <b>NO</b>                   | ROLE: Foaming aid               |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNINGS |                                   |                                 |  |
| None found   |                        |          | No warnings fou                   | nd on HPD Priority Hazard Lists |  |
| SUBSTANCE NOTES: Reacts u  | pon application        |          |                                   |                                 |  |
|  |                        |          |                                   |                                 |  |
| (DIMETHYLAMINO)CYCLC   | HEXANE                 |          |                                   | ID: <b>98-94-2</b>              |  |

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |   | HAZARD SCREEN  | HAZARD SCREENING DATE: 2020-03-30 |                |  |
|--|---|----------------|-----------------------------------|----------------|--|
| %: 0.10 - 10.00  | GS: <b>LT-P1</b>                            | RC: None       | NANO: <b>NO</b>                   | ROLE: Catalyst |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES                      | WARNINGS       |                                   |                |  |
| MULTIPLE   | German FEA - Substances Hazardous to Waters | Class 3 - Seve | ere Hazard to Wate                | rs             |  |
|  |   |                |                                   |                |  |

SUBSTANCE NOTES: None

| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |  | HAZARD SCREEN   | 3-30                              |  |  |
|--|--|---|-----------------------------------|--|--|
| 0.00 - 5.00  | GS: <b>LT-P1</b>                               | RC: None  | ROLE: Catalyst                    |  |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES                         | WARNINGS  |                                   |  |  |
| ACUTE AQUATIC  | EU - GHS (H-Statements)                        | H400 - Very to  | H400 - Very toxic to aquatic life |  |  |
| CHRON AQUATIC  | EU - GHS (H-Statements)                        | H410 - Very toxic to aquatic life with long lasting effec |                                   |  |  |
| EYE IRRITATION   | EU - GHS (H-Statements)                        | H319 - Causes serious eye irritation                      |                                   |  |  |
| MULTIPLE   | German FEA - Substances Hazardous to<br>Waters | Class 3 - Severe Hazard to Waters                         |                                   |  |  |
| SUBSTANCE NOTES: None  |  |   |                                   |  |  |
|  |  |   |                                   |  |  |

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: **0.00 - 5.00** 

NANO: **NO** 

HAZARD SCREENING DATE: 2020-03-30

ROLE: Catalyst

| HAZARD TYPE     | AGENCY AND LIST TITLES  | WARNINGS                             |
|-----------------|-------------------------|--------------------------------------|
| SKIN IRRITATION | EU - GHS (H-Statements) | H315 - Causes skin irritation        |
| EYE IRRITATION  | EU - GHS (H-Statements) | H319 - Causes serious eye irritation |

SUBSTANCE NOTES: None

| ETHYLENE GLYCOL  |   |          |                                   | ID: <b>107-21-1</b>                    |  |
|--|---|----------|-----------------------------------|--|--|
| HAZARD SCREENING METHOD: Pharos Chemical and Materials Library |   |          | HAZARD SCREENING DATE: 2020-03-30 |  |  |
| %: Impurity/Residual   | GS: <b>BM-1</b>                                     | RC: None | NANO: <b>NO</b>                   | ROLE: Impurity/Residual                |  |
| HAZARD TYPE  | AGENCY AND LIST TITLES                              | WARNI    | NGS                               |  |  |
| DEVELOPMENTAL  | CA EPA - Prop 65                                    | Deve     | lopmental toxicit                 | У                                      |  |
| DEVELOPMENTAL  | US NIH - Reproductive & Developmental<br>Monographs | Clear    | Evidence of Adv                   | verse Effects - Developmental Toxicity |  |
| ENDOCRINE  | TEDX - Potential Endocrine Disruptors               | Poter    | ntial Endocrine D                 | isruptor                               |  |
|  |   |          |                                   |  |  |

SUBSTANCE NOTES: Reacts upon use to become part of the polymer matrix.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS  | Self-declared              |              |                                    |
|--|----------------------------|--------------|------------------------------------|
| CERTIFYING PARTY: Self-declared<br>Applicable facilities: All Henry facilities<br>CERTIFICATE URL: | ISSUE DATE: 2020-<br>03-30 | EXPIRY DATE: | CERTIFIER OR LAB: Henry<br>Company |

CERTIFICATION AND COMPLIANCE NOTES: None

# 🕒 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### **PERMAX - A COMPONENT**

HPD URL: https://builder.hpdcollaborative.org/products/1378

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Required to produce cured foam.

# Section 5: General Notes

No additional general notes for this product.

## MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy Suite 800 El Segundo CA 90245, USA WEBSITE: www.henry.com CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

LT-P1 List Translator Possible Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

LT-1 List Translator Likely Benchmark 1

## KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

## GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

#### **Other Terms**

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

#### PERMAX 1.8 W - B Component hpdrepository.hpd-collaborative.org