PERMAX - A Component by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 27 36.00 PRODUCT DESCRIPTION: Part A of a two component, polyurethane, spray foam system.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials MethodBasic Method

Threshold Disclosed Per

C Material

Product

Threshold level © 100 ppm © 1,000 ppm © Per GHS SDS

C Per OSHA MSDS

C Other

Residuals/Impurities

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

Characterized	⑦ Yes Ex/SC ⑦ Yes ⑦ No			
% weight and role provided for all substances.				

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

PERMAX - A COMPONENT [POLYMERIC MDI (PMDI) LT-UNK | RES | MUL | CAN METHYLENE BISPHENYL DIISOCYANATE (PURE MDI) LT-UNK | RES | MUL | SKI | EYE | CAN DIPHENYLMETHANE DIISOCYANATE (MDI) - NON ISOMER SPECIFIC LT-UNK | MUL | SKI | EYE | RES | CAN]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK Nanomaterial ... No INVENTORY AND SCREENING NOTES: No additional notes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Self-declared

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1 and Option 2

Third Party Verified? O Yes O No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-03-30 PUBLISHED DATE: 2020-03-30 EXPIRY DATE: 2023-03-30 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

PERMAX - A COMPONENT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered. All components in this part will fully react upon application.

OTHER PRODUCT NOTES: None

IAZARD SCREENING METHOD: P	naros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020-	03-30
6: 50.00 - 60.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted		
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published		
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage		
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with lov risk under MAK/BAT levels		
RESPIRATORY	МАК	Sensitizing sensitizatio		Danger of airway & skin

SUBSTANCE NOTES: Reacts with B Component upon application.

METHYLENE BISPHENYL DIISOCYANATE (PURE MDI)				ID: 101-68-8	
	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-30		
	%: 35.00 - 45.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Curing agent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted	
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published	
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation	
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction	
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation	
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled	
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer	
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage	
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels	
RESPIRATORY	МАК	Sensitizing Substance Sah - Danger of airway & skin sensitization	

SUBSTANCE NOTES: Reacts with B Component upon application

DIPHENYLMETHANE DIISOCYANATE (MDI) - NON ISOMER SPECIFIC

ID: 26447-40-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-03-30		
%: 1.00 - 5.00	GS: LT-UNK	RC: None NANO: No ROLE: Curing agent		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESTRICTED LIST	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published		
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction		
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation		
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathir difficulties if inhaled		
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		
RESPIRATORY	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage		

SUBSTANCE NOTES: Reacts with B Component upon application.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Self-declared		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All Henry facilities CERTIFICATE URL:	ISSUE DATE: 2020- 03-30	EXPIRY DATE:	CERTIFIER OR LAB: Henry Company

CERTIFICATION AND COMPLIANCE NOTES: No additional notes

🕒 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PERMAX - B COMPONENTS (ALL FOAM DENSITIES)

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Must be used in conjunction with B Component to form cured foam.

Section 5: General Notes

This product fully reacts with Part B components to form foams of various densities and cell structures.

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy Suite 800 El Segundo CA 90245, USA WEBSITE: www.henry.com CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

LT-P1 List Translator Possible Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

LT-1 List Translator Likely Benchmark 1

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.