POLYBITUME® 570-05 by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 26 16.00

PRODUCT DESCRIPTION: POLYBITUME 570-05 Polymer Modified Sealing Compound is a top quality, high solids, rubber asphalt caulking and sealing compound formulated to provide extra flexibility and good bond.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method
- **Threshold Disclosed Per**
- C Material
- Product

Threshold level
 100 ppm

C 1,000 ppm

C Other

C Per GHS SDS

C Per OSHA MSDS

Residuals/Impurities

Residuals/Impurities Considered in 1 of 1 Materials

Explanation(s) provided for Residuals/Impurities? All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

57005 [ASPHALT LT-1 | CAN SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-P1 | MAM | END QUARTZ (QUARTZ) LT-1 | CAN STYRENE BUTADIENE RUBBER (SBR) LT-UNK ENGLISH FULLERS EARTH (ENGLISH FULLERS EARTH) NoGS BENTONITE (BENTONITE) LT-UNK WATER (WATER) BM-4 CELLULOSE, MICROCRYSTALLINE (CELLULOSE) LT-UNK | RES WHITE MINERAL OIL (WHITE MINERAL OIL) LT-UNK *KAOLIN CLAY* (*KAOLIN CLAY*) LT-UNK | CAN]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 250 Regulatory (g/l): 250 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: No Number of Greenscreen BM-4/BM3 contents ... 1 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

No additional information.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-04-09 PUBLISHED DATE: 2020-04-09 EXPIRY DATE: 2023-04-09 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

57005	%: 100.0	0 - 100.00
PRODUCT THRESHOLD: 100 pp	om RESIDUALS	and impurities considered: Yes
RESIDUALS AND IMPURITIES NOT	ES: Residuals and impurities conside	red down to 100 ppm
HPD URL: https://builder-2.	hpd-collaborative.org/records/3925	
OTHER MATERIAL NOTES: No a	dditional information.	
ASPHALT		ID: 8052-42- 4
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-09
%: 40.00 - 50.00	GS: LT-1	RC: None NANO: No ROLE: Waterproofing, flexibility
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen in road paving applications. This product is not intended for that use.

SOLVENT NAPHTHA (PETROLEUM)	, MEDIUM ALIPHATIC			ID: 64742-88-7
HAZARD SCREENING METHOD: Pharos Che	mical and Materials Library	HAZARD SCREENIN	IG DATE: 2020-04	-09
%: 15.00 - 25.00	GS: LT-P1	RC: None	NANO: NO	ROLE: Solvent

T

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
ORGAN TOXICANT	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: This substance does not contain benzene or other carcinogens/mutagens.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-09		
6: 10.00 - 15.00	GS: LT-1	RC: None	NANO: NO	ROLE: Filler, film strengthener
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		zinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure rout		ific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled f occupational sources		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans		Carcinogenic to humans
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens		resumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]		
CANCER	GHS - Australia	н	350i - May cause	e cancer by inhalation

SUBSTANCE NOTES: This substance is not in a respirable form. Exposure to silica is unlikely when this product is used as directed.

STYRENE BUTADIENE RUBBER (SBR)					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-09			4-09		
%: 5.00 - 10.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Flexibility	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		Ν	o warnings found	on HPD Priority Hazard Lists	

SUBSTANCE NOTES: None

.....

ENGLISH FULLERS EAR	TH (ENGLISH FULLERS EARTH)			ID: 8031-18- 3
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2020-	04-09
%: 5.00 - 10.00	GS: NoGS	RC: None	NANO: NO	ROLE: Thixotrope
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings fou	nd on HPD Priority Hazard Lists
SUBSTANCE NOTES: Not in	respirable form.			
BENTONITE (BENTONIT	Е)			ID: 1302-78-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	-04-09
%: 5.00 - 10.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Thixotrope
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings fou	nd on HPD Priority Hazard Lists
SUBSTANCE NOTES: This SU	ubstance is not available in respirable form.			
WATER (WATER)				ID: 7732-18-
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCRI	EENING DATE: 202	0-04-09
%: 1.00 - 5.00	GS: BM-4	RC: None	NANO: NC	ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings four	nd on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				
CELLULOSE, MICROCR	YSTALLINE (CELLULOSE)			ID: 9004-34-6
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2020-04	4-09
%: 1.00 - 5.00	GS: LT-UNK	RC: None	NANO: NO	ROLE: Reinforcement
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen	(Rs) - sensitizer-i	nduced
SUBSTANCE NOTES: This m	aterial is not in respirable form.			
WHITE MINERAL OIL (W				ID: 8042-47- 5
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCRE	ENING DATE: 2020	0-04-09

%: 1.00 - 5.00	GS: LT-UNK	RC: Non	e NANO:	No ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	5	
None found			No warnings	s found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				
KAOLIN CLAY (KAOLIN CLA	AY)			ID: 1332-58-7
HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2020-	04-09
%: Impurity/Residual	GS: LT-UNK	RC: None	NANO: NO	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	3	
CANCER	МАК		gen Group 3B - sufficient for cla	Evidence of carcinogenic effects ssification

SUBSTANCE NOTES: Not available in respirable form.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Self-declared		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All Henry facilities CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES: Exterior	ISSUE DATE: 2020- 04-09 use only product.	EXPIRY DATE:	CERTIFIER OR LAB: Henry Company
VOC CONTENT	EPA Method 24 -	Volatile Matter Co	ontent (EPA 24)
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All Henry facilities	ISSUE DATE: 2020- 04-09	EXPIRY DATE:	CERTIFIER OR LAB: Henry Company

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product.

🛨 Section 4: Accessories

CERTIFICATE URL:

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

No additional notes for this product

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy Suite 800 El Segundo CA 90245, USA WEBSITE: www.henry.com CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

LT-P1 List Translator Possible Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

LT-1 List Translator Likely Benchmark 1

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.