PRO-GRADE® 276 ELASTOMERIC WHITE ROOF COATING by Henry Company

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 07 14 16.00

PRODUCT DESCRIPTION: PRO-GRADE® 276 ELASTOMERIC WHITE ROOF COATING IS A PREMIUM, HIGH SOLIDS WHITE ELASTOMERIC ROOF COATING FORMULATED WITH ACRYLIC POLYMERS, RESINS, FILLERS AND TITANIUM DIOXIDE PIGMENTS. DIRT PICK-UP RESISTANT (DPR) TECHNOLOGY PREVENTS DIRT AND DUST BUILDUP, KEEPING THE ROOF WHITER AND MORE REFLECTIVE LONGER. WHEN CURED, THE COATING FORMS A PERMEABLE MEMBRANE, WHICH PREVENTS LIQUID INFILTRATION, BUT ALLOWS MOISTURE VAPOR TO VENT, OR BREATHE OUT OF UNDERLYING SUBSTRATE.

_
_
_

Section 1: Summary

Nested Method / Product Threshold

	C	ON	ITE	:NT	INV	EN	TORY
--	---	----	-----	-----	-----	----	-------------

Inventory Reporting Format

Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

© Product

Threshold level

⊙ 100 ppm**⊙** 1,000 ppm

Per GHS SDS
Per OSHA MSDS

C Other

Residuals/Impurities

Residuals/Impurities
Considered in 1 of 1 Materials

Explanation(s) provided for Residuals/Impurities?

Ves O No

All Substances Above the Threshold Indicated Are:

% weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

6 WHITE ROOF COATING [WATER (WATER) BM-4 LIMESTONE; CALCIUM CARBONATE LT-UNK 2-PROPENOIC ACID, POLYMER WITH ETHENYLBENZENE AND 2-ETHYLHEXYL 2-PROPENOATE (2-PROPENOIC ACID, POLYMER WITH ETHENYLBENZENE AND 2-ETHYLHEXYL 2-PROPENOATE) LT-UNK TITANIUM DIOXIDE (TITANIUM DIOXIDE) LT-1 | CAN | END CHLOROTHALONIL (CHLOROTHALONIL) LT-1 | RES | CAN | AQU | SKI | EYE | MAM | END | MUL QUARTZ (QUARTZ) LT-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

No general notes.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

C Yes

PREPARER: Self-Prepared

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-04-14 PUBLISHED DATE: 2020-04-14 EXPIRY DATE: 2023-04-14



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

6 WHITE ROOF COATING

%: 100.00 - 100.00

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are based on average impurity levels in a given raw material in a mixture.

HPD URL: https://builder-2.hpd-collaborative.org/v21/records/4301

OTHER MATERIAL NOTES: None

SUBSTANCE NOTES: None

WATER (WATER) ID: 7732-18-5 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-14 %: 30.00 - 40.00 GS: BM-4 RC: None NANO: **No** BOLE: Solvent/Carrier HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No warnings found on HPD Priority Hazard Lists None found

LIMESTONE; CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Phare	HAZARD SCREENING DATE: 2020-04-14			
%: 30.00 - 40.00	gs: LT-UNK	RC: None	NANO: No	ROLE: Filler/Film Strengthener
HAZARD TYPE	AGENCY AND LIST TITLES	WAR	NINGS	
None found			No wai	rnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Contained in a liquid - exposure to limestone dust is not possible based on the nature of the product.

2-PROPENOIC ACID, POLYMER WITH ETHENYLBENZENE AND 2-ETHYLHEXYL 2-PROPENOATE (2-PROPENOIC ACID, POLYMER WITH ETHENYLBENZENE AND 2-**ETHYLHEXYL 2-PROPENOATE)**

ID: 25085-19-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-04-14 %: **15.00 - 25.00** GS: LT-UNK BC: NANO: ROLE: Waterproofing/Flexibility None No

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

TITANIUM DIOXIDE (TITANIUM DIOXIDE)

ID: 13463-67-7

IAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2020-04	l-14
6: 5.00 - 10.00	GS: LT-1	RC: None	nano: No	ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational	Carcinogen	
CANCER	CA EPA - Prop 65	Carcinogen -	specific to chemic	al form or exposure route
CANCER	IARC	Group 2B - P occupational		iic to humans - inhaled fror
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential End	locrine Disruptor	
CANCER	MAK	•	Group 3A - Evidenc ient to establish M	e of carcinogenic effects AK/BAT value
CANCER	MAK	•	Group 4 - Non-gend AK/BAT levels	otoxic carcinogen with low

SUBSTANCE NOTES: Not available as a respirable dust.

CHLOROTHALONIL (CHLOROTHALONIL)

ID: 1897-45-6

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCRE	EENING DATE: 2	020-04-14
%: 0.10 - 0.50	GS: LT-1	RC: None	NANO: No	ROLE: Preservative/mildew resistance

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H318 - Causes serious eye damage
MAMMALIAN	EU - GHS (H-Statements)	H330 - Fatal if inhaled
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life

SUBSTANCE NOTES: None

QUARTZ (QUARTZ) ID: 14808-60-7

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-14
%: Impurity/Residual	GS: LT-1	RC: None NANO: No ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: This material is not available in respirable form.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Self-declared

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

APPLICABLE FACILITIES: All Henry facilities

04-14

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: Henry

APPLICABLE FACILITIES: All Henry facilities

04-14

Company

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

No additional general notes for this product

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy

Suite 800

El Segundo CA 90245, USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

CAN Cancer

AQU Aquatic toxicity

DEV Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards **NEU** Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) **REP** Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.