

Permax 3.0-WD - Resin
by Henry Company

CLASSIFICATION: 07 27 36.00

PRODUCT DESCRIPTION: PERMAX™ 3.0-WD IS A 245-FA BLOWN, 2-COMPONENT POLYURETHANE SPRAY FOAM ROOF SYSTEM CONSISTING OF RESIN COMPONENTS A AND B, WHICH WHEN SPRAYED THROUGH SPECIAL PLURAL COMPONENT SPRAY EQUIPMENT, WILL PRODUCE A PREMIUM SEAMLESS, MONOLITHIC, AND DURABLE CLOSED-CELL POLYURETHANE FOAM ROOF. TOP COATING THE UNDERLYING FOAM IMMEDIATELY WITH PRO-GRADE® 988 HIGH SOLIDS SILICONE OR OTHER WATERPROOFING ROOF COATING SYSTEM, WILL COMPLETE THE HIGHLY DURABLE UV AND WEATHER BARRIER SYSTEM.

Health Product
Declaration v2.0

created via: HPDC Online Builder

Section 1: Summary

CONTENT
INVENTORY

Threshold per
material

- ☒ 100 ppm
- ☐ 1,000 ppm
- ☐ Per GHS SDS
- ☐ Per OSHA MSDS
- ☐ Other

Residuals and
impurities
considered in
1 of 1 materials
☒ see Section 2:
Material Notes
☒ see Section 5:
General Notes

Based on the selected Content Inventory Threshold:

Characterized.....	<input type="radio"/>	<input checked="" type="radio"/>
Are the Percent Weight and Role provided for all substances?	Yes	No
Screened.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances screened using Priority Hazard Lists with results disclosed?	Yes	No
Identified.....	<input checked="" type="radio"/>	<input type="radio"/>
Are all substances disclosed by Name (Specific or Generic) and Identifier?	Yes	No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

2035FOAM [1,3-BENZENEDIAMINE, AR-METHYL-, POLYMER WITH OXIRANE **LT-UNK**
POLY(OXY(METHYL-1,2-ETHANEDIYL)), ALPHA,ALPHS'-(OXYDI-2,1-ETHANEDIYL)BIS(OMEGA-
HYDROXY- **LT-UNK** TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (TCPP, TMCP) **BM-U** | END | PBT | MUL
1,1,1,3,3-PENTAFLUOROPROPANE **LT-UNK** | 1,2-ETHANEDIAMINE, POLYMER WITH 2-
METHYLOXIRANE AND OXIRANE **LT-UNK** 1,2-BENZENEDICARBOXYLIC ACID, 3,4,5,6-TETRABROMO-,
MIXED ESTERS WITH DIETHYLENE GLYCOL AND PROPYLENE GLYCOL **LT-1** | PBT | END | MUL
(DIMETHYLAMINO)CYCLOHEXANE **LT-UNK** WATER **BM-4** ETHYLENE GLYCOL **BM-1** | MAM | DEV |
END]

Number of Greenscreen
BM-4/BM3 contents.....
1
Contents highest concern
GreenScreen
Benchmark or List
translator Score.....
BM-1
Nanomaterial..... No

INVENTORY AND
SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE

No certifications have been added to this HPD.

<input checked="" type="radio"/> Self-Published*	VERIFIER:	SCREENING DATE: January 29, 2017	EXPIRY DATE*: January 29, 2020
<input type="radio"/> Third Party Verified	VERIFICATION #:	RELEASE DATE: January 30, 2017	* or within 3 months of significant change in product contents
*See HPDC website for details			



Section 2: Content in Descending Order of Quantity

This section lists materials in a product and the substances in each material based on the Inventory Threshold for each material. If residuals or impurities from the manufacturing or extraction processes are considered for a material, these are inventoried and characterized to the extent described in the Material and/or General Notes. Chemical substances are screened against the HPD Priority Hazard Lists for human and environmental health impacts. Screening is based on best available information; "Not Found" does not necessarily mean there is no potential hazard associated with the product or its contents. More information about Priority Hazard Lists and the GreenScreen can be found online: www.hpd-collaborative.org and www.greenscreenchemicals.org.

2035FOAM

#: 100.0000 - 100.0000 HPD URL:

Inventory Threshold: 100 ppm Residuals Considered: Yes

Material Notes:

1,3-BENZENEDIAMINE, AR-METHYL-, POLYMER WITH OXIRANE

ID: 63641-64-5

#: 20.0000 - 40.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Urethane
Component

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

POLY(OXY(METHYL-1,2-ETHANEDIYL)), ALPHA,ALPHS'-(OXYDI-2,1-ETHANEDIYL)BIS(OMEGA-HYDROXY-

ID: 9051-51-8

#: 15.0000 - 20.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Urethane
Component

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

TRIS(1-CHLORO-2-PROPYL)PHOSPHATE (TCPP, TMCP)

ID: 13674-84-5

#: 10.0000 - 15.0000

GS: BM-U

RC: None

NANO: NO

ROLE: Flame retardant

HAZARDS:

AGENCY(IES) WITH WARNINGS:

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

PBT

EHP - San Antonio Statement on BFRs & CFRs

Flame retardant substance class of concern for PB&T & long range transport

RESTRICTED LIST

US EPA - PPT Chemical Action Plans

TSCA Work Plan chemical - ongoing chemical (risk) assessment

SUBSTANCE NOTES:

1,1,1,3,3-PENTAFLUOROPROPANE

ID: 460-73-1

%: 10.0000 - 15.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Blowing agent

HAZARDS:

AGENCY(IES) WITH WARNINGS:

GLOBAL WARMING

US EPA - Global Warming Potentials

Global Warming Potential greater than 1,000

SUBSTANCE NOTES:

1,2-ETHANEDIAMINE, POLYMER WITH 2-METHYLOXIRANE AND OXIRANE

ID: 26316-40-5

%: 5.0000 - 10.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Urethane
component

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

1,2-BENZENEDICARBOXYLIC ACID, 3,4,5,6-TETRABROMO-, MIXED ESTERS WITH
DIETHYLENE GLYCOL AND PROPYLENE GLYCOL

ID: 77098-07-8

%: 3.0000 - 7.0000

GS: LT-1

RC: None

NANO: NO

ROLE: Flame retardant

HAZARDS:

AGENCY(IES) WITH WARNINGS:

PBT

OSPAR - Priority PBTs & EDs & equivalent
concern

PBT - Chemical for Priority Action

ENDOCRINE

OSPAR - Priority PBTs & EDs & equivalent
concern

Endocrine Disruptor - Chemical for Priority Action

PBT

EHP - San Antonio Statement on BFRs & CFRs

Flame retardant substance class of concern for
PB&T & long range transport

RESTRICTED LIST

US EPA - PPT Chemical Action Plans

TSCA Work Plan chemical - ongoing chemical
(risk) assessment

SUBSTANCE NOTES:

(DIMETHYLAMINO)CYCLOHEXANE

ID: 98-94-2

%: 1.0000 - 5.0000

GS: LT-UNK

RC: None

NANO: NO

ROLE: Catalyst

HAZARDS:

AGENCY(IES) WITH WARNINGS:

None Found

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

WATER

ID: 7732-18-5

%: 0.1000 - 2.0000

GS: BM-4

RC: None

NANO: NO

ROLE: Foam aid

HAZARDS:

None Found

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

SUBSTANCE NOTES:

ETHYLENE GLYCOL

ID: 107-21-1

%:

GS: BM-1

RC: None

NANO: NO

ROLE:

HAZARDS:

AGENCY(IES) WITH WARNINGS:

MAMMALIAN

EU - R-phrases

R22 - Harmful if Swallowed

DEVELOPMENTAL

CA EPA - Prop 65

Developmental toxicity

DEVELOPMENTAL

US NIH - Reproductive & Developmental
Monographs

Clear Evidence of Adverse Effects -
Developmental Toxicity

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES:



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PERMAX A COMPONENT

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Used to create cured foam.



Section 5: General Notes



MANUFACTURER INFORMATION

MANUFACTURER: Henry Company

ADDRESS: 999 N Sepulveda Blvd.
Suite 800
El Segundo, CA 90245
USA

WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall

TITLE: Director, Regulatory Compliance Systems

PHONE: 484-557-1247

EMAIL: wrandall@henry.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity

OZO Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)

REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) **BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insufficient data to benchmark)

LT-P1 List Translator Possible Benchmark 1

LT-1 List Translator Likely Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

UNK Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other

Nano Composed of nanoscale particles or nanotechnology

Declaration Level

Self-declared Manufacturer's self-declaration (First Party)

Independent Lab Manufacturer's self-declaration using results from an independent lab

Second Party Verification by trade association or other interested party

Third Party Verification by independent certifier

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator, and when available, full GreenScreen assessments. The HPD Open Standard does not provide an assessment of health impacts throughout the product life cycle. It does not provide an assessment of exposure or risk associated with product handling or use. It also does not address potential health impacts of: (i) substances used or created during the manufacturing process unless they remain in the final product, or (ii) substances created after the product is delivered for end use (e.g., if the product burns, degrades, or otherwise changes chemical composition).

The HPD Open Standard was created and is maintained and evolved by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry. The HPD Collaborative is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

A disclosure completed in compliance with the HPD Open Standard is referred to as a "Health Product Declaration," or "HPD." The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD Open Standard noted.