# Pro-Grade® 167 by Henry Company

# Health Product Declaration v2.1.1

created via: HPDC Online Builder

## CLASSIFICATION: 07 26 16.00

**PRODUCT DESCRIPTION:** Pro-Grade 167 Extreme Rubberized Flashing Cement is a super-premium formula designed with the professional roofer in mind. Pro-Grade 167 is modified with SEBS rubber and contains high quality solvents and UV inhibitors making it a best-in-class flashing cement for permanent repairs in any weather condition, wet or dry. Pro-Grade 167 is formulated with Gel Technology to improve workability and ensure a clean break out of the bucket.

# Section 1: Summary

# **CONTENT INVENTORY**

### **Inventory Reporting Format**

- C Nested Materials Method
- Basic Method

#### **Threshold Disclosed Per**

C Material

Product

Threshold level 100 ppm
1,000 ppm
Per GHS SDS
Per OSHA MSDS

C Other

## **Residuals/Impurities**

Considered
 Partially Considered
 Not Considered

Explanation(s) provided for Residuals/Impurities? • Yes O No All Substances Above the Threshold Indicated Are:

**Basic Method / Product Threshold** 

Characterized C Yes Ex/SC • Yes C No % weight and role provided for all substances.

## Screened O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

### Identified C Yes Ex/SC • Yes C No All substances disclosed by Name (Specific or Generic) and Identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

#### MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

 FLASH 209 [ ASPHALT LT-1 | CAN ENGLISH FULLERS EARTH NoGS

 AROMATIC NAPHTHA, TYPE 1 LT-1 | MAM | GEN | CAN | MUL | END

 STYRENE BUTADIENE RUBBER (SBR) LT-UNK CELLULOSE,

 MICROCRYSTALLINE LT-UNK | RES 1,2,4-TRIMETHYLBENZENE BM-2 |

 AQU | SKI | EYE | MUL XYLENES BM-1 | SKI | END | MUL | REP QUARTZ LT-1 | CAN ]

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 250 Regulatory (g/l): 250 Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES: None

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified?

Yes
 No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-04-10 PUBLISHED DATE: 2020-04-10 EXPIRY DATE: 2023-04-10 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-1-standard

ODUCT THRESHOLD: 100 pp	om residua	s and impurities considered: Yes
SIDUALS AND IMPURITIES NOT	TES: Residuals and impurities consid	ered.
HER PRODUCT NOTES: NON	9	
ASPHALT		ID: <b>8052-42</b>
	haros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-10
%: 50.00 - 60.00	GS: <b>LT-1</b>	RC: None NANO: No ROLE: Waterproofing/flexibility
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	US CDC - Occupational Carcinoger	s Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
SUBSTANCE NOTES: Conside	red a carcinogen by IARC for road paving	This product is not used for that application.
ENGLISH FULLERS EART	н	ID: <b>8031-1</b> 8
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-04-10
%: 10.00 - 20.00	gs: NoGS	RC: None NANO: No ROLE: Thixotrope/film strengthener
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-10		
%: 10.00 - 20.00	GS: <b>LT-1</b>	RC: None NANO: No ROLE: Solvent		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways		
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects		
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer		
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man		
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man		
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
CANCER	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based o animal evidence		
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		
GENE MUTATION	GHS - Australia	H340 - May cause genetic defects		
CANCER	GHS - Australia	H350 - May cause cancer		

SUBSTANCE NOTES: None

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library				
	HAZARD SCREE	HAZARD SCREENING DATE: 2020-04-10		
%: <b>3.00 - 7.00</b> GS: <b>LT-UNK</b>	RC: None	NANO: <b>NO</b>	ROLE: Flexibilizer	
HAZARD TYPE AGENCY AND LIST TITLES	WARNINGS			
None found	١	lo warnings found	on HPD Priority Hazard Lists	

CELLULOSE, MICROCI	RYSTALLINE			ID: <b>9004-34-6</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-10		
%: 1.00 - 5.00	GS: LT-UNK	RC: None	NANO: <b>NO</b>	ROLE: Thixotrope

AGENCY AND LIST TITLES

AOEC - Asthmagens

WARNINGS

Asthmagen (Rs) - sensitizer-induced

#### RESPIRATORY

1,2,4-TRIMETHYLBENZENE

ID: 95-63-6

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library

SUBSTANCE NOTES: Not available in respirable form.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-10		
GS: <b>BM-2</b>	RC: None	NANO: <b>NO</b>	ROLE: Impurity/Residual	
AGENCY AND LIST TITLES	WARNIN	IGS		
EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects		c life with long lasting effects	
EU - GHS (H-Statements)	H315 - Causes skin irritation		tation	
EU - GHS (H-Statements)	H319 - Causes serious eye irritation		eye irritation	
German FEA - Substances Hazardous Waters	to Class	2 - Hazard to Wa	aters	
	GS: <b>BM-2</b> AGENCY AND LIST TITLES EU - GHS (H-Statements) EU - GHS (H-Statements) EU - GHS (H-Statements) German FEA - Substances Hazardous	GS: BM-2     RC: None       AGENCY AND LIST TITLES     WARNIN       EU - GHS (H-Statements)     H411       EU - GHS (H-Statements)     H315       EU - GHS (H-Statements)     H319       German FEA - Substances Hazardous to     Class	GS: BM-2     RC: None     NANO: No       AGENCY AND LIST TITLES     WARNINGS       EU - GHS (H-Statements)     H411 - Toxic to aquation       EU - GHS (H-Statements)     H315 - Causes skin irrite       EU - GHS (H-Statements)     H319 - Causes serious       German FEA - Substances Hazardous to     Class 2 - Hazard to Wate	

SUBSTANCE NOTES: None

#### **XYLENES**

ID: 1330-20-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-04-10		
%: Impurity/Residual	GS: <b>BM-1</b>	RC: None	NANO: <b>NO</b>	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation		tation
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		sruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		aters
REPRODUCTIVE	GHS - Japan	Toxic to reproduction - Category 1B [H360]		

SUBSTANCE NOTES: None

QUARTZ				ID: 14808-60-7
HAZARD SCREENING METHOD: Pharos Che	mical and Materials Library	HAZARD SCREE	ENING DATE: 2020-	-04-10
%: Impurity/Residual	GS: <b>LT-1</b>	RC: None	NANO: <b>NO</b>	ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	МАК	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Not present in a respirable form.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Self-declared		
CERTIFYING PARTY: Self-declared Applicable facilities: All Henry facilities CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES: Exterior 1	ISSUE DATE: 2020- 04-10 use only product	EXPIRY DATE:	CERTIFIER OR LAB: Henry Company
VOC CONTENT	EPA Method 24 - V	/olatile Matter Co	ntent (EPA 24)
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All Henry facilities CERTIFICATE URL:	ISSUE DATE: 2020-04-10	EXPIRY DATE:	CERTIFIER OR LAB: Henry Company

CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product.

# 🛨 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

No additional general notes for this product.

# MANUFACTURER INFORMATION

MANUFACTURER: Henry Company ADDRESS: 999 N. Pacific Coast Hwy Suite 800 El Segundo CA 90245, USA WEBSITE: www.henry.com CONTACT NAME: Whitney Randall TITLE: Director, Regulatory Compliance Systems PHONE: 484-557-1247 EMAIL: wrandall@henry.com

LT-P1 List Translator Possible Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

LT-1 List Translator Likely Benchmark 1

# KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

## GLO Global warming MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

#### **Other Terms**

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.